

From: Admin <admin@wsa.co.uk>
Sent: 27 May 2026 09:43:53 UTC+01:00
To: "Joanne Fisher" <Joanne.Fisher@midsussex.gov.uk>; "Brian Woods" <brian.woods@wsa.co.uk>
Cc: "Emily Munro" <Emily.Munro@wsa.co.uk>; "Ws-Project" <ws-project@emailworkflowmax.com>
Subject: RE: DM/26/0843 - Land South Of Floran Farm Hophurst Hill Crawley Down J005449

Dear Joanne,

I hope you are well.

Please see attached the completed MSDC Drainage Checklist.

Regarding the consultation response from the Council's Drainage team, our drainage consultant has reviewed the comment and provided us with the below response.

The current submission demonstrates an acceptable planning-stage drainage strategy in principle. The proposed development attenuates runoff and restricts discharge to QBAR greenfield runoff rate in accordance with national and local drainage standards, which represents a clear betterment over the existing hardstanding-dominated site. The strategy also utilises an existing established private drainage network already serving the wider Floran Farm landholding. At outline planning stage, the important consideration is generally whether there is a viable and achievable drainage route in principle without increasing flood risk on or off site. In this case, the strategy demonstrates that runoff rates are reduced relative to the existing condition and that an existing downstream drainage route is present.

I hope this response provides the information that the Drainage team require, however please do let me know if there are any more queries or questions.

Thank you.

Kind Regards

Thomas Heneghan
Graduate Planner



www.wspa.co.uk | dd: 01737 308092

Please consider the environment. Please don't print this e-mail unless you really need to.

Attention:

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify WS Planning & Architecture on 01737 225711. The contents are not to be disclosed to anyone other than the addressee. Unauthorised recipients are required to preserve this confidentiality and to advise the sender of any errors in transmission. Thank you for your compliance.

We believe this e-mail and any attachment to be free of virus or other defect which might affect your system but it is your responsibility to ensure this is so. We accept no liability for any loss or damage caused in any way by its receipt or use.

From: Joanne Fisher <Joanne.Fisher@midsussex.gov.uk>

Sent: 20 May 2026 16:42

To: Admin <admin@wspace.co.uk>; Brian Woods <brian.woods@wspace.co.uk>

Subject: DM/26/0843 - Land South Of Floran Farm Hophurst Hill Crawley Down

Dear Mr Woods,

Please find attached the consultation responses from the Council's Drainage team and NatureSpace in respect of the above application. In these consultation responses further information is required to be submitted.

I would also suggest that the following checklist is also completed and provided as part of the drainage request if this was not included in the original documents submitted.

I look forward to receiving the requested information from you.

Kind regards

Joanne

Joanne Fisher BSc (Hons), MATP, MRTPI
Team Leader Applications
Planning Services

Tel: 01444 477330

joanne.fisher@midsussex.gov.uk

www.midsussex.gov.uk



Working together for a better Mid Sussex

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.