



Tree Inventory Report

WSSCC Tree Survey - June 25 - St Giles CofE Primary School

26 June 2025

Report created by Marie Farrow



Unique ID: 0XT9

West Sussex County Council

Salix chryspcoma

W3W: mailing.cupboards.summit

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Salix chryspcoma

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTA

West Sussex County Council

Prunus sp.

W3W: materials.helper.hotdog

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus sp.

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Historic stem wound noted at approximately 1m from ground level with good wound wood occlusion present

Unique ID: 0XTG

West Sussex County Council

Fagus sylvatica

W3W: removed.films.resonated

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fagus sylvatica

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTP
West Sussex County Council
Quercus robur
W3W: ushering.merge.fees

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTQ
West Sussex County Council
Ilex aquifolium
W3W: ushering.merge.fees

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTR
West Sussex County Council
Ilex aquifolium
W3W: sued.clay.hazelnuts

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Twin
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTS

West Sussex County Council

Quercus robur

W3W: landscape.exposing.describes

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTT
West Sussex County Council
Taxus baccata
W3W: shady.deflection.tinny

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Group
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Mixed Species

Requirements	
Date Added	24-Jun-2025
Date Required	24-Dec-2025
Priority	2 - Within 6 Months
Requirement Type	Lift Crown
Requirement Option	to 3m
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Low canopy over fence

Unique ID: 0XU7
West Sussex County Council
Mixed Species
W3W: entry.muddle.according

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Group
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Mixed Species

Requirements	
Date Added	24-Jun-2025
Date Required	24-Dec-2025
Priority	2 - Within 6 Months
Requirement Type	Lift Crown
Requirement Option	to 3m
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	low canopy over fence

Unique ID: 0XU8

West Sussex County Council

Acer campestre

W3W: chosen.covertly.superbly

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer campestre

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU9

West Sussex County Council

Alnus cordata

W3W: photo.thudded.ethic

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	<i>Alnus cordata</i>

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTE
West Sussex County Council
Fagus sylvatica
W3W: devoured.appear.doll

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fagus sylvatica

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTF
West Sussex County Council
Taxus baccata
W3W: bonds.hypnotist.jokes

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTH
West Sussex County Council
Betula pendula
W3W: troll.powers.enrolling

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTJ
West Sussex County Council
Quercus robur
W3W: toast.alongside.reefs

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTN

West Sussex County Council

Aesculus hippocastanum

W3W: warmers.ulterior.indicated

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTW

West Sussex County Council

Ilex aquifolium

W3W: permanent.derailed.computers

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU1

West Sussex County Council

Taxus baccata

W3W: pave.budding.novelists

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU3
West Sussex County Council
Pinus sylvestris
W3W: basics.whistling.ritual

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	00 to 05m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Conifers
Species	Pinus sylvestris

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUA

West Sussex County Council

Carpinus betulus

W3W: tides.clockwork.germinate

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Carpinus betulus

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUC
West Sussex County Council
Quercus petraea
W3W: flames.hopefully.wound

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Young
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus petraea

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUK

West Sussex County Council

Quercus robur

W3W: indicates.branching.reflected

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	600-750mm
Spread	05 to 10m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUM

West Sussex County Council

Quercus robur

W3W: shepherds.sampling.barn

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTB
West Sussex County Council
Buddleja sp.
W3W: dupe.ranged.blinking

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Twin
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Shrubs
Species	Buddleja sp.

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTC

West Sussex County Council

Other Shrub

W3W: evaporate.pursue.prestige

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Shrubs
Species	Other Shrub

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Semi mature Privett with insignificant defects noted at time of inspection

Unique ID: 0XTM
West Sussex County Council
Sambucas nigra
W3W: bluffing.buying.casino

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Sambucas nigra

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTU

West Sussex County Council

Quercus robur

W3W: ramming.relies.decorator

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTV

West Sussex County Council

Taxus baccata

W3W: ramming.relies.decorator

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU2

West Sussex County Council

Ilex aquifolium

W3W: basics.whistling.ritual

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU4

West Sussex County Council

Taxus baccata

W3W: [unlisted.dynamic.widen](#)

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Conifers
Species	Taxus baccata

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUB
West Sussex County Council
Aesculus hippocastanum
W3W: stall.atoms.argue

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUJ

West Sussex County Council

Prunus avium

W3W: pushover.dictation.processes

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUL

West Sussex County Council

Ilex aquifolium

W3W: shelf.playroom.champions

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTD

West Sussex County Council

Crataegus monogyna

W3W: bystander.rejected.manicured

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Young
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Crataegus monogyna

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTK

West Sussex County Council

Quercus robur

W3W: courage.surprises.dignitary

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTL
West Sussex County Council
Sambucas nigra
W3W: lunging.clays.divisible

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	0-5m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Sambucas nigra

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTX

West Sussex County Council

Ilex aquifolium

W3W: downturn.tumblers.grudges

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTY
West Sussex County Council
Quercus robur
W3W: linen.eyelashes.round

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	10 to 15m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XTZ

West Sussex County Council

Ilex aquifolium

W3W: scream.warping.tests

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	150-300mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU0

West Sussex County Council

Prunus laurocerasus

W3W: [fingernails.incurs.snowy](#)

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	300-450mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Shrubs
Species	Prunus laurocerasus

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Suppressed asymmetrical form with insignificant defects noted at time of inspection

Unique ID: 0XUD
West Sussex County Council
Quercus rubra
W3W: banks.pranced.partly

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus rubra

Requirements	
Date Added	24-Jun-2025
Date Required	24-Dec-2025
Priority	2 - Within 6 Months
Requirement Type	Remove Deadwood
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Scattered deadwood noted throughout canopy

Unique ID: 0XUE

West Sussex County Council

Aesculus hippocastanum

W3W: quietly.refusals.absent

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUF

West Sussex County Council

Tilia cordata

W3W: drifter.blotchy.duplicity

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Tilia cordata

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XUG

West Sussex County Council

Fagus sylvatica Purpurea

W3W: prompts.busters.turntable

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Semi Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	9-15m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fagus sylvatica Purpurea

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Historic stem wounds with moderate wound wood occlusion noted

Unique ID: 0XUH

West Sussex County Council

Acer campestre

W3W: defaults.tennis.impose

Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Single
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	450-600mm
Spread	05 to 10m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer campestre

Requirements	
Date Added	24-Jun-2025
Priority	
Requirement Type	No Maintenance
Requirement Option	
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A tree with insignificant defects noted at time of inspection

Unique ID: 0XU5
West Sussex County Council
Quercus robur
W3W: bombshell.swims.loaders

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Group
Age	Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	>750mm
Spread	05 to 10m
Height	15-20m
Risk	LOW
Committee	West Sussex County Council
Site	SOIL

Species	
Count	1
Vegetation Type	Broadleaf
Species	Quercus robur

Species	
Count	1
Vegetation Type	Broadleaf
Species	Ilex aquifolium

Species	
Count	1
Vegetation Type	Conifers
Species	Pinus sylvestris

Species	
Count	1
Vegetation Type	Broadleaf
Species	Fraxinus excelsior

Species	
Count	1
Vegetation Type	Broadleaf
Species	Betula pendula

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium

Species	
Count	1
Vegetation Type	Shrubs
Species	Prunus laurocerasus

Requirements	
Date Added	24-Jun-2025
Date Required	24-Dec-2025
Priority	2 - Within 6 Months
Requirement Type	Fell
Requirement Option	Ground Level
Requirement Info	

Requirements	
Date Added	24-Jun-2025
Date Required	24-Dec-2025
Priority	2 - Within 6 Months
Requirement Type	Lift Crown
Requirement Option	to 3m
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	A group of 40 trees with insignificant defects noted at time of inspection, various dimensions and stages of life from self set to fully mature. Ash tree displaying symptoms of Ash dieback disease. Low canopies over fence

Unique ID: 0XUN
West Sussex County Council
Prunus laurocerasus
W3W: pictured.frostbite.general

Overview Photos



Inventory	
Surveyor	Glen Poole
Inspection Date	24-Jun-2025
Next Inspection	24-Jun-2026
Trunk Type	Multi
Age	Early Mature
Condition	Moderate
Proximity	
Street	St Giles Church of England Primary School
Stem Diameter	0-150mm
Spread	00 to 05m
Height	5-9m
Risk	LOW
Committee	West Sussex County Council
Site	HEDGEROW

Species	
Count	1
Vegetation Type	Shrubs
Species	Prunus laurocerasus

Requirements	
Date Added	24-Jun-2025
Date Required	24-Dec-2025
Priority	2 - Within 6 Months
Requirement Type	Reduce Crown
Requirement Option	by 3m
Requirement Info	

Comment	
Surveyor	Glen Poole
Comment Date	24-Jun-2025
Comment	Laurel hedge blocking light into school