


Examples of above-ground stabilizing systems for protective barriers



Key

UT 5x5m Utility Building

MH1 6x12m Mobile Home

P 2.4 x 4.8m Parking Space



KEY:

- Shade patterns for key surveyed trees
- BS notching area is shown uniform but may be modified to account for site features
- BS notching area has been modified to account for site features
- A Grade
- B Grade
- C Grade
- U Grade
- Position of fixed barrier
- Tree Protective Fencing
- Challice Consulting Ltd. annotation

Notes:

Tree protection barrier to be erected and installed before machinery or materials are brought onto site, before any demolition or development of land and before soil stripping.

Tree protection measures should be implemented following any necessary pre-development tree work.

Barriers must not be removed or altered except with prior recommendation by project arboriculturist and where necessary approval from the Local Planning Authority.

Setting out to be confirmed by project arboriculturist prior to commencement of other operations.

Plan to be printed in colour and to scale

Tree Protection/Site Plan

PROJECT
Moonshine Meadow,
Cuckfield Road, Ansty,
West Sussex RH17 5AL

SCALE
1:200 @ A1 02/02/2026

DATE
1

Challice Consulting Ltd.
Hollwood Farm Garage
Hollwood Farm
North Hainwood
Dorking
Surrey

RHS 41R
Tel: 01306 743374
Email: info@challiciconsulting.co.uk
Web: www.challiciconsulting.co.uk