


Hurstpierpoint Swimming Pool First Floor Extension

Schedule of External Materials & Details

DATE : July 2025



MILLERBOURNE
ARCHITECTS




Contents

- 1. External Materials Overview
- 2. Scheule of Materials
- 3. Eastern Elevation Detail References
- 4. Northern Elevation Detail References



- 1 Elevational treatment of the historic College building
- 2 Elevational treatment of the adjacent academic block
- 3 Elevational treatment of the New Bury Theatre
- 4 Light buff brickwork of the Academic block
- 5 Yellow sandstone window surround of the Academic Block
- 6 Horizontal timber cladding of the New Bury Theatre
- 7 Knapped flint wall of the historic college building
- 8 Sandstone window surround of the historic college building
- 9 Zinc standing seam roof covering the New Bury Theatre
- 10 Artist illustration of the proposed building



1.0 External Materials Overview


As a continuation of the approved design, the proposed first floor will maintain the same cohesive palette of materials, textures and tones, harmonious with the surrounding environment. The predominant material of the Pool building is composed of a light / buff brickwork that is akin to the colours and tones of the adjacent academic block, the historic college building and present across buildings old and new within the school grounds. This same brickwork will be carried across to the access stair, and feature soldier course panel detailing.

In addition to this, the first floor facades will have areas of glazing including a full height corner window in the north eastern corner of the building. This provides a focal point and active facade when the building is viewed from the approaches into the quad from the main carpark to the east and from the north east.

The remainder of the façades will be clad with Rockpanel Woods, a robust and non-combustible boarding with a timber effect finish, toned to match the weathered cedar seen on the Performing Arts Centre and Music School. The boarding will be used in 400mm wide boards formed into panels with vertical joints to follow through the lines of the window reveals and used to break up larger wall panels.

A parapet wall will be incorporated at roof level, providing continuity with the rest of the building, capped by a powder coated aluminium flashing to match through with the windows, rain water goods and entrance canopy. The height of the parapet has been set at approximately 1.4m above the flat roof behind to provide visual shielding to the plant behind which is further screened with a louvered aluminium screen.

2.0 Schedule of External Materials



1

2




3



4

- 1 Highcliffe Weathered Buff Brickwork as used on the swimming pool building below.
- 2 Powdercoated aluminium curtain walling, windows, flashings, rain water pipes and parapet copings to be RAL 7015 to matched the swimming pool below
- 3 Powdercoated aluminium louvered screen to conceal roof plant, RAL 3038 Agate Grey. A light grey has been selected to make it visually blend behind the cladding rather than be a feature.
- 4 Rainscreen cladding using noncombustible Rockpanel Woods Carbon Oak fixed in 400mm deep panels and vertical joints to match fenestration.



Northern Front Elevation

Tone as seen in sunlight Tone as seen in semi shade

3.0 Eastern Elevation Detail References

See separate Detail Drawings



4.0 Northern Elevation Detail References
See separate Detail Drawings

