



County Tree Surgeons Ltd

Turners Hill Road, Crawley Down, West Sussex RH10 4HQ Tel: (01342) 719567

TREE SURVEY SCHEDULE

Hambrook School

Marle Place, Leylands Road, Burgess Hill, West Sussex RH15 8HY

Ref: CTS-GP-tss-02-0U8S

Author: GP | Checked by: RF | Date checked: 13/11/2023

www.countytreesurgeons.co.uk
01342 719567 | 07894264618
glenpoole@countytreesurgeons.co.uk

County Tree Surgeons
Turners Hill Road
Crawley Down
West Sussex
RH10 4HQ

Tree Survey Schedule Hambrook School

This document is based on a site visit and inspection undertaken by Glen Poole of County Tree Surgeons Ltd. on Wednesday 13th November, 2024. Conditions throughout the survey were dry and bright.

The dimensions and assessments of the trees contained within this document reflect their condition at the time of the survey. We surveyed the trees from within the boundaries of the site only. The presence of additional physiological or structural defects that are only visible in views from external viewpoints cannot be discounted.

All trees were surveyed from ground level only, aided by the use of binoculars where considered necessary, in accordance with the recommendations set out within the Visual Tree Assessment (VTA) methodology developed by Claus Mattheck and Helge Breloer (D.O.E booklet research for amenity trees No. 4, 1994).

Continual growth, environmental changes and adverse weather may lead to changes in the physiology, morphology, structure and life expectancy of any individual tree. Subsequently, the information within this document cannot be relied upon for more than three years following the date of survey, or after any significant adverse weather.

1. ID

Globally unique identification reference

2. Species

Botanical names, shown in italics.

3. Height

Estimated with the aid of a clinometer or laser rangefinder, given in metres.

4. Trunk type

Description of trunk habit (single, twin, multi, group or woodland)

5. Trunk diameter

Trunk diameter measured at 1.5m, unless stated otherwise, given in metres

6. Spread

Average extent of branches from the centre of the trunk, given in metres (0-5, 5-10, 10-15, 15-20 or 20+)

7. Age class

Based on the ultimate sizes of the species in question, and the site characteristics (young, early mature, semi-mature, mature, post-mature, near veteran or veteran).

8. Condition

Assessment of the tree's general health, biological function, and structural condition, taking into account a healthy specimen of its size, age, species and location.

9. Next inspection date

Proposed date of follow-up survey

10. Requirement

Identification of required tree surgery or removal works, based on the findings of the inspection, as defined by British Standard BS 3998:2010 '*Tree works - Recommendations*'.

11. Requirement option

Additional information of required work, including extent of reduction works or crown lifting.

12. Priority

Rating of priority for prescribed tree surgery or removal works, as defined below:

0 - Emergency works

1 - Within four weeks

2 - Within six months

3 - Within one year

4 - Within three years

Tree Survey Schedule
Hambrook School

ID	Species	Height	Trunk Type	Trunk Diameter	Spread	Age	Condition	Next inspection due	Comments	RequirementType	Requirement option	Priority
OUAU	<i>Fraxinus excelsior</i>	9-15m	Single	600-750mm	05 to 10m	Early Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection, recently received crown reduction works	No Maintenance		
OUAV	<i>Eucalyptus sp.</i>	9-15m	Single	300-450mm	00 to 05m	Semi Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection, leaning tree but starting to correct	No Maintenance		
OUAX	<i>Catalpa bignonioides</i>	0-5m	Single	300-450mm	00 to 05m	Semi Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUAY	<i>Acer pseudoplatanus</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUAZ	<i>Acer pseudoplatanus</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUB0	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection			
OUB1	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Moderate	2026-11-13	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUB2	<i>Salix sp.</i>	0-5m	Single	300-450mm	00 to 05m	Semi Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUB3	<i>Quercus robur</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUB4	<i>Betula pendula</i>	9-15m	Single	300-450mm	00 to 05m	Semi Mature	Moderate	13/11/2025	stem wound noted not presenting a health and safety	No Maintenance		
OUB5	<i>Fraxinus excelsior</i>	0-5m	Multi	0-150mm	00 to 05m	Young	Moderate	13/11/2025	stump regeneration	No Maintenance		
OUB6	<i>Fraxinus excelsior</i>	15-20m	Twin	600-750mm	05 to 10m	Mature	Poor	13/11/2025	Displaying early symptoms of Ash dieback disease	Fell	Remove Stump	2 - Within 6 Months
OUB7	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		

Tree Survey Schedule
Hambrook School

ID	Species	Height	Trunk Type	Trunk Diameter	Spread	Age	Condition	Next inspection due	Comments	RequirementType	Requirement option	Priority
OUB8	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Moderate	13/11/2025	Minor stem wound noted on base	No Maintenance		
OUB9	<i>Malus sp.</i>	0-5m	Single	0-150mm	00 to 05m	Young	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBA	<i>Corylus avellana</i>	0-5m	Multi	0-150mm	00 to 05m	Young	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBB	<i>Acer pseudoplatanus</i>	15-20m	Single	>750mm	05 to 10m	Early Mature	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBC	<i>Fraxinus excelsior</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBD	<i>Ilex aquifolium</i>	5-9m	Single	150-300mm	00 to 05m	Semi Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBE	<i>Acer pseudoplatanus</i>	15-20m	Single	>750mm	05 to 10m	Early Mature	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBF	<i>Taxus baccata</i>	0-5m	Single	150-300mm	00 to 05m	Semi Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBG	<i>Sequoiadendron giganteum.</i>	>20m	Single	>750mm	05 to 10m	Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBH	<i>Sequoiadendron giganteum.</i>	>20m	Single	>750mm	05 to 10m	Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBJ	<i>Sequoiadendron giganteum.</i>	>20m	Single	>750mm	10 to 15m	Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBK	<i>Quercus robur</i>	9-15m	Single	600-750mm	05 to 10m	Semi Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBL	<i>Prunus lusitanica</i>	5-9m	Group	300-450mm	00 to 05m	Early Mature	Moderate	13/11/2025	A group of 20 trees with insignificant defects noted at time of inspection	No Maintenance		

Tree Survey Schedule
Hambrook School

ID	Species	Height	Trunk Type	Trunk Diameter	Spread	Age	Condition	Next inspection due	Comments	RequirementType	Requirement option	Priority
OUBM	<i>Taxus baccata</i>	9-15m	Single	600-750mm	05 to 10m	Early Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBN	<i>Fraxinus excelsior</i>	5-9m	Single	150-300mm	00 to 05m	Young	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBP	<i>Quercus ilex</i>	5-9m	Single	150-300mm	00 to 05m	Young	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBQ	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBR	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBS	<i>Prunus avium</i>	0-5m	Single	0-150mm	00 to 05m	Young	Good	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBT	<i>Fraxinus excelsior</i>	9-15m	Twin	450-600mm	05 to 10m	Early Mature	Moderate	13/11/2025	A tree with insignificant defects noted at time of inspection	No Maintenance		
OUBU	<i>Buxus sempervirens</i>	0-5m	Multi	150-300mm	00 to 05m	Semi Mature	Moderate	13/11/2025	Crown dieback noted	Monitor condition for further decline		2-Within 6 Months

Copyright Company: County Tree Surgeons Ltd - Emapsite License Number: 0100031673

The map shows a residential area with several trees labeled with codes. A red circle highlights a tree labeled '0UBK' in the bottom left corner. Other trees are labeled with codes like 0UBA, 0UBB, 0UBC, etc. A building is labeled 'Marie Place'.