



Our ref: 14577
Date: 8 May 2026

Andrew Horrell
Mid Sussex District Council
Oaklands Road
Haywards Heath
West Sussex
RH16 1SS

By email only: Planning Department, planninginfo@midsussex.gov.uk

Thank you for requesting advice on this discharge of condition from Place Services' ecological advice service. This service provides advice to planning officers to inform Mid Sussex District Council planning decisions with regard to potential ecological impacts from development.

Application: DM/26/0249
Location: Down Park Place Turners Hill Road Crawley Down Crawley
Proposal: Discharge of BNG condition 1 relating to planning application DM/24/2646.

Thank you for re-consulting Place Services on the above discharge of condition for the Biodiversity Gain Condition

Biodiversity Gain Condition

Biodiversity Net Gain 1.

This permission is considered to be one which will require the approval of a biodiversity gain plan before development is begun (which includes demolition) because none of the statutory exemptions or transitional arrangements are considered to apply. Please see the information contained within the notes to applicants/agents set out below.

Comments

We have reviewed the submitted documents for this application. This includes the following:

- Biodiversity Net Gain report (Ecological Ltd, February 2026)
- Statutory Biodiversity Metric – Calculation Tool
- Supporting Statement (South Eastern Planning Services Ltd)

- Biodiversity Gain Plan Form
- Habitat Management and Monitoring Plan (Echological Ltd, April 2026)

It is indicated that [Paragraph 14\(2\) of Schedule 7A of the Town and Country Planning Act 1990 \(as amended\)](#) and [Articles 37C\(2\) and 37C\(4\) of The Town and Country Planning \(Development Management Procedure\) \(England\) Order 2015](#) sets out the requirements of the Biodiversity Gain Condition, which secures a 'Biodiversity Gain Plan'.

Therefore, following the submission we are now satisfied that sufficient information has been provided.

As previously highlighted, the LPA does not consider that significant on-site enhancements will be present for this development. Therefore, whilst appropriate aftercare measures have been set out for the proposed Mixed Scrub and Hazel Scrub within the Habitat Management and Monitoring Plan (Echological Ltd, April 2026), the LPA will not monitor the proposed habitats for a period of 30 years from the completion of development via a legal agreement. Therefore, the responsibility to implement the proposed habitat type and ensure a 10% measurable biodiversity net gain is the responsibility of the landowner.

Recommendation

Subject to implementation in full of the submitted details, we recommend discharge of the Biodiversity Gain Condition.

Please contact us if you have any queries in relation to this advice.

Yours sincerely,

Hamish Jackson ACIEEM BSc (Hons)

Senior Ecological Consultant

Place Services at Essex County Council



Place Services provide ecological advice on behalf of Mid Sussex District Council.

Please note:

This letter is advisory and should only be considered as the opinion formed by specialist staff in relation to this particular matter.

We are unable to respond directly to applicants/agents or other interested parties. Any additional information, queries or comments on this advice that the applicant/agent or other interested parties may have, must be directed to the Planning Officer at the relevant LPA, who will seek further advice from us where appropriate.