



SUSTAINABLE ENERGY STATEMENT

Detailed Application for a Detached Single Storey 3 Bedroomed Dwelling
Located at 8A Highfields, Brighton Road, Warminglid, West Sussex,
RH17 5SY

1.00 Site Analysis:

1.01 The Proposal

The application relates to the provision of a single storey 3 bedroomed detached dwelling..

1.03 Use Class

The proposed accommodation is to be for private residential use.

1.04 Topography

The location, site layout and orientation of the proposed accommodation has been determined by the topography of the site, combined with the location of the existing residential accommodation on and around the application site.

The adjoining residential properties at Highfields are generally a mix of traditional and timber framed construction and styles.

The topography of the site and area is generally flat.

The site has not been identified by the Environment Agency as being located within a designated functional flood plain.

2.00 Energy Requirements:

2.01 Electrical & Energy Consumption

The dwelling, has been designed to meet the requirements of the Building Regulations, Part L1a : 2010 (latest revision) as a minimum standard.

LM Associates are 'BRE' Accredited Domestic Energy Assessors and therefore are fully conversant with the latest requirements relating to achieving and surpassing Target 'U Values', Elemental 'U Values' and Carbon Index Emission requirements (code 6.).

Accordingly, the building and domestic services will be designed as an energy efficient development within parameters determined by the site and Town Planning restraints.

The energy consumption of the new dwelling will without question be achieve as a minimum Level 3 of the Code for Sustainable Homes

3.00 Energy Conservation Design:

3.01 Renewable Energy Source Options-

- Biomass Fuelled Systems (Direct combustion, Anaerobic digestion & Gasification)
- Combined Heat & Power (CHP) Systems (Electricity & Space Heating or Water Heating)
- Fuel Cell Systems
- Greywater Systems
- Ground Source (Air) Systems (Cooling & Heating)
- Ground Source (Water) Systems (Cooling & Heating)
- Heat Pumps (Ground & Air) Source Systems (Space Heating, Water Heating, Cooling, Dehumidification, Pre-heat Ventilation Air)
- Photovoltaic Systems (Electricity)
- Rainwater Recovery Systems (Pumped & Gravity)
- Solar Air Heating Systems (Space Heating, Water Heating & Pre-heat Ventilation Air)
- Solar Cooling Systems (Absorption, Adsorption & Desiccant)
- Solar Water Heating
- Water Conservation Measures
- (Glazed Flat Plate, Evacuated Tube & Unglazed Plastic or Low Temperature)
- Surface Water Cooling Systems
- Water Conservation Measures
- Wind Power Systems (Horizontal & Vertical Axis)

3.02 Possible Energy Conservation measures to be incorporated-

- SAP 2010 Condensing Boiler (95% efficiency)
- TRV's & Fully programmable & zoned controls
- Foil/ reflective faced Polyisocyanurate insulation board to all areas
- Thermally broken external frames (with Double/ Triple glazing)
- Increased airgap between panes of glass & 'Argon Gas' fill
- Specialist solar glass
- Insulated Cavity closures
- Low energy lighting (100%)
- Fully insulated envelope
- Water Conservation Measures
- Solar Water Heating

- Rainwater Recovery System
- Greywater Systems

3.02 Possible Ways to Minimise Energy Losses-

- Orientation of the facades to maximise the benefit of natural daylight
- Orientation of the facades to maximise the heat and light generated by the sun
- The use of Solar control glass and double glazing
- The provision of shading construction to South facing windows
- Maximise glazing areas to benefit from sun & daylight
- Fully insulated/ enhanced envelope

4.00 Consideration of Renewable Energy Options:

<u>Source</u>	<u>Opinion</u>	<u>Reason</u>
Biomass	Not Suitable	- Size of plant accommodation - Size of fuel storage - Transportation of Fuel - Low energy density provision - Management & maintenance restrictions - Requires intensive & expert management - Reliability of sourcing fuels - Economics - Town Planning policies
CHP	Not Suitable	- Mini Chip, as a source of electricity & power - Effective efficiency relies on optimum use? - Noise & Fume pollution?
Fuel Cell	Not Suitable	- Excessive & disproportionate installation costs - Unfamiliar technology - No Hydrogen infrastructure in the UK & therefore relies on natural gas. - No certified installers/ training - High maintenance costs - Short stack life - Sensitive to pollutants - Very small amounts of Carbon

		Monoxide or Sulphur will potentially cause the cells to fail - Size of plant accommodation - Economics - Town Planning policies
Ground Source Air	Not suitable	- Suitability for small/ domestic use - Essentially used to pre-heat winter air & pre-cool summer air therefore limited application - High installation costs may not justify benefits? - Size of plant accommodation
Ground Source Water	Not Suitable	- Provides cooling normally for commercial use therefore limited application - Not suitable for clay soils - Susceptible to blockage & fouling - Susceptible to silting up - High installation costs may not justify benefits? - Size of plant accommodation
Ground Source Heat Pumps	Not Suitable	- Ground suitability - Provides cooling normally for commercial use therefore limited application - Caters for low heating demand - Provides hot water heating - High installation costs may not justify benefits?
Rainwater Recovery	Not Suitable	- Rainwater quality issues relating to the roof covering selected? - Dependent on roof design, adequate rainfall, retention/ absorption value of the roof covering? - Adequate roof catchment area? - Adequate alternative/ additional paved catchment area? - Regular maintenance/ cleaning is required? - Herbicides must not be used on

		catchment areas, a Health & Safety issue? - Installation and ongoing maintenance costs may not justify savings?
Photo Voltaic Panels	Suitable	- Critical siting & orientation issues to obtain optimum benefit - Requires regular maintenance/ cleaning therefore Health & Safety issues are introduced - Large area of collectors required - Inverter reliability issues - Aesthetic appearance/ Town Planning policies - Relatively high installation costs may not justify benefits?
Solar Air Heating	Not Suitable	- The low heat capacity of air - Poor heat transfer - A large volume of air flowrate is required, with fan power issues - recommended primary use to pre-heat ventilation air - Aesthetic appearance/ Town Planning policies - Requires regular maintenance/ cleaning therefore Health & Safety issues are introduced
Solar Water Heating	Potentially Suitable	- Wide range of mounting options - Well developed technology - Good installation to performance ratio - Optimum use requires due South orientation? - Area of collectors required? - Aesthetic appearance/ Town Planning policies? - Some non-integrated systems have exposed pipework?
Solar Cooling	Not Suitable	- Suitable for driving cooling systems - No certified installers/ training & very limited operating experience in the UK - Relatively high cost of solar collectors

		& absorption collectors - Aesthetic appearance/ Town Planning policies
Surface Water Cooling	Not Suitable	- Close availability of adequate water source required - Sufficiently deep water required to maintain sufficiently cool water temperature - Domestically could be used with a heat pump system only - Relatively high installation cost - Generally applied to commercial buildings
Wind Turbine	Not Suitable	- Optimim output in unrestricted/ non-urban location - Low cost effectiveness - Reliant on effective wind generation - Domestic options usually provide lower than rated output - Requires regular maintenance therefore Health & Safety issues are introduced - Low CO saving - Aesthetics/ Town Planning policies - Site Topography
Water Conservation	Potentially Suitable	- Spray/ sensor taps? - Cartridge tap? - Tapmatic tap inserts? - Designed restricted flow distances? - Dual or Low flush toilets? - Delayed action inlet valves? - Water saving shower heads? - Shower/ bath flow restrictors
Grey Water Harvesting	Not Suitable	- Limited use of treated water? - Limited storage time (3 days)? - Potentially uneconomic installation & maintenance costs may not justify savings - Size of storage accommodation - Town Planning policies

5.00 Generation of Renewable Site Energy:

The generation of renewable energy for the provision of this residential accommodation is assessed as only being restricted by the following issues:

- The orientation and topography of the site & character of the area
- The size of the development site
- The Town Planning designation of the site & Design Policies
- Economic viability
- Availability of energy sources

Accordingly, a number of the renewable energy sources are not considered viable.

The environmental/ energy conservation issues have been specifically addressed by careful consideration of both renewable energy & technical/ construction design and material selection of the new dwelling envelope and internal services.

6.00 Proposed Renewable/ Sustainable Energy Conservation Measures:

Based on the issues identified and considered earlier in this statement, it is currently considered that the introduction of the following measures constitute the viable renewable and sustainable energy conservation measures to be further investigated for possible incorporation into the proposed development:

1. SAP 2010 Condensing Boiler (Vaillant ecoTEC Exclusive 835)
2. TRV's & Fully programmable & zoned controls
4. Foil/ reflective faced Polyisocyanurate insulation board to all areas to achieve (25%) increase above Building Regulation required 'U' values.
5. Thermally broken external frames (with Double glazing)
6. Increased airgap between panes of glass & 'Argon Gas' fill
7. Low 'E' glass
8. Thermabate insulated cavity closures
9. 100% Low energy lighting
10. Water Conservation Measures