

Ousedale

Materials

In relation to application DM/26/0447

Ousedale, Brook Street, Cuckfield, Haywards Heath, West Sussex RH17 5JJ

Pitched roof

We propose to use grey slate tiles to the pitched roof - suggested specification: Marley Edgemere Interlocking Slate Concrete Roof Tile Smooth Grey. 445mm x 295mm.



Fig. 1. Roof tile

Flat roof

We propose to use grey GRP finish. with grey aluminium coping - suggested specification: Rainclear systems / Aluminium wall coping / 7016 Anthracite grey. SL36: The 422mm Aluminium Coping – Suitable for 301-360mm wide walls



Fig. 2. GRP roof finish with aluminium coping.

Ousedale

Wall finish: First floor level

We propose to use vertical timber cladding - suggested specification:
Millboard / The Envello Shadow Line+ cladding board / Limed Oak,
200mm x 18mm.



Fig. 3. Composite cladding with Oak effect.

Wall finish: Ground floor level

We propose to use horizontal timber cladding - suggested specification:
Weberpral M / through-coloured monocouche render / Off-white
15mm scraped surface, applied at an 18mm thickness.



Fig. 4. Through colour monocouche render.

Ousedale

Rainwater goods

We propose to black PVCu rainwater goods - suggested specification:
Brett Martin / Gloss Finish Rainwater System / Roundstyle.
Sized to suit roof area.



Fig. 5. Black rainwater goods.

Windows and doors

We propose to use aluminium windows and sliding doors - suggested specification:
Smart systems / alitherm 300 / black
Sized as required



Fig. 6. Aluminium framed windows and doors in black - Alitherm 300.

Ousedale

Renders

View of front elevation.



Fig. 7. Front elevation.

Render

Close up of proposed materials.



Fig.8. Close up.