

Client ZMQL Ltd

Site:

Title: RC DETAILS OF GROUND BEAMS SHEET 01

Job No: 10056

Date 12-02-25

Prepared:

Prepared AP

by:

Date revised: 26-03-2025

Checked:

Checked SPR

by:

| Member          | Bar Mark | Type & Size | No. Of Mbrs. | No. in Each | Total No. | Length of each bar + mm | Shape Code | A* mm | B* mm  | C* mm | D* mm | E* mm | F* mm | R* mm | Weight (kg) | Rev |
|-----------------|----------|-------------|--------------|-------------|-----------|-------------------------|------------|-------|--------|-------|-------|-------|-------|-------|-------------|-----|
| GB01(600x450Dp) | 01       | H10         | 1            | 63          | 63        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 69.968      | T1  |
|                 | 02       | H25         | 1            | 4           | 4         | 9950                    | 00         |       |        |       |       |       |       |       | 153.230     | T1  |
|                 | 03       | H25         | 1            | 8           | 8         | 3525                    | 11         | 350   | (3230) |       |       |       |       |       | 108.570     | T1  |
|                 | 04       | H20         | 1            | 8           | 8         | 4025                    | 00         |       |        |       |       |       |       |       | 79.534      | T1  |
|                 | 06       | H16         | 1            | 4           | 4         | 4850                    | 00         |       |        |       |       |       |       |       | 30.652      | T1  |
|                 | 51       | H20         | 1            | 8           | 8         | 2050                    | 11         | 350   | (1750) |       |       |       |       |       | 40.508      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB02(600x450Dp) | 25       | H10         | 1            | 21          | 21        | 900                     | 51         | 220   | 150    | (130) | (130) |       |       |       | 11.661      | T1  |
|                 | 26       | H10         | 1            | 2           | 2         | 1300                    | 11         | 200   | (1100) |       |       |       |       |       | 1.604       | T1  |
|                 | 27       | H10         | 1            | 2           | 2         | 1500                    | 11         | 200   | (1300) |       |       |       |       |       | 1.851       | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB03(600x450Dp) | 01       | H10         | 1            | 34          | 34        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 37.760      | T1  |
|                 | 07       | H16         | 1            | 4           | 4         | 5525                    | 00         |       |        |       |       |       |       |       | 34.918      | T1  |
|                 | 08       | H16         | 1            | 4           | 4         | 5200                    | 00         |       |        |       |       |       |       |       | 32.864      | T1  |
|                 | 10       | H16         | 1            | 4           | 4         | 3075                    | 11         | 350   | (2755) |       |       |       |       |       | 19.434      | T1  |
|                 | 11       | H16         | 1            | 4           | 4         | 3425                    | 11         | 350   | (3100) |       |       |       |       |       | 21.646      | T1  |
|                 | 61       | H12         | 1            | 2           | 2         | 2200                    | 11         | 350   | (1855) |       |       |       |       |       | 3.907       | T1  |
|                 | 62       | H12         | 1            | 2           | 2         | 1000                    | 11         | 350   | (650)  |       |       |       |       |       | 1.776       | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB04(600x450Dp) | 01       | H10         | 1            | 52          | 52        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 57.751      | T1  |
|                 | 05       | H16         | 1            | 4           | 4         | 1825                    | 11         | 350   | (1500) |       |       |       |       |       | 11.534      | T1  |
|                 | 09       | H12         | 1            | 4           | 4         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 6.394       | T1  |
|                 | 13       | H20         | 1            | 4           | 4         | 4175                    | 00         |       |        |       |       |       |       |       | 41.249      | T1  |

This Schedule conforms to BS 8666:2020

\* Specified in multiples of 5mm

+ Specified in multiples of 25mm

Status:

P Preliminary

T Tender

C Construction

Page Total

766.811

Client ZMQL Ltd

Site:

Title: RC DETAILS OF GROUND BEAMS SHEET 01

Job No: 10056

Date 12-02-25

Prepared:

Prepared AP

by:

Date revised: 26-03-2025

Checked:

Checked SPR

by:

| Member          | Bar Mark | Type & Size | No. Of Mbrs. | No. in Each | Total No. | Length of each bar + mm | Shape Code | A* mm | B* mm  | C* mm | D* mm | E* mm | F* mm | R* mm | Weight (kg) | Rev |
|-----------------|----------|-------------|--------------|-------------|-----------|-------------------------|------------|-------|--------|-------|-------|-------|-------|-------|-------------|-----|
| GB04(600x450Dp) | 14       | H16         | 1            | 4           | 4         | 7050                    | 00         |       |        |       |       |       |       |       | 44.556      | T1  |
|                 | 15       | H12         | 1            | 4           | 4         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 5.683       | T1  |
|                 | 16       | H16         | 1            | 4           | 4         | 5525                    | 00         |       |        |       |       |       |       |       | 34.918      | T1  |
|                 | 17       | H16         | 1            | 4           | 4         | 5575                    | 00         |       |        |       |       |       |       |       | 35.234      | T1  |
|                 | 52       | H20         | 1            | 4           | 4         | 2725                    | 11         | 350   | (2415) |       |       |       |       |       | 26.923      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB05(300x300Dp) | 01       | H10         | 1            | 55          | 55        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 61.083      | T1  |
|                 | 09       | H12         | 1            | 4           | 4         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 6.394       | T1  |
|                 | 12       | H16         | 1            | 4           | 4         | 2575                    | 11         | 350   | (2240) |       |       |       |       |       | 16.274      | T1  |
|                 | 15       | H12         | 1            | 8           | 8         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 11.366      | T1  |
|                 | 18       | H20         | 1            | 4           | 4         | 3150                    | 00         |       |        |       |       |       |       |       | 31.122      | T1  |
|                 | 19       | H16         | 1            | 4           | 4         | 7900                    | 00         |       |        |       |       |       |       |       | 49.928      | T1  |
|                 | 22       | H16         | 1            | 4           | 4         | 4450                    | 00         |       |        |       |       |       |       |       | 28.124      | T1  |
|                 | 23       | H16         | 1            | 4           | 4         | 6650                    | 00         |       |        |       |       |       |       |       | 42.028      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB06(600x450Dp) | 25       | H10         | 1            | 21          | 21        | 900                     | 51         | 220   | 150    | (130) | (130) |       |       |       | 11.661      | T1  |
|                 | 26       | H10         | 1            | 4           | 4         | 1300                    | 11         | 200   | (1100) |       |       |       |       |       | 3.208       | T1  |
|                 | 27       | H10         | 1            | 4           | 4         | 1500                    | 11         | 200   | (1300) |       |       |       |       |       | 3.702       | T1  |
|                 | 28       | H12         | 1            | 4           | 4         | 3850                    | 00         |       |        |       |       |       |       |       | 13.675      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB07(300x300Dp) | 01       | H10         | 1            | 16          | 16        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 17.770      | T1  |
|                 | 09       | H12         | 1            | 4           | 4         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 6.394       | T1  |
|                 | 15       | H12         | 1            | 4           | 4         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 5.683       | T1  |

This Schedule conforms to BS 8666:2020

\* Specified in multiples of 5mm

+ Specified in multiples of 25mm

Status:

P Preliminary

T Tender

C Construction

Page Total

455.726

Client ZMQL Ltd

Site:

Title: RC DETAILS OF GROUND BEAMS SHEET 01

Job No: 10056

Date 12-02-25

Prepared:

Prepared AP

by:

Date revised: 26-03-2025

Checked:

Checked SPR

by:

| Member          | Bar Mark | Type & Size | No. Of Mbrs. | No. in Each | Total No. | Length of each bar + mm | Shape Code | A* mm | B* mm  | C* mm | D* mm | E* mm | F* mm | R* mm | Weight (kg) | Rev |
|-----------------|----------|-------------|--------------|-------------|-----------|-------------------------|------------|-------|--------|-------|-------|-------|-------|-------|-------------|-----|
| GB07(300x300Dp) | 29       | H16         | 1            | 8           | 8         | 3800                    | 11         | 350   | (3480) |       |       |       |       |       | 48.032      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB08(300x300Dp) | 01       | H10         | 1            | 60          | 60        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 66.636      | T1  |
|                 | 09       | H12         | 1            | 4           | 4         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 6.394       | T1  |
|                 | 12       | H16         | 1            | 4           | 4         | 2575                    | 11         | 350   | (2240) |       |       |       |       |       | 16.274      | T1  |
|                 | 15       | H12         | 1            | 8           | 8         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 11.366      | T1  |
|                 | 20       | H20         | 1            | 4           | 4         | 2825                    | 00         |       |        |       |       |       |       |       | 27.911      | T1  |
|                 | 21       | H16         | 1            | 4           | 4         | 9125                    | 00         |       |        |       |       |       |       |       | 57.670      | T1  |
|                 | 24       | H16         | 1            | 8           | 8         | 6000                    | 00         |       |        |       |       |       |       |       | 75.840      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB09(600x450Dp) | 25       | H10         | 1            | 21          | 21        | 900                     | 51         | 220   | 150    | (130) | (130) |       |       |       | 11.661      | T1  |
|                 | 26       | H10         | 1            | 4           | 4         | 1300                    | 11         | 200   | (1100) |       |       |       |       |       | 3.208       | T1  |
|                 | 27       | H10         | 1            | 4           | 4         | 1500                    | 11         | 200   | (1300) |       |       |       |       |       | 3.702       | T1  |
|                 | 28       | H12         | 1            | 4           | 4         | 3850                    | 00         |       |        |       |       |       |       |       | 13.675      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB10(600x450Dp) | 01       | H10         | 1            | 16          | 16        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 17.770      | T1  |
|                 | 05       | H16         | 1            | 4           | 4         | 1825                    | 11         | 350   | (1500) |       |       |       |       |       | 11.534      | T1  |
|                 | 09       | H12         | 1            | 4           | 4         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 6.394       | T1  |
|                 | 29       | H16         | 1            | 4           | 4         | 3800                    | 11         | 350   | (3480) |       |       |       |       |       | 24.016      | T1  |
|                 | 63       | H20         | 1            | 4           | 4         | 3800                    | 11         | 350   | (3480) |       |       |       |       |       | 37.544      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB11(600x450Dp) | 01       | H10         | 1            | 35          | 35        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 38.871      | T1  |
|                 | 05       | H16         | 1            | 8           | 8         | 1825                    | 11         | 350   | (1500) |       |       |       |       |       | 23.068      | T1  |

This Schedule conforms to BS 8666:2020

\* Specified in multiples of 5mm

+ Specified in multiples of 25mm

Status:

P Preliminary

T Tender

C Construction

Page Total

501.566

Client ZMQL Ltd

Site:

Title: RC DETAILS OF GROUND BEAMS SHEET 01

Job No: 10056

Date 12-02-25

Prepared:

Prepared AP

by:

Date revised: 26-03-2025

Checked:

Checked SPR

by:

| Member          | Bar Mark | Type & Size | No. Of Mbrs. | No. in Each | Total No. | Length of each bar + mm | Shape Code | A* mm | B* mm  | C* mm  | D* mm | E* mm | F* mm | R* mm | Weight (kg) | Rev |
|-----------------|----------|-------------|--------------|-------------|-----------|-------------------------|------------|-------|--------|--------|-------|-------|-------|-------|-------------|-----|
| GB11(600x450Dp) | 30       | H16         | 1            | 4           | 4         | 6050                    | 00         |       |        |        |       |       |       |       | 38.236      | T1  |
|                 | 33       | H25         | 1            | 4           | 4         | 5450                    | 00         |       |        |        |       |       |       |       | 83.930      | T1  |
|                 | 34       | H25         | 1            | 8           | 8         | 3250                    | 11         | 350   | (2950) |        |       |       |       |       | 100.100     | T1  |
|                 | 59       | H12         | 1            | 2           | 2         | 4650                    | 26         | 3785  | 120    | (725)  | 25    | 120   |       |       | 8.258       | T1  |
|                 | 60       | H12         | 1            | 2           | 2         | 5850                    | 26         | 4445  | 120    | (1275) | 25    | 120   |       |       | 10.390      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |        |       |       |       |       |             |     |
| GB12(600x450Dp) | 01       | H10         | 1            | 32          | 32        | 1800                    | 51         | 370   | 450    | (130)  | (130) |       |       |       | 35.539      | T1  |
|                 | 09       | H12         | 1            | 8           | 8         | 1800                    | 11         | 350   | (1450) |        |       |       |       |       | 12.787      | T1  |
|                 | 15       | H12         | 1            | 8           | 8         | 1600                    | 11         | 350   | (1250) |        |       |       |       |       | 11.366      | T1  |
|                 | 30       | H16         | 1            | 8           | 8         | 6050                    | 00         |       |        |        |       |       |       |       | 76.472      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |        |       |       |       |       |             |     |
| GB13(600x450Dp) | 25       | H10         | 1            | 30          | 30        | 900                     | 51         | 220   | 150    | (130)  | (130) |       |       |       | 16.659      | T1  |
|                 | 26       | H10         | 1            | 4           | 4         | 1300                    | 11         | 200   | (1100) |        |       |       |       |       | 3.208       | T1  |
|                 | 27       | H10         | 1            | 4           | 4         | 1500                    | 11         | 200   | (1300) |        |       |       |       |       | 3.702       | T1  |
|                 | 47       | H12         | 1            | 4           | 4         | 6050                    | 00         |       |        |        |       |       |       |       | 21.490      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |        |       |       |       |       |             |     |
| GB14(600x450Dp) | 01       | H10         | 1            | 28          | 28        | 1800                    | 51         | 370   | 450    | (130)  | (130) |       |       |       | 31.097      | T1  |
|                 | 05       | H16         | 1            | 4           | 4         | 1825                    | 11         | 350   | (1500) |        |       |       |       |       | 11.534      | T1  |
|                 | 31       | H16         | 1            | 4           | 4         | 5825                    | 00         |       |        |        |       |       |       |       | 36.814      | T1  |
|                 | 32       | H16         | 1            | 4           | 4         | 1225                    | 11         | 350   | (900)  |        |       |       |       |       | 7.742       | T1  |
|                 | 44       | H16         | 1            | 4           | 4         | 5025                    | 00         |       |        |        |       |       |       |       | 31.758      | T1  |
|                 | 53       | H16         | 1            | 4           | 4         | 2375                    | 11         | 350   | (2055) |        |       |       |       |       | 15.010      | T1  |
|                 | 54       | H16         | 1            | 4           | 4         | 2175                    | 11         | 350   | (1850) |        |       |       |       |       | 13.746      | T1  |

This Schedule conforms to BS 8666:2020

\* Specified in multiples of 5mm

+ Specified in multiples of 25mm

Status:

P Preliminary

T Tender

C Construction

Page Total

569.838

Client ZMQL Ltd

Site:

Title: RC DETAILS OF GROUND BEAMS SHEET 01

Job No: 10056

Date 12-02-25

Prepared:

Prepared AP

by:

Date revised: 26-03-2025

Checked:

Checked SPR

by:

| Member          | Bar Mark | Type & Size | No. Of Mbrs. | No. in Each | Total No. | Length of each bar + mm | Shape Code | A* mm | B* mm  | C* mm | D* mm | E* mm | F* mm | R* mm | Weight (kg) | Rev |
|-----------------|----------|-------------|--------------|-------------|-----------|-------------------------|------------|-------|--------|-------|-------|-------|-------|-------|-------------|-----|
| GB15(600x450Dp) | 01       | H10         | 1            | 10          | 10        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 11.106      | T1  |
|                 | 15       | H12         | 1            | 4           | 4         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 5.683       | T1  |
|                 | 48       | H16         | 1            | 8           | 8         | 2550                    | 11         | 350   | (2230) |       |       |       |       |       | 32.232      | T1  |
|                 | 64       | H12         | 1            | 8           | 8         | 2250                    | 11         | 820   | (1450) |       |       |       |       |       | 15.984      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB16(600x450Dp) | 01       | H10         | 1            | 31          | 31        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 34.429      | T1  |
|                 | 45       | H16         | 1            | 4           | 4         | 5975                    | 00         |       |        |       |       |       |       |       | 37.762      | T1  |
|                 | 62       | H12         | 1            | 4           | 4         | 1000                    | 11         | 350   | (650)  |       |       |       |       |       | 3.552       | T1  |
|                 | 65       | H12         | 1            | 4           | 4         | 1650                    | 11         | 800   | (850)  |       |       |       |       |       | 5.861       | T1  |
|                 | 69       | H16         | 1            | 4           | 4         | 3200                    | 11         | 350   | (2875) |       |       |       |       |       | 20.224      | T2  |
|                 | 70       | H20         | 1            | 4           | 4         | 4975                    | 00         |       |        |       |       |       |       |       | 49.153      | T2  |
|                 | 73       | H12         | 1            | 4           | 4         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 5.683       | T2  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB17(600x450Dp) | 01       | H10         | 1            | 76          | 76        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 84.406      | T2  |
|                 | 15       | H12         | 1            | 4           | 4         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 5.683       | T2  |
|                 | 35       | H16         | 1            | 4           | 4         | 4925                    | 00         |       |        |       |       |       |       |       | 31.126      | T1  |
|                 | 36       | H16         | 1            | 4           | 4         | 3450                    | 11         | 350   | (3125) |       |       |       |       |       | 21.804      | T2  |
|                 | 37       | H20         | 1            | 4           | 4         | 11975                   | 00         |       |        |       |       |       |       |       | 118.313     | T2  |
|                 | 38       | H20         | 1            | 4           | 4         | 4750                    | 00         |       |        |       |       |       |       |       | 46.930      | T1  |
|                 | 39       | H16         | 1            | 4           | 4         | 4625                    | 00         |       |        |       |       |       |       |       | 29.230      | T2  |
|                 | 71       | H20         | 1            | 4           | 4         | 4475                    | 11         | 350   | (4170) |       |       |       |       |       | 44.213      | T2  |
|                 | 72       | H12         | 1            | 4           | 4         | 4300                    | 11         | 350   | (3970) |       |       |       |       |       | 15.274      | T2  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |

This Schedule conforms to BS 8666:2020

\* Specified in multiples of 5mm

+ Specified in multiples of 25mm

Status:

P Preliminary

T Tender

C Construction

Page Total

618.648

Client ZMQL Ltd

Site:

Title: RC DETAILS OF GROUND BEAMS SHEET 01

Job No: 10056

Date 12-02-25

Prepared:

Prepared AP

by:

Date revised: 26-03-2025

Checked:

Checked SPR

by:

| Member          | Bar Mark | Type & Size | No. Of Mbrs. | No. in Each | Total No. | Length of each bar + mm | Shape Code | A* mm | B* mm  | C* mm | D* mm | E* mm | F* mm | R* mm | Weight (kg) | Rev |
|-----------------|----------|-------------|--------------|-------------|-----------|-------------------------|------------|-------|--------|-------|-------|-------|-------|-------|-------------|-----|
| GB18(600x450Dp) | 01       | H10         | 1            | 64          | 64        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 71.078      | T1  |
|                 | 09       | H12         | 1            | 8           | 8         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 12.787      | T1  |
|                 | 40       | H16         | 1            | 4           | 4         | 7100                    | 00         |       |        |       |       |       |       |       | 44.872      | T1  |
|                 | 41       | H16         | 1            | 4           | 4         | 7025                    | 00         |       |        |       |       |       |       |       | 44.398      | T1  |
|                 | 42       | H16         | 1            | 8           | 8         | 4400                    | 11         | 350   | (4065) |       |       |       |       |       | 55.616      | T1  |
|                 | 43       | H16         | 1            | 4           | 4         | 7675                    | 00         |       |        |       |       |       |       |       | 48.506      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB19(600x450Dp) | 01       | H10         | 1            | 64          | 64        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 71.078      | T1  |
|                 | 09       | H12         | 1            | 8           | 8         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 12.787      | T1  |
|                 | 40       | H16         | 1            | 4           | 4         | 7100                    | 00         |       |        |       |       |       |       |       | 44.872      | T1  |
|                 | 41       | H16         | 1            | 4           | 4         | 7025                    | 00         |       |        |       |       |       |       |       | 44.398      | T1  |
|                 | 42       | H16         | 1            | 8           | 8         | 4400                    | 11         | 350   | (4065) |       |       |       |       |       | 55.616      | T1  |
|                 | 43       | H16         | 1            | 4           | 4         | 7675                    | 00         |       |        |       |       |       |       |       | 48.506      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB20(600x450Dp) | 01       | H10         | 1            | 34          | 34        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 37.760      | T1  |
|                 | 09       | H12         | 1            | 8           | 8         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 12.787      | T1  |
|                 | 15       | H12         | 1            | 8           | 8         | 1600                    | 11         | 350   | (1250) |       |       |       |       |       | 11.366      | T1  |
|                 | 46       | H16         | 1            | 8           | 8         | 5325                    | 00         |       |        |       |       |       |       |       | 67.308      | T1  |
|                 |          |             |              |             |           |                         |            |       |        |       |       |       |       |       |             |     |
| GB21(600x450Dp) | 01       | H10         | 1            | 16          | 16        | 1800                    | 51         | 370   | 450    | (130) | (130) |       |       |       | 17.770      | T1  |
|                 | 05       | H16         | 1            | 4           | 4         | 1825                    | 11         | 350   | (1500) |       |       |       |       |       | 11.534      | T1  |
|                 | 09       | H12         | 1            | 4           | 4         | 1800                    | 11         | 350   | (1450) |       |       |       |       |       | 6.394       | T1  |
|                 | 49       | H20         | 1            | 4           | 4         | 3900                    | 11         | 350   | (3595) |       |       |       |       |       | 38.532      | T1  |

This Schedule conforms to BS 8666:2020

\* Specified in multiples of 5mm

+ Specified in multiples of 25mm

Status:

P Preliminary

T Tender

C Construction

Page Total

757.965

