




NOTES

- CHAMBER COVER TO BE POSITIONED DIRECTLY ABOVE BY-PASS DOOR.
- DIMENSIONS ARE INDICATIVE ONLY AND ARE DEPENDANT ON TYPE OF CONTROL DEVICE USED. REFER TO MANUFACTURER'S SPECIFICATIONS FOR DETAILS.
- HYDROBRAKE FLOW CONTROL CHAMBER TO LIMIT FLOWS TO 3.0 l/s FOR ALL STORM EVENTS UP TO & INCLUDING THE 1 IN 100 YEAR STORM PLUS 45% ALLOWANCE FOR CLIMATE CHANGE. HYDROBRAKE TYPE



NOTES

- DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY, IF IN DOUBT ASK.
- ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS AND ARCHITECTS DRAWINGS AND SPECIFICATIONS.

REVISION	DATE	DRAWN	CHECKED
Client: IGLOO CARE LTD & EQ CARE EAST GRINSTEAD			
Project Title: EAST GRINSTEAD PROPOSED CARE HOME AND ADDITIONAL CARE UNITS HIGHFIELDS WEST HILL			
Drawing Title: PROPOSED SURFACE WATER DRAINAGE STRATEGY CONSTRUCTION DETAILS			
Drawn By: RN	Scales: 1:250A1		
Date: DEC 2024	Drawing Number:		Rev:
Checked By: ANR		11089-501P	
Date: DEC 2024			
Drawing Status: PLANNING			
		NJPK Consulting Engineers Limited 20 St Andrews Crescent Cardiff CF10 3DD	
		Tel: 029 2072 9500 Email: info@njpk.com Web: www.njpk.com	