

Site: Barncroft Drive
Date: 12th September 2025

Appendix B Recommended Tree Works

Arbortrack Systems Ltd

07986 122074

Surveyor(s): James Bell

Ref: jwmb/rpt1/barncroft/TLP



Tree No.	English Name	Height	Stem Diameter	Crown Spread				BS Cat	Sub Cat	Recommended Works	Comments / Reasons
				N	S	E	W				
2	Ash, Common	10	354	1.5	4	4	2	C	2	Remove	Vulnerable to chalara but no symptoms yet. Twin trunks from 50cm above ground level Recommended husbandry 2
3	Chestnut, Sweet	10	780	2	5	7	5	B	2	Remove overhanging branch at 7m to branch junction	RS: Mid/upper crown overhangs gardens of 5 & 7 considerably Recommended husbandry 2
4	Sycamore	13	750	5	5	5	5	C	2	Reduce to previous reduction points	Squirrel damage Previously reduced Recommended husbandry 2
G5	Cypress, Leyland	6	100	1	1	2.5	0.5	C	2	Cut back to rear boundary line of plots 3-13	Row of offsite trees Recommended husbandry 2
6	Sycamore	7.5	219	2	2	2	2	C	2	Remove	Heavy squirrel damage Leader has failed into rear garden of 13: extreme anxiety from resident regarding Recommended husbandry 2

Site: Barncroft Drive
Date: 12th September 2025

Appendix B
Recommended Tree Works

Arbortrack Systems Ltd
07986 122074
Surveyor(s): James Bell
Ref: jwmb/rpt1/barncroft/TLP



Tree No.	English Name	Height	Stem Diameter	Crown Spread				BS Cat	Sub Cat	Recommended Works	Comments / Reasons
				N	S	E	W				
8	Sweet Chestnut	12		2	2	2	2			Remove broken branch at 7m	RS Broken branch at approx. 7m to south east. No access to tree or view of base Recommended husbandry 2