

From: Anna Kramarczyk <Anna.Kramarczyk@midsussex.gov.uk>
Sent: 06 November 2025 14:11:58 UTC+00:00
To: "Katherine Williams" <Katherine.Williams@midsussex.gov.uk>
Subject: RE: Urban Obs for DM/25/2283 Discharge of condition no 4, 7, 8 and 9 relating to planning application DM/25/0396 and DM/25/2472 Discharge of conditions, 5 and 6 relating to DM/25/0396 Queen Victoria Hospital

Hi Katherine

I can confirm I had a look at the delivered brick samples and they are both acceptable. However, As the Britley Olde English Buff A2605 brick is far more attractive, I recommend using the brick as the primary material across the elevations. Could the annotations on the proposed elevations be revised accordingly? (swap A for B in the annotations).

Regarding the outstanding items I am still awaiting following for the approval:

- Retaining walls with stone cladding details.
- Separate plan locating all external railings and relating details, plans/elevations or specifications of each, including the finish or RAL Colour etc.
- Updated drawings with the reduced height description on the plans of the Taxus baccata – from 1.8m high to less than 1m to match approved elevations.

Thank you
Anna

Anna Kramarczyk-Dillon
Architect / Urban Designer
Major Development
Mid Sussex District Council

My working days are Monday, Wednesday and Thursday

From: Katherine Williams <Katherine.Williams@midsussex.gov.uk>
Sent: 23 October 2025 13:41
To: Anna Kramarczyk <Anna.Kramarczyk@midsussex.gov.uk>
Subject: FW: Urban Obs for DM/25/2283 Discharge of condition no 4, 7, 8 and 9 relating to planning application DM/25/0396 and DM/25/2472 Discharge of conditions, 5 and 6 relating to DM/25/0396 Queen Victoria Hospital

Hi Anna,

Please see the below comments from the agent to your comments.

Thanks

Katherine Williams BSc (Hons) MSc
Senior Planning Officer
Mid Sussex District Council
01444 477214

www.midsussex.gov.uk



Working together for a better Mid Sussex

From: Sophie Hulton-Harrop <Sophie.Hulton-Harrop@mottmac.com>

Sent: 23 October 2025 13:11

To: Katherine Williams <Katherine.Williams@midsussex.gov.uk>

Subject: RE: Urban Obs for DM/25/2283 Discharge of condition no 4, 7, 8 and 9 relating to planning application DM/25/0396 and DM/25/2472 Discharge of conditions, 5 and 6 relating to DM/25/0396 Queen Victoria Hospital

Hi Katherine,

Please see comments from me below in red.

Kind regards,

Sophie

Sophie Hulton-Harrop

Town Planner

D +442076510617

sophie.hulton-harrop@mottmac.com

Mott MacDonald Restricted

From: Anna Kramarczyk <Anna.Kramarczyk@midsussex.gov.uk>

Sent: 16 October 2025 16:19

To: Katherine Williams <Katherine.Williams@midsussex.gov.uk>

Subject: Urban Obs for DM/25/2283 Discharge of condition no 4, 7, 8 and 9 relating to planning application DM/25/0396 and DM/25/2472 Discharge of conditions, 5 and 6 relating to DM/25/0396 Queen Victoria Hospital

Hi Kathrene.

Please see below my comments in Blue for DM/25/2283 Discharge of condition no 4, 7, 8 and 9 relating to planning application DM/25/0396 and DM/25/2472 Discharge of conditions, 5 and 6 relating to DM/25/0396.

Only conditions 4, 5 and 6 require my feedback.

4. No development shall commence unless and until the following information has been submitted to and approved by the Local Planning Authority.

o Details of:

- curtain wall glazing. [Acceptable.](#)
- roof level balustrade. 1100mm high self-supporting set back balustrade to the PV area on the roof is acceptable in principle. However, the galvanized finish feels at odds with the rest of the colour palette presented throughout the scheme. Could I ask applicant to explore an option of Collapsible Roof Handrails? Would it be possible to replace all or some of the proposed balustrade with this solution? The main benefit of this collapsible design is to preserve a building's visual appeal. The rails can be folded flat onto the roof when they are not needed for maintenance, ensuring a visually cohesive appearance of the building.

The project team have confirmed that the balustrade cannot be collapsible and that the galvanized finish is the standard for this type of safety feature.



- retaining walls with stone cladding. [Not enough information provided to assess it.](#) [Contractor to provide additional information, we will provide this as soon as we have it.](#)
- screen and fencing to the plant area. [Acceptable.](#)
- downpipes with boxing. [Acceptable.](#)
- spandrel panels. [Acceptable.](#)
- metal doors with louvers above. [Acceptable.](#)
- pergolas. [Acceptable.](#)
- canopies. [Acceptable.](#)
- and any external railings. [Not enough information provided to assess it. Please provide separate plan locating all railings and details, plans/elevations or](#)

specifications of each, including the finish or RAL Colour etc. Contractor to provide additional information, we will provide this as soon as we have it.

- o 1:50 scale plans, elevations and sections of the entrance zone to the building. Acceptable.
- o 1:20 sections and front elevations of the typical features, shown in context, including windows and doors. Acceptable.

5. The development hereby permitted shall not commence unless and until full details of both hard and soft landscaping, to include details of proposed replacement trees and boundary treatments, has been submitted to and approved in writing by the Local Planning Authority. The works shall be carried out in accordance with the approved details unless otherwise agreed with the Local Planning Authority. Any trees or plants which, within a period of five years from the completion of development, die, are removed or become seriously damaged or diseased, shall be replaced in the next planting season with others of similar size and species, unless the Local Planning Authority gives written consent to any variation

Soft landscaping: Acceptable apart from the proposed height of the *Taxus baccata* - 1.8m high clipped to 1.5m on installation. Please reduce this height to match approved elevations.

Contractor to provide update the drawing, we will provide this as soon as we have it.

Hard landscaping: Acceptable.

6. The development hereby permitted shall not commence unless and until samples and details of materials and finishes to be used for external walls and roofs of the proposed building with a have been submitted to and approved by the Local Planning Authority. The works shall then be carried out in accordance with the approved details unless otherwise agreed with the Local Planning Authority.

Awaiting samples: Please clarify that Olde English Buff brick is in fact as per approved Birtley Olde English Buff brick? These have been couriered to the Council offices.

Thank you
Anna

Anna Kramarczyk-Dillon
Architect / Urban Designer
Major Development
Mid Sussex District Council

My working days are Monday, Wednesday and Thursday

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex

District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.