



HARD LANDSCAPE SCHEDULE

Ardingly Phase 2
Earthingleigh, College Road, Ardingly, Haywards Heath
Remmus Designer Homes LTD

Reference	LLD3592-LAN-SCH-100
Prepared by	AS
Approved by	KM
Date	27.10.25
Revision	00
Status	Planning

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

KERBS AND EDGINGS							
ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
Standard Tegula Upstand Kerb	Access drive to plot frontage.	Tegula Kerb	130 x 160 x 250 mm	Pennant Grey	Marshalls (or equal and approved)	Site: www.marshalls.co.uk Tel: 0345 302 0600 Email: comm.sales@marshalls.co.uk	

SURFACING							
ITEM	LOCATION	SPECIFICATION	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
Granite Setts	To Rumble strips and edging to access driveway.to	Cropped Granite Setts	100 x 150 x 200 mm	Silver grey	Contractor to provide proposals	Contractor to provide proposals	
Permeable Block Paving	Access drive leading to private driveways.	Tegula Priora Permable Paving.	240 x 160 x 80 mm	Charcoal	Marshalls (or equal and approved)	Site: www.marshalls.co.uk Tel: 0345 302 0600 Email: comm.sales@marshalls.co.uk	
Permeable Resin Bound Gravel Surface	To private driveways.	Resin Bound Gravel	2-5 mm	Butterscotch	Sureset (or equal and approved)	Site: www.sureset.co.uk Tel: 01985 841 180 Email: website@sureset.co.uk	

Note: 'Equal and approved'. All alternatives to proposed materials and suppliers shall be fit for purpose, of equal performance and be approved by Lizard Landscape Design and Ecology/ Landscape Architect.

SURFACING							
ITEM	LOCATION	SPECIFICATION	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
Natural Stone Slab Paving	Private Patios.	Sandstone paving slabs.	Sizes ranging from 900 - 450 mm x 50 mm thick	Buff	Contractor to provide proposals	Contractor to provide proposals	

BOUNDARIES AND RETAINING STRUCTURES							
ITEM	LOCATION	PROPOSED PRODUCT	SIZE	COLOUR & FINISH	PROPOSED SUPPLIER	CONTACT DETAILS	IMAGE
Timber Cleft Post and Rail Fencing	Front plot boundary, and site edge boundaries.	Timber Cleft Post and Rail Fencing	1200 mm height	Natural; Sanded to remove any sharp edges	Contractor to provide proposals	Contractor to provide proposals	
Wooden Gate	Dwellings rear gardens entrance.	Brook Garden Wooden Gate with Fittings	1.78m High x 0.90m Wide	Natural / Wooden	Jackson's Fencing (or equal and approved)	Site: www. https://www.jacksons-fencing.co.uk/ Tel: 01233 750393 Email: purchasing@jacksons-fencing.co.uk	
Close Boarded Timber Fencing	Rear plot boundary.	.Traditional fencing featherboard.	1800 mm height	Jakcure® treated softwood with a sawn finish	Jackson's Fencing (or equal and approved)	Site: www. https://www.jacksons-fencing.co.uk/ Tel: 01233 750393 Email: purchasing@jacksons-fencing.co.uk	



Top Floor - Caravelle House, 17-19 Goring Road, Worthing, BN12 4AP
01903 216033 office@lizardlandscape.co.uk lizardlandscapeecology.com