

Plot Number	Nearest/average existing ground level	Proposed finished floor level
1	87.955	88.35
2	87.805	88.1
3	87.52	88.05
4	87.46	87.8
5	87.2	87.7
6	87.03	87.3
7	86.735	87.05
8	86	86.45
9	85.98	86.7
10	87.92	88.1
11	87.81	87.9
12	87.6	87.9
13	87.6	87.8
14	87.665	88
15	87.665	88
16	88.025	87.9
17	88.025	87.9
18	88.213	88.2
19	88.213	88.2
20	87.5	88.4
21	87.145	88.1
22	87.05	87.95
23	87.2	87.8
24	85.81	86.3
25	85.85	86
26	85.73	86.65
27	86.445	87.05
28	87.035	87.75
29	87.85	87.95
30	88.1	88.2
31	88.25	88.45
32	88.265	88.85
33	88.34	89.1
34	88.4	89.1
35	88.345	89.15
36	88.14	88.8
37	87.83	88.65
38	87.6	88.2
39	87.09	87.65
40	87.07	87.4
41	87.08	87.3
42	86.76	86.95
43	86.2	86.2
44	86.57	86.3
45	86.57	86.45
46	86.86	86.65
47	86.95	86.85

48	87.225	87.5
49	87.41	87.85
50	87.615	87.85
51	87.905	88.05
52	87.92	88.05
53	88.17	88.45
54	87.83	88.2
55	87.645	88.2
56	87.46	88.2
Please note: read in conjunction with drawing 25032-XX-XX-DR-C-0111.		
Levels may vary +/- 0.5m dependant on NHBC or BCB requirements.		

Level difference (m)
0.39
0.29
0.53
0.34
0.50
0.27
0.31
0.45
0.72
0.18
0.09
0.30
0.20
0.34
0.34
-0.13
-0.13
-0.01
-0.01
0.90
0.95
0.90
0.60
0.49
0.15
0.92
0.61
0.72
0.10
0.10
0.20
0.58
0.76
0.70
0.81
0.66
0.82
0.60
0.56
0.33
0.22
0.19
0
-0.27
-0.12
-0.21
-0.1

0.275
0.44
0.235
0.145
0.13
0.28
0.37
0.555
0.74