



Site Entrance

Luminaire layout plan



Site Entrance

Luminaire layout plan



Manufacturer	Thorlux Lighting	P	14.0 W
Article No.	EPW20661/PATH	$\Phi_{\text{Luminaire}}$	655 lm
Article name	Passway 11W - Pathway Distribution - 850mm Root Mounted - 2700K - Emergency		
Fitting	1x Passway 11W Pathway - 2700K		

7 x Thorlux Lighting Passway 11W - Pathway Distribution - 850mm Root Mounted - 2700K - Emergency

Type	Line arrangement	X	Y	Mounting height	Luminaire
1st luminaire (X/Y/Z)	72.692 m / -161.557 m / 0.200 m	72.692 m	-161.557 m	0.200 m	35
X-direction	7 pcs., Centre - centre, 7.497 m	80.189 m	-161.554 m	0.200 m	36
		87.686 m	-161.551 m	0.200 m	37
Arrangement	A4	95.184 m	-161.548 m	0.200 m	38
		102.681 m	-161.545 m	0.200 m	39
		110.178 m	-161.542 m	0.200 m	40
		117.676 m	-161.539 m	0.200 m	41

2 x Thorlux Lighting Passway 11W - Pathway Distribution - 850mm Root Mounted - 2700K - Emergency

Type	Line arrangement	X	Y	Mounting height	Luminaire
1st luminaire (X/Y/Z)	125.692 m / -153.357 m / 0.200 m	125.692 m	-153.357 m	0.200 m	28


Site Entrance

Luminaire layout plan

X-direction	2 pcs., Centre - centre, 7.500 m	X	Y	Mounting height	Luminaire
Arrangement	A5	125.692 m	-145.857 m	0.200 m	29

Site Entrance

Luminaire layout plan



Manufacturer	Thorlux Lighting	P	25.0 W
Article No.	EPW20663/AREA	$\Phi_{\text{Luminaire}}$	1255 lm
Article name	Passway 21W - Area Distribution - 1100mm Root Mounted - 2700K - Emergency		
Fitting	1x Passway 21W Area - 2700K		

7 x Thorlux Lighting Passway 21W - Area Distribution - 1100mm Root Mounted - 2700K - Emergency

Type	Line arrangement	X	Y	Mounting height	Luminaire
1st luminaire (X/Y/Z)	31.559 m / -126.995 m / 0.200 m	31.559 m	-126.995 m	0.200 m	21
X-direction	7 pcs., Centre - centre, 13.978 m	45.537 m	-127.018 m	0.200 m	22
		59.516 m	-127.042 m	0.200 m	23
Arrangement	A1	73.494 m	-127.065 m	0.200 m	24
		87.473 m	-127.089 m	0.200 m	25
		101.451 m	-127.112 m	0.200 m	26
		115.429 m	-127.135 m	0.200 m	27

3 x Thorlux Lighting Passway 21W - Area Distribution - 1100mm Root Mounted - 2700K - Emergency

Type	Line arrangement	X	Y	Mounting height	Luminaire
1st luminaire (X/Y/Z)	14.076 m / -113.037 m / 0.200 m	14.076 m	-113.037 m	0.200 m	18


Site Entrance

Luminaire layout plan

X-direction	3 pcs., Centre - centre, 7.150 m	X	Y	Mounting height	Luminaire
Arrangement	A2	18.177 m	-118.894 m	0.200 m	19
		22.278 m	-124.751 m	0.200 m	20

Site Entrance

Luminaire layout plan



Manufacturer	Thorlux Lighting	P	25.0 W
Article No.	PW21T3/AREA	$\Phi_{\text{Luminaire}}$	1255 lm
Article name	Passway EV - 21W - Area Distribution - 1400mm - 3000K		
Fitting	1x Passway EV 21W Area - 3000K		

Individual luminaires

X	Y	Mounting height	Luminaire
0.865 m	-101.739 m	1.650 m	1
6.682 m	-106.082 m	1.650 m	2

Site Entrance

Luminaire layout plan



Manufacturer	Thorlux Lighting	P	35.0 W
Article No.	SM031A23	$\Phi_{\text{Luminaire}}$	3810 lm
Article name	Starbeam Plus LED - Area Distribution - 31W - 3000K		
Fitting	1x Starbeam Plus - Area - 31W 3000K		

Individual luminaires

X	Y	Mounting height	Luminaire
-12.498 m	-109.544 m	6.200 m	3
0.717 m	-119.236 m	6.200 m	4
13.762 m	-138.631 m	6.200 m	5
35.304 m	-144.468 m	6.000 m	6
50.345 m	-144.482 m	6.000 m	7
65.163 m	-144.495 m	6.000 m	8
80.304 m	-144.510 m	6.000 m	9
95.304 m	-144.524 m	6.000 m	10
109.054 m	-144.536 m	6.000 m	11
35.304 m	-145.003 m	6.000 m	12
50.344 m	-145.017 m	6.000 m	13
65.162 m	-145.030 m	6.000 m	14
80.303 m	-145.044 m	6.000 m	15

Site Entrance

Luminaire layout plan

X	Y	Mounting height	Luminaire
95.303 m	-145.059 m	6.000 m	16
109.054 m	-145.071 m	6.000 m	17

Site Entrance

Luminaire layout plan



Manufacturer	Thorlux Lighting	P	14.0 W
Article No.	WPW21T3/PATH	$\Phi_{\text{Luminaire}}$	655 lm
Article name	Passway EV - 11W - Pathway Distribution - 1400mm - 3000K - SmartScan Emergency		
Fitting	1x Passway EV 11W Pathway - 3000K		

5 x Thorlux Lighting Passway EV - 11W - Pathway Distribution - 1400mm - 3000K - SmartScan Emergency

Type	Line arrangement	X	Y	Mounting height	Luminaire
1st luminaire (X/Y/Z)	35.182 m / -161.543 m / 1.412 m	35.182 m	-161.543 m	1.412 m	30
X-direction	5 pcs., Centre - centre, 7.487 m	42.669 m	-161.543 m	1.341 m	31
Arrangement	A3	50.157 m	-161.543 m	1.269 m	32
		57.644 m	-161.543 m	1.198 m	33
		65.131 m	-161.543 m	1.127 m	34