

|                                            |  |         |                   |                                   |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
|--------------------------------------------|--|---------|-------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------------|-----------------------|--|--|--|-------------------|--------------------------|--|--|--|------------------|-----------------------------------------|--|--|--|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----|---------------------|--|--|--|------------|--|--|--|--|
| STONE HALL                                 |  |         |                   |                                   | PERSEVERANCE ARCHITECTS                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  | GMONIK                    |                       |  |  |  | SAFE              |                          |  |  |  | Constructionline |                                         |  |  |  | RECCY |                                                                                                                                                                                                                                                                                         |  |  |  | HCS |                     |  |  |  | 22/07/2025 |  |  |  |  |
|                                            |  |         |                   |                                   |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
| General Notes                              |  |         |                   |                                   | Where ever chasing is referenced the depth will be no more than 25mm Deep.                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
|                                            |  |         |                   |                                   | Where back boxes are required they will be chased/opening made that is a minimum of 35mm deep to allow depth for accessories. In wireless switch locations box will need to be 47mm deep.                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
|                                            |  |         |                   |                                   | In some locations where there is lathe and plaster walls an opening at high level could be made with a high level picture rail trunking would be installed and cables fished down the voids. Small amounts additional openings where noggings or cross braces are found and these will be repaired using suitable materials and installation techniques. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
|                                            |  |         |                   |                                   |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
|                                            |  |         |                   |                                   |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
| SCHEDULE OF FIXTURES/FITTINGS AND FINISHES |  |         |                   |                                   |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  | Schedule No: 2304-400-001 |                       |  |  |  | Rev B. 11/09/2025 |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
| Room Location                              |  | Surface | Surface reference | Surface finish: Historic / Modern |                                                                                                                                                                                                                                                                                                                                                          | Installation details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |  |  |                           | Fixture/Fitting       |  |  |  |                   | Elevation drawing number |  |  |  |                  | Detail drawing number                   |  |  |  |       | Additional Notes                                                                                                                                                                                                                                                                        |  |  |  |     | Comment             |  |  |  |            |  |  |  |  |
| Ground Floor                               |  |         |                   |                                   |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           |                       |  |  |  |                   |                          |  |  |  |                  |                                         |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     |                     |  |  |  |            |  |  |  |  |
| JRG Hallway                                |  | Wall    | E1                | Plastered - Historic              |                                                                                                                                                                                                                                                                                                                                                          | In historic areas on ground floor (Excluding areas with basement, where the wiring will be done from below and if possible 'fished' through voids and using old cables as draw lines)- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. |  |  |  |                           | Fuse                  |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-08 on drawing no. 2304_PL_304 |  |  |  |       | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works. |  |  |  |     | rewired             |  |  |  |            |  |  |  |  |
| JRG Hallway                                |  | Wall    | E2                | Plastered - Historic              |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           | Double light switch   |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-04 on drawing no. 2304_PL_301 |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     | rewired/new fitting |  |  |  |            |  |  |  |  |
| JRG Hallway                                |  | Ceiling | /                 | Plastered - Historic              |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           | Surface light         |  |  |  |                   | /                        |  |  |  |                  | Detail De-13 on drawing no. 2304_PL_303 |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     | rewired/new fitting |  |  |  |            |  |  |  |  |
| JRG Office                                 |  | Wall    | E1                | Plastered - Historic brick        |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           | Double sockets        |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-06 on drawing no. 2304_PL_303 |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     | rewired/new fitting |  |  |  |            |  |  |  |  |
| JRG Office                                 |  | Wall    | E1                | Plastered - Historic brick        |                                                                                                                                                                                                                                                                                                                                                          | Single incoming box will be mounted in and around where BT line enters the building. A single cable will be run to a data cab location with the rest of the phone system being 'digital/wireless' using AP's.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |  |                           | BT Boxes              |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-06 on drawing no. 2304_PL_303 |  |  |  |       | Cat 6 cables will be run through ceiling voids with LV cables to discreet/ceiling locations to provide wireless Wi-Fi site wide                                                                                                                                                         |  |  |  |     | rewired             |  |  |  |            |  |  |  |  |
| JRG Office                                 |  | Wall    | E2                | Plastered - Historic brick        |                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |                           | BT Boxes              |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-06 on drawing no. 2304_PL_303 |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     | rewired             |  |  |  |            |  |  |  |  |
| JRG Office                                 |  | Ceiling | /                 | Plastered - Historic              |                                                                                                                                                                                                                                                                                                                                                          | In historic areas on ground floor (Excluding areas with basement, where the wiring will be done from below and if possible 'fished' through voids and using old cables as draw lines)- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. |  |  |  |                           | Linear surface lights |  |  |  |                   | /                        |  |  |  |                  | Detail De-13 on drawing no. 2304_PL_303 |  |  |  |       | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works. |  |  |  |     | rewired/new fitting |  |  |  |            |  |  |  |  |
| JRG Entrance                               |  | Wall    | E1                | Plastered - Historic              |                                                                                                                                                                                                                                                                                                                                                          | N/A not required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |  |                           | BT Boxes              |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-06 on drawing no. 2304_PL_303 |  |  |  |       | No works required                                                                                                                                                                                                                                                                       |  |  |  |     | rewired             |  |  |  |            |  |  |  |  |
| JRG Entrance                               |  | Wall    | E1                | Plastered - Historic              |                                                                                                                                                                                                                                                                                                                                                          | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range.                                                                                                                                                                     |  |  |  |                           | Light switch          |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-04 on drawing no. 2304_PL_301 |  |  |  |       | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works. |  |  |  |     | rewired/new fitting |  |  |  |            |  |  |  |  |
| PAG Office                                 |  | Wall    | E1                | Plastered - Modern                |                                                                                                                                                                                                                                                                                                                                                          | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |                           | Light switch          |  |  |  |                   | 2304_220_141             |  |  |  |                  | Detail De-04 on drawing no. 2304_PL_301 |  |  |  |       |                                                                                                                                                                                                                                                                                         |  |  |  |     | rewired/new fitting |  |  |  |            |  |  |  |  |

|             |         |    |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                       |              |                                         |                                                                                                                                                                                                                                                                                         |                     |
|-------------|---------|----|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| PAG Office  | Wall    | E2 | Plastered - Modern          | surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range.                                                                                                                                                                                                                                                                   | Double sockets        | 2304_220_141 | Detail De-06 on drawing no. 2304_PL_303 | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works. | rewired/new fitting |
| PAG Office  | Wall    | E2 | Plastered - Modern          | N/A not required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | BT Boxes              | 2304_220_141 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired             |
| PAG Office  | Ceiling | /  | Plastered - Modern          | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Linear surface lights | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| BOH Landing | Wall    | E1 | Plastered - TBA             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch          | 2304_220_141 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| BOH Landing | Ceiling | /  | Plastered - TBA             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light         | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Log Store   | Wall    | E2 | Plastered - TBA             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch          | 2304_220_141 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Log Store   | Ceiling | /  | Plastered - TBA             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting         | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Wall    | E1 | Timber panelling - Historic | All cabling will be hidden within the void behind the panelling using existing cable as draw lines where possible. Voids appear                                                                                                                                                                                                                                                                                                                                                                                                                             | Single sockets        | 2304_220_141 | Detail De-03 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Wall    | E2 | Timber panelling - Historic |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Single/Double sockets | 2304_220_141 | Detail De-03 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Wall    | E2 | Timber panelling - Historic | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch          | 2304_220_141 | Detail De-02 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Ceiling | /  | Plastered - Modern          | All cabling will be hidden within the void behind the panelling using existing cable as draw lines where possible. Voids appear                                                                                                                                                                                                                                                                                                                                                                                                                             | Chandeliers           | 2304_220_141 | Detail De-01 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/refurbished |
| Old Hall    | Wall    | E3 | Timber panelling - Historic |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Box                   | 2304_220_141 | Detail De-03 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired             |
| Old Hall    | Wall    | E3 | Timber panelling - Historic | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch          | 2304_220_141 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Wall    | E4 | Timber panelling - Historic | Wireless bell system will be implemented or a Wi-Fi system will be introduced.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Bell                  | 2304_220_141 | Detail De-02 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired             |
| Old Hall    | Wall    | E4 | Timber panelling - Historic | All cabling will be hidden within the void behind the panelling using existing cable as draw lines where possible. Voids appear to be deeper than current and will provide the ability to introduce deeper back boxes.                                                                                                                                                                                                                                                                                                                                      | Light fitting         | 2304_220_141 | Detail De-05 on drawing no. 2304_PL_302 |                                                                                                                                                                                                                                                                                         | rewired             |
| Old Hall    | Wall    | E5 | Timber panelling - Historic |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double sockets        | 2304_220_141 | Detail De-03 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Wall    | E5 | Timber panelling - Historic | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch          | 2304_220_141 | Detail De-02 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old Hall    | Wall    | E6 | Plastered - Modern          | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch          | 2304_220_141 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Playroom    | Wall    | E1 | Plastered - Historic brick  | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Double sockets        | 2304_220_141 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Playroom    | Ceiling | /  | Plastered - Modern          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Chandeliers           | 2304_220_141 | Detail De-01 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/refurbished |
| Playroom    | Wall    | E2 | Plastered - Modern          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Single sockets        | 2304_220_141 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Playroom    | Wall    | E2 | Plastered - Modern          | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch          | 2304_220_141 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |

|                    |         |    |                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                             |              |                                         |                                                                                                                                                                                                                                                                                         |                     |
|--------------------|---------|----|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| Playroom           | Wall    | E3 | Plastered - Modern                   | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Single socket               | 2304_220_141 | Detail De-06 on drawing no. 2304_PL_303 | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works. | rewired/new fitting |
| Playroom           | Wall    | E3 | Plastered - Modern                   | N/A not required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | BT Box                      | 2304_220_141 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired             |
| Sitting Room       | Wall    | E1 | Plastered - Historic brick           | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Single socket               | 2304_220_142 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Sitting Room       | Wall    | E1 | Plastered - Historic brick           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting               | 2304_220_142 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired             |
| Sitting Room       | Wall    | E2 | Plastered - Historic brick           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Single socket               | 2304_220_142 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Sitting Room       | Ceiling | /  | Plastered - Historic                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Chandelier                  | 2304_220_142 | Detail De-01 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/refurbished |
| Sitting Room       | Wall    | E3 | Plastered - Historic Stone & Plaster |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Single/Double sockets       | 2304_220_142 | Detail De-06 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Sitting Room       | Wall    | E3 | Plastered - Historic Stone & Plaster | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                | 2304_220_142 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Sitting Room       | Wall    | E4 | Plastered - Modern                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                | 2304_220_142 | Detail De-04 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Old To New Hallway | Ceiling | /  | Plastered - Modern                   | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Surface light               | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| First Floor        |         |    |                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                             |              |                                         |                                                                                                                                                                                                                                                                                         |                     |
| PAG Bedroom        | Wall    | E1 | Plastered - Historic                 | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Single/Double sockets       | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works. | rewired/new fitting |
| PAG Bedroom        | Wall    | E1 | Plastered - Historic                 | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| PAG Bedroom        | Wall    | E2 | Plastered - Modern                   | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Single/Double sockets & Box | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| PAG Bedroom        | Wall    | E3 | Plastered - Historic brick           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Single sockets & Switch     | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| PAG Bedroom        | Wall    | E4 | Plastered - Historic brick           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Single sockets              | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| PAG Bedroom        | Ceiling | /  | Plastered - Historic                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light               | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                         | rewired/new fitting |
| Hallway 5          | Wall    | E1 | Timber panelling - Historic          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Box                         | 2304_220_143 | Detail De-03 on drawing no. 2304_PL_301 |                                                                                                                                                                                                                                                                                         | rewired             |
| Hallway 5          | Wall    | E2 | Plastered - Historic                 | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 | rewired/new fitting                                                                                                                                                                                                                                                                     |                     |

|                      |         |    |                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                              |              |                                         |                                                                                                                                                                                                                                                                                        |                     |
|----------------------|---------|----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| JRG Bedroom          | Wall    | E1 | Plastered - Historic brick | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Single/Double sockets, BT Box, Shaver socket | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 | BT boxes and TV not required.                                                                                                                                                                                                                                                          | rewired/new fitting |
| JRG Bedroom          | Wall    | E2 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                                 | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| JRG Bedroom          | Wall    | E3 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double sockets                               | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| JRG Bedroom          | Ceiling | /  | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Hallway Four         | Wall    | E1 | Plastered - Historic       | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                                 | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 | Proposed works are still subject to full intrusive survey when under contract and may need amendments during the installation process. Notification will be sent and conservation confirmation will be obtained before making any substantial changes from the proposed scope of works | rewired/new fitting |
| Hallway Four         | Wall    | E6 | Plastered - Historic brick | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Light fitting                                | 2304_220_143 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Hallway Four         | Wall    | E2 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket, BT Box                        | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Hallway Four         | Wall    | E3 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch, Alarm & Box                    | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Hallway Four         | Wall    | E4 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch & switches                      | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Hallway Four         | Wall    | E5 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting                                | 2304_220_143 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired             |
| Hallway Four         | Ceiling | /  | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| James Room           | Wall    | E1 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double sockets                               | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| James Room           | Wall    | E2 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket & Shaving sockets              | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| James Room           | Wall    | E3 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| James Room           | Wall    | E4 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                | 2304_220_143 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| James Room           | Wall    | E4 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                                 | 2304_220_143 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| James Room           | Ceiling | /  | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| PAG Bathroom         | Wall    | E1 | Plastered - Historic       | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Switch                                       | 2304_220_144 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| PAG Bathroom         | Wall    | E2 | Plastered - Modern         | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Light fitting                                | 2304_220_144 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired             |
| Four Poster          | Wall    | E1 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                                 | 2304_220_144 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired             |
| Four Poster          | Wall    | E2 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting                                | 2304_220_144 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired             |
| Four Poster          | Wall    | E2 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                | 2304_220_144 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Four Poster          | Wall    | E3 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Bell                                         | 2304_220_144 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired             |
| Four Poster          | Wall    | E3 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                | 2304_220_144 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Four Poster          | Ceiling | /  | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| Four Poster Cupboard | Ceiling | /  | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| FO Bedroom           | Wall    | E1 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting                                | 2304_220_144 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired             |
| FO Bedroom           | Wall    | E2 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                | 2304_220_144 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| FO Bedroom           | Wall    | E2 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting                                | 2304_220_144 | Detail De-14 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired             |
| FO Bedroom           | Wall    | E3 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                | 2304_220_144 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| FO Bedroom           | Wall    | E3 | Plastered - Historic brick | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                                 | 2304_220_144 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| FO Bedroom           | Wall    | E4 | Plastered - Modern         | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Double socket                                | 2304_220_144 | Detail De-08 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| FO Bedroom           | Ceiling | /  | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                | /            | Detail De-13 on drawing no. 2304_PL_303 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |
| FO Dressing Room     | Wall    | E1 | Plastered - Historic       | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                                 | 2304_220_144 | Detail De-09 on drawing no. 2304_PL_304 |                                                                                                                                                                                                                                                                                        | rewired/new fitting |

|                     |         |    |                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                |                                         |                                         |                                           |                     |
|---------------------|---------|----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----------------------------------------|-----------------------------------------|-------------------------------------------|---------------------|
| FO Dressing Room    | Wall    | E2 | Plastered - Historic brick | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Double socket                                  | 2304_220_144                            | Detail De-08 on drawing no. 2304_PL_304 | changes from the proposed scope of works. | rewired/new fitting |
| FO Dressing Room    | Wall    | E3 | Plastered - Historic brick |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double socket                                  | 2304_220_144                            | Detail De-08 on drawing no. 2304_PL_304 |                                           | rewired/new fitting |
| FO Dressing Room    | Wall    | E4 | Plastered - Historic       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                                   | 2304_220_144                            | Detail De-09 on drawing no. 2304_PL_304 |                                           | rewired/new fitting |
| FO Dressing Room    | Ceiling | /  | Plastered - TBA            | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Surface light                                  | /                                       | Detail De-13 on drawing no. 2304_PL_303 |                                           | rewired/new fitting |
| FO Dressing Rm Cupd | Ceiling | /  | Plastered - TBA            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Surface light                                  | /                                       | Detail De-13 on drawing no. 2304_PL_303 |                                           | rewired/new fitting |
| Reception           | Wall    | E1 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                                   | 2304_220_144                            | Detail De-09 on drawing no. 2304_PL_304 |                                           | rewired/new fitting |
| Reception           | Wall    | E2 | Plastered - Modern         | Light switch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2304_220_144                                   | Detail De-09 on drawing no. 2304_PL_304 | rewired/new fitting                     |                                           |                     |
| Reception           | Ceiling | /  | Plastered - Modern         | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Surface light                                  | /                                       | Detail De-13 on drawing no. 2304_PL_303 |                                           | rewired/new fitting |
| Main Stairs         | Wall    | E1 | Plastered - Historic       | Switch will be wireless and not require cable access. Might need to increase box depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light switch                                   | 2304_220_144                            | Detail De-09 on drawing no. 2304_PL_304 | rewired/new fitting                       |                     |
| Main Stairs         | Ceiling | /  | Plastered - Historic       | In historic areas- Utilise floor boards above with socket drops to use existing containment where ever possible. If not achievable accessory location will be agreed to cause the least amount of damage and individual location will be accessed to use chasing, surface containment or bespoke architrave style trunking against door frames to minimise aesthetic disruption. Switch drops will not be need as the light switching will be achieved using wireless switching technology. Accessories will be from the Forbes and Lomax Aged Brass Range. | Surface light                                  | /                                       | Detail De-13 on drawing no. 2304_PL_303 | rewired/new fitting                       |                     |
| Second Floor        |         |    |                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                |                                         |                                         |                                           |                     |
| Shrimpy Room        | Wall    | E1 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting                                  | 2304_220_146                            | /                                       |                                           |                     |
| Shrimpy Room        | Wall    | E2 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting, smoke detector and Light switch | 2304_220_146                            | /                                       |                                           |                     |
| Shrimpy Room        | Wall    | E3 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double/Single sockets                          | 2304_220_146                            | /                                       |                                           |                     |
| Shrimpy Room        | Wall    | E4 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double sockets                                 | 2304_220_146                            | /                                       |                                           |                     |
| Shrimpy Room        | Wall    | E5 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double/Single sockets                          | 2304_220_146                            | /                                       |                                           |                     |
| Shrimpy Cupboard    | Wall    | E1 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light fitting                                  | 2304_220_146                            | /                                       |                                           |                     |
| Shrimpy Cupboard    | Wall    | E2 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Light switch                                   | 2304_220_146                            | /                                       |                                           |                     |
| Landing             | Wall    | E1 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double Light switch                            | 2304_220_146                            | /                                       |                                           |                     |
| Landing             | Wall    | E2 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double sockets                                 | 2304_220_146                            | /                                       |                                           |                     |
| Landing             | Wall    | E3 | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Double Light switch                            | 2304_220_146                            | /                                       |                                           |                     |
| Landing             | Ceiling | /  | Plastered - Modern         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Downlight                                      | 2304_220_141                            | /                                       |                                           |                     |

|                                              |         |                   |                                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  |                       |                                         |                   |                   |                                         |  |        |
|----------------------------------------------|---------|-------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------------|-------------------|-------------------|-----------------------------------------|--|--------|
| Mikey Room                                   | Wall    | E1                | Plastered - Modern                | No works required                                                                                                                                                                                                                                                                | Box fitting                                                                                                      | 2304_220_146          | /                                       | No works required | No works required |                                         |  |        |
| Mikey Room                                   | Wall    | E2                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Shaver socket                                                                                                    | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Mikey Room                                   | Wall    | E3                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Double Light switch                                                                                              | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Mikey Room                                   | Wall    | E3                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Single sockets                                                                                                   | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Mikey Room                                   | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Surface light                                                                                                    | /                     | /                                       |                   |                   |                                         |  |        |
| Open Space                                   | Wall    | E1                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Switch                                                                                                           | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Open Space                                   | Wall    | E1                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Double sockets                                                                                                   | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Open Space                                   | Wall    | E2                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Switch & Light switch                                                                                            | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Open Space                                   | Wall    | E2                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Single socket                                                                                                    | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Open Space                                   | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Surface lights                                                                                                   | /                     | /                                       |                   |                   |                                         |  |        |
| Attic Bathroom                               | Wall    | E1                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Shaver socket                                                                                                    | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Attic Bathroom                               | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Downlight                                                                                                        | 2304_220_141          | /                                       |                   |                   |                                         |  |        |
| Tank Room                                    | Wall    | E1                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Electric Boxes                                                                                                   | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Tank Room                                    | Wall    | E2                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Electric Boxes                                                                                                   | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Tank Room                                    | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Surface light                                                                                                    | /                     | /                                       |                   |                   |                                         |  |        |
| Attic Playroom                               | Wall    | E1                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Double sockets                                                                                                   | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Attic Playroom                               | Wall    | E2                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Double/Single sockets                                                                                            | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Attic Playroom                               | Wall    | E3                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Double socket                                                                                                    | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Attic Playroom                               | Wall    | E4                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Double socket, BT and TV boxes                                                                                   | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Attic Playroom                               | Wall    | E4                | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Light switch                                                                                                     | 2304_220_146          | /                                       |                   |                   |                                         |  |        |
| Attic Playroom                               | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Surface light                                                                                                    | /                     | /                                       |                   |                   |                                         |  |        |
| Basement Cellars                             |         |                   |                                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  |                       |                                         |                   |                   |                                         |  |        |
| Front Cellar                                 | Ceiling | /                 | Brickwork - TBA                   |                                                                                                                                                                                                                                                                                  | Surface mounted plastic conduit with only 5mm fixing screws to be affixed to timber joists. Roughly every 500mm. | Surface light         | /                                       |                   |                   | Detail De-15 on drawing no. 2304_PL_305 |  | rewire |
| Rear Cellar                                  | Wall    | E1                | Brickwork - TBA                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  | Light fitting         | 2304_220_145                            |                   |                   | Detail De-16 on drawing no. 2304_PL_305 |  | rewire |
| Rear Cellar                                  | Wall    | E2                | Brickwork - TBA                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  | Single socket         | 2304_220_145                            |                   |                   | Detail De-16 on drawing no. 2304_PL_305 |  | rewire |
| Rear Cellar                                  | Wall    | E3                | Brickwork - TBA                   | Surface light                                                                                                                                                                                                                                                                    |                                                                                                                  | 2304_220_145          | Detail De-16 on drawing no. 2304_PL_305 |                   | rewire            |                                         |  |        |
| Rear Cellar                                  | Wall    | E4                | Brickwork - TBA                   | Box                                                                                                                                                                                                                                                                              |                                                                                                                  | 2304_220_145          | Detail De-16 on drawing no. 2304_PL_305 |                   | rewire            |                                         |  |        |
| Front Cellar                                 | Wall    | E5                | Brickwork - TBA                   | Single socket                                                                                                                                                                                                                                                                    |                                                                                                                  | 2304_220_145          | Detail De-16 on drawing no. 2304_PL_305 |                   | rewire            |                                         |  |        |
| Front Cellar                                 | Wall    | E6                | Brickwork - TBA                   | Light switch                                                                                                                                                                                                                                                                     |                                                                                                                  | 2304_220_145          | Detail De-16 on drawing no. 2304_PL_305 |                   | rewire            |                                         |  |        |
| SCHEDULE OF FIRE ALARM FITTINGS AND FINISHES |         |                   |                                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  |                       |                                         |                   |                   |                                         |  |        |
| Room Location                                | Surface | Surface reference | Surface finish: Historic / Modern | Installation details                                                                                                                                                                                                                                                             | Fixture/Fitting                                                                                                  | Drawing number        | Detail drawing number                   |                   | Comment           |                                         |  |        |
| Ground Floor                                 |         |                   |                                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  |                       |                                         |                   |                   |                                         |  |        |
| JRG Hallway                                  | Ceiling | /                 | Plastered - Historic              | Surface mounted plastic conduit within cupboards/risers with only 5.5mm fixing holes to be drilled in walls where power supply is required and drilled fixings where wall mounting of call points. Other fixings are 4/5mm screws used to affix wireless unit to ceiling fabric. | Sounder Base                                                                                                     | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| JRG Office                                   | Ceiling | /                 | Plastered - Historic              |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| JRG Entrance                                 | Ceiling | /                 | Plastered - Historic              |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| PAG Office                                   | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| PAG Office                                   | Wall    | E2                | Plastered - Historic              |                                                                                                                                                                                                                                                                                  | Fire Equipment Mains Isolator                                                                                    | 1883-GMM-00-00-E-0401 | Detail De-17 on drawing no. 2304_PL_305 |                   | Install           |                                         |  |        |
| PAG Office                                   | Wall    | E2                | Plastered - Historic              |                                                                                                                                                                                                                                                                                  | Fire Radio Cluster                                                                                               | 1883-GMM-00-00-E-0401 | Detail De-17 on drawing no. 2304_PL_305 |                   | Install           |                                         |  |        |
| BOH Landing                                  | Ceiling | /                 | Plastered - TBA                   |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| BOH Landing                                  | Wall    | E1                | Plastered - TBA                   |                                                                                                                                                                                                                                                                                  | Fire Radio Cluster                                                                                               | 1883-GMM-00-00-E-0401 | Detail De-17 on drawing no. 2304_PL_305 |                   | Install           |                                         |  |        |
| Log Store                                    | Ceiling | /                 | Plastered - TBA                   |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| Old Hall                                     | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Sounder Base                                                                                                     | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| Old Hall                                     | Wall    | E1 & E3           | Timber panelling - Historic       |                                                                                                                                                                                                                                                                                  | Fire Alarm Call Points                                                                                           | 1883-GMM-00-00-E-0401 | Detail De-10 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| Playroom                                     | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Smoke Detectors                                                                                                  | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| Sitting Room                                 | Ceiling | /                 | Plastered - Historic              |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| Old to New Hallway                           | Ceiling | /                 | Plastered - Modern                |                                                                                                                                                                                                                                                                                  | Smoke Detector                                                                                                   | 1883-GMM-00-00-E-0401 | Detail De-11 on drawing no. 2304_PL_302 |                   | Install           |                                         |  |        |
| First Floor                                  |         |                   |                                   |                                                                                                                                                                                                                                                                                  |                                                                                                                  |                       |                                         |                   |                   |                                         |  |        |

|                    |         |    |                      |                                                                                                                                                                                                                                                                                  |                               |                       |                                         |  |         |
|--------------------|---------|----|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------|-----------------------------------------|--|---------|
| PAG Bedroom        | Ceiling | /  | Plastered - Historic | Surface mounted plastic conduit within cupboards/risers with only 5.5mm fixing holes to be drilled in walls where power supply is required and drilled fixings where wall mounting of call points. Other fixings are 4/5mm screws used to affix wireless unit to ceiling fabric. | Sounder Base                  | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Hallway 5 Cupboard | Ceiling | /  | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Smoke Detector                | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Hallway 5 Cupboard | Wall    | E1 | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Distribution Board            | 1883-GMM-00-00-E-0401 | Detail De-17 on drawing no. 2304_PL_305 |  | Install |
| JRG Bedroom        | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Hallway Four       | Ceiling | /  | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Hallway Four       | Ceiling | /  | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Smoke Detector                | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Hallway Four       | Wall    | /  | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Fire Alarm Call Points        | 1883-GMM-00-00-E-0411 | Detail De-18 on drawing no. 2304_PL_305 |  | Install |
| James Room         | Ceiling | /  | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Four Poster        | Ceiling | /  | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| FO Bedroom         | Ceiling | /  | Plastered - Historic |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| FO Dressing Room   | Ceiling | /  | Plastered - TBA      | Second Floor                                                                                                                                                                                                                                                                     | Smoke Detector                | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Reception          | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Smoke Detector                | 1883-GMM-00-00-E-0411 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Shrimpy Room       | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0421 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Landing            | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0421 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Landing            | Wall    | E1 | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Fire Alarm Call Points        | 1883-GMM-00-00-E-0421 | Detail De-18 on drawing no. 2304_PL_305 |  | Install |
| Mikey Room         | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0421 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Open Space         | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0421 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Tank Room          | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Smoke Detector                | 1883-GMM-00-00-E-0421 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Tank Room          | Wall    | E1 | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Fire Equipment Mains Isolator | 1883-GMM-00-00-E-0421 | Detail De-17 on drawing no. 2304_PL_305 |  | Install |
| Tank Room          | Wall    | E1 | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Fire Radio Cluster            | 1883-GMM-00-00-E-0421 | Detail De-17 on drawing no. 2304_PL_305 |  | Install |
| Tank Room          | Wall    | E1 | Plastered - Modern   | Basement Cellars                                                                                                                                                                                                                                                                 | Distribution Board            | 1883-GMM-00-00-E-0421 | Detail De-17 on drawing no. 2304_PL_305 |  | Install |
| Attic Playroom     | Ceiling | /  | Plastered - Modern   |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0421 | Detail De-11 on drawing no. 2304_PL_302 |  | Install |
| Front Cellar       | Ceiling | /  | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0400 | Detail De-19 on drawing no. 2304_PL_305 |  | Install |
| Front Cellar       | Ceiling | /  | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Smoke Detectors               | 1883-GMM-00-00-E-0400 | Detail De-19 on drawing no. 2304_PL_305 |  | Install |
| Front Cellar       | Wall    | E6 | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Fire Alarm Call Points        | 1883-GMM-00-00-E-0400 | Detail De-18 on drawing no. 2304_PL_305 |  | Install |
| Rear Cellar        | Ceiling | /  | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Sounder Base                  | 1883-GMM-00-00-E-0400 | Detail De-19 on drawing no. 2304_PL_305 |  | Install |
| Rear Cellar        | Ceiling | /  | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Smoke Detectors               | 1883-GMM-00-00-E-0400 | Detail De-19 on drawing no. 2304_PL_305 |  | Install |
| Rear Cellar        | Wall    | E7 | Plastered - TBA      |                                                                                                                                                                                                                                                                                  | Fire Alarm Call Points        | 1883-GMM-00-00-E-0400 | Detail De-18 on drawing no. 2304_PL_305 |  | Install |
|                    |         |    |                      |                                                                                                                                                                                                                                                                                  |                               |                       |                                         |  |         |
|                    |         |    |                      |                                                                                                                                                                                                                                                                                  |                               |                       |                                         |  |         |