

NATIONAL TYRES & AUTOCARE, 60, KEYMER ROAD, HASSOCKS, BN6 8AR

Order Details

Date: 11/03/2021
Your ref: National_Tyres_Hassocks
Our Ref: HMD-47-7648455
Client: Environmental Assessment Services Ltd

Site Details

Location: 530816 115453
Area: 0.12 ha
Authority: [Mid Sussex District Council](#)



Summary of findings

p. 2

Aerial image

p. 8

OS MasterMap site plan

p.13

groundsure.com/insightuserguide

Contact us with any questions at:

info@groundsure.com

08444 159 000

Summary of findings

Page	Section	Past land use	On site	0-50m	50-250m	250-500m	500-2000m
14	1.1	<u>Historical industrial land uses</u>	0	1	5	41	-
16	1.2	<u>Historical tanks</u>	0	0	5	17	-
17	1.3	<u>Historical energy features</u>	0	0	9	20	-
19	1.4	Historical petrol stations	0	0	0	0	-
19	1.5	<u>Historical garages</u>	4	0	4	2	-
20	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped	On site	0-50m	50-250m	250-500m	500-2000m
21	2.1	<u>Historical industrial land uses</u>	0	1	5	56	-
24	2.2	<u>Historical tanks</u>	0	0	6	23	-
25	2.3	<u>Historical energy features</u>	0	0	13	30	-
27	2.4	Historical petrol stations	0	0	0	0	-
27	2.5	<u>Historical garages</u>	6	0	7	4	-
Page	Section	Waste and landfill	On site	0-50m	50-250m	250-500m	500-2000m
29	3.1	Active or recent landfill	0	0	0	0	-
29	3.2	Historical landfill (BGS records)	0	0	0	0	-
29	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
29	3.4	Historical landfill (EA/NRW records)	0	0	0	0	-
29	3.5	Historical waste sites	0	0	0	0	-
30	3.6	Licensed waste sites	0	0	0	0	-
30	3.7	Waste exemptions	0	0	0	0	-
Page	Section	Current industrial land use	On site	0-50m	50-250m	250-500m	500-2000m
31	4.1	<u>Recent industrial land uses</u>	1	2	5	-	-
32	4.2	<u>Current or recent petrol stations</u>	0	1	0	0	-
32	4.3	Electricity cables	0	0	0	0	-
33	4.4	Gas pipelines	0	0	0	0	-
33	4.5	Sites determined as Contaminated Land	0	0	0	0	-

33	4.6	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
33	4.7	Regulated explosive sites	0	0	0	0	-
33	4.8	Hazardous substance storage/usage	0	0	0	0	-
34	4.9	Historical licensed industrial activities (IPC)	0	0	0	0	-
34	4.10	Licensed industrial activities (Part A(1))	0	0	0	0	-
34	4.11	<u>Licensed pollutant release (Part A(2)/B)</u>	0	1	0	0	-
34	4.12	Radioactive Substance Authorisations	0	0	0	0	-
35	4.13	<u>Licensed Discharges to controlled waters</u>	0	0	6	2	-
36	4.14	Pollutant release to surface waters (Red List)	0	0	0	0	-
36	4.15	Pollutant release to public sewer	0	0	0	0	-
36	4.16	List 1 Dangerous Substances	0	0	0	0	-
36	4.17	List 2 Dangerous Substances	0	0	0	0	-
37	4.18	<u>Pollution Incidents (EA/NRW)</u>	0	0	2	0	-
37	4.19	Pollution inventory substances	0	0	0	0	-
37	4.20	Pollution inventory waste transfers	0	0	0	0	-
38	4.21	Pollution inventory radioactive waste	0	0	0	0	-
Page	Section	Hydrogeology	On site	0-50m	50-250m	250-500m	500-2000m
39	5.1	<u>Superficial aquifer</u>	Identified (within 500m)				
41	5.2	<u>Bedrock aquifer</u>	Identified (within 500m)				
43	5.3	<u>Groundwater vulnerability</u>	Identified (within 50m)				
44	5.4	Groundwater vulnerability- soluble rock risk	None (within 0m)				
44	5.5	Groundwater vulnerability- local information	None (within 0m)				
45	5.6	<u>Groundwater abstractions</u>	0	0	0	0	7
47	5.7	Surface water abstractions	0	0	0	0	0
48	5.8	<u>Potable abstractions</u>	0	0	0	0	1
48	5.9	Source Protection Zones	0	0	0	0	-
48	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-
Page	Section	Hydrology	On site	0-50m	50-250m	250-500m	500-2000m
49	6.1	<u>Water Network (OS MasterMap)</u>	1	0	7	-	-



50	6.2	<u>Surface water features</u>	0	0	4	-	-
50	6.3	<u>WFD Surface water body catchments</u>	1	-	-	-	-
51	6.4	<u>WFD Surface water bodies</u>	0	0	0	-	-
51	6.5	<u>WFD Groundwater bodies</u>	1	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
52	7.1	<u>Risk of Flooding from Rivers and Sea (RoFRaS)</u>	Medium (within 50m)				
53	7.2	Historical Flood Events	0	0	0	-	-
53	7.3	Flood Defences	0	0	0	-	-
53	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
53	7.5	Flood Storage Areas	0	0	0	-	-
54	7.6	<u>Flood Zone 2</u>	Identified (within 50m)				
55	7.7	<u>Flood Zone 3</u>	Identified (within 50m)				
Page	Section	Surface water flooding					
56	8.1	<u>Surface water flooding</u>	1 in 30 year, 0.3m - 1.0m (within 50m)				
Page	Section	Groundwater flooding					
58	9.1	<u>Groundwater flooding</u>	High (within 50m)				
Page	Section	Environmental designations	On site	0-50m	50-250m	250-500m	500-2000m
59	10.1	<u>Sites of Special Scientific Interest (SSSI)</u>	0	0	0	0	1
60	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
60	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
60	10.4	Special Protection Areas (SPA)	0	0	0	0	0
60	10.5	National Nature Reserves (NNR)	0	0	0	0	0
61	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
61	10.7	<u>Designated Ancient Woodland</u>	0	0	0	2	22
62	10.8	<u>Biosphere Reserves</u>	0	0	0	1	0
62	10.9	Forest Parks	0	0	0	0	0
63	10.10	Marine Conservation Zones	0	0	0	0	0
63	10.11	Green Belt	0	0	0	0	0
63	10.12	Proposed Ramsar sites	0	0	0	0	0



63	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
63	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
64	10.15	Nitrate Sensitive Areas	0	0	0	0	0
64	10.16	<u>Nitrate Vulnerable Zones</u>	1	0	0	0	2
65	10.17	<u>SSSI Impact Risk Zones</u>	1	-	-	-	-
66	10.18	<u>SSSI Units</u>	0	0	0	0	4
Page	Section	Visual and cultural designations	On site	0-50m	50-250m	250-500m	500-2000m
68	11.1	World Heritage Sites	0	0	0	-	-
68	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
68	11.3	National Parks	0	0	0	-	-
68	11.4	Listed Buildings	0	0	0	-	-
69	11.5	Conservation Areas	0	0	0	-	-
69	11.6	Scheduled Ancient Monuments	0	0	0	-	-
69	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	Agricultural designations	On site	0-50m	50-250m	250-500m	500-2000m
70	12.1	<u>Agricultural Land Classification</u>	Grade 3 (within 250m)				
71	12.2	Open Access Land	0	0	0	-	-
71	12.3	Tree Felling Licences	0	0	0	-	-
71	12.4	Environmental Stewardship Schemes	0	0	0	-	-
71	12.5	Countryside Stewardship Schemes	0	0	0	-	-
Page	Section	Habitat designations	On site	0-50m	50-250m	250-500m	500-2000m
72	13.1	<u>Priority Habitat Inventory</u>	0	0	1	-	-
73	13.2	Habitat Networks	0	0	0	-	-
73	13.3	Open Mosaic Habitat	0	0	0	-	-
73	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	Geology 1:10,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
74	14.1	<u>10k Availability</u>	Identified (within 500m)				
75	14.2	Artificial and made ground (10k)	0	0	0	0	-
76	14.3	<u>Superficial geology (10k)</u>	0	0	0	2	-



77	14.4	Landslip (10k)	0	0	0	0	-
78	14.5	<u>Bedrock geology (10k)</u>	1	0	2	1	-
79	14.6	Bedrock faults and other linear features (10k)	0	0	0	0	-
Page	Section	Geology 1:50,000 scale	On site	0-50m	50-250m	250-500m	500-2000m
80	15.1	<u>50k Availability</u>	Identified (within 500m)				
81	15.2	Artificial and made ground (50k)	0	0	0	0	-
81	15.3	Artificial ground permeability (50k)	0	0	-	-	-
82	15.4	<u>Superficial geology (50k)</u>	0	0	0	1	-
83	15.5	Superficial permeability (50k)	None (within 50m)				
83	15.6	Landslip (50k)	0	0	0	0	-
83	15.7	Landslip permeability (50k)	None (within 50m)				
84	15.8	<u>Bedrock geology (50k)</u>	1	0	2	0	-
85	15.9	<u>Bedrock permeability (50k)</u>	Identified (within 50m)				
85	15.10	Bedrock faults and other linear features (50k)	0	0	0	0	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
86	16.1	BGS Boreholes	0	0	0	-	-
Page	Section	Natural ground subsidence					
87	17.1	<u>Shrink swell clays</u>	Negligible (within 50m)				
88	17.2	<u>Running sands</u>	Low (within 50m)				
89	17.3	<u>Compressible deposits</u>	Negligible (within 50m)				
90	17.4	<u>Collapsible deposits</u>	Very low (within 50m)				
91	17.5	<u>Landslides</u>	Very low (within 50m)				
92	17.6	<u>Ground dissolution of soluble rocks</u>	Negligible (within 50m)				
Page	Section	Mining, ground workings and natural cavities	On site	0-50m	50-250m	250-500m	500-2000m
93	18.1	Natural cavities	0	0	0	0	-
94	18.2	BritPits	0	0	0	0	-
94	18.3	<u>Surface ground workings</u>	0	0	2	-	-
94	18.4	Underground workings	0	0	0	0	0
94	18.5	Historical Mineral Planning Areas	0	0	0	0	-



95	18.6	<u>Non-coal mining</u>		1	0	0	0	2
95	18.7	Mining cavities		0	0	0	0	0
95	18.8	JPB mining areas		None (within 0m)				
96	18.9	Coal mining		None (within 0m)				
96	18.10	Brine areas		None (within 0m)				
96	18.11	Gypsum areas		None (within 0m)				
96	18.12	Tin mining		None (within 0m)				
96	18.13	Clay mining		None (within 0m)				
Page	Section	Radon						
97	19.1	<u>Radon</u>	Less than 1% (within 0m)					
Page	Section	Soil chemistry	On site	0-50m	50-250m	250-500m	500-2000m	
98	20.1	<u>BGS Estimated Background Soil Chemistry</u>	1	3	-	-	-	
98	20.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-	
99	20.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-	
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m	
100	21.1	Underground railways (London)	0	0	0	-	-	
100	21.2	Underground railways (Non-London)	0	0	0	-	-	
100	21.3	Railway tunnels	0	0	0	-	-	
100	21.4	Historical railway and tunnel features	0	0	0	-	-	
100	21.5	Royal Mail tunnels	0	0	0	-	-	
101	21.6	Historical railways	0	0	0	-	-	
101	21.7	Railways	0	0	0	-	-	
101	21.8	Crossrail 1	0	0	0	0	-	
101	21.9	Crossrail 2	0	0	0	0	-	
101	21.10	HS2	0	0	0	0	-	



Recent aerial photograph



Capture Date: 21/04/2019

Site Area: 0.12ha



Recent site history - 2018 aerial photograph



Capture Date: 26/06/2018

Site Area: 0.12ha



Recent site history - 2012 aerial photograph




Capture Date: 13/09/2012

Site Area: 0.12ha



Recent site history - 2006 aerial photograph



Capture Date: 29/06/2006

Site Area: 0.12ha



Recent site history - 1999 aerial photograph




Capture Date: 04/09/1999

Site Area: 0.12ha



OS MasterMap site plan




© Crown copyright and database rights 2021. Ordnance Survey licence 100035207

Site Area: 0.12ha



1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

1.1 Historical industrial land uses

Records within 500m **47**

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
B	22m N	Nursery	1896	2161133



ID	Location	Land use	Dates present	Group ID
B	96m N	Nurseries	1874	2223875
E	105m N	Nurseries	1938	2249038
E	107m N	Nurseries	1962	2263410
G	167m S	Unspecified Tank	1909	2153511
I	246m E	Unspecified Tank	1896	2153512
4	262m W	Cuttings	1896	2129236
I	272m E	Unspecified Tank	1909 - 1938	2183345
N	348m W	Railway Sidings	1962 - 1984	2251517
M	348m NW	Unspecified Tank	1909	2153513
N	349m W	Railway Sidings	1896	2188876
L	349m W	Railway Building	1962	2148112
O	352m W	Cuttings	1874	2206092
N	357m NW	Railway Sidings	1909 - 1938	2288768
L	365m W	Cuttings	1896	2183992
L	366m W	Railway Station	1896	2171878
L	367m W	Railway Station	1909 - 1938	2285025
8	370m SE	Nursery	1909 - 1950	2245597
L	373m W	Railway Station	1962 - 1974	2245346
L	373m W	Railway Station	1984	2192536
O	375m W	Railway Sidings	1962 - 1974	2278564
P	378m W	Unspecified Pit	1938	2124039
M	380m NW	Railway Sidings	1874	2176123
L	380m W	Railway Building	1874	2148109
O	381m W	Railway Sidings	1909 - 1938	2234036
O	381m W	Railway Sidings	1896	2280640
L	385m W	Railway Building	1896	2148108
O	386m W	Cuttings	1874	2280451
9	390m SE	Nursery	1897	2161134



ID	Location	Land use	Dates present	Group ID
P	399m W	Cuttings	1974	2129235
L	401m W	Railway Building	1909	2148110
10	402m NW	Railway Building	1874	2148111
L	404m W	Railway Station	1874	2249429
O	411m W	Coal Depot	1874	2128325
O	421m W	Unspecified Pit	1909 - 1938	2208830
O	424m W	Gas Works	1874 - 1896	2288807
L	426m W	Railway Building	1909 - 1938	2250251
O	431m W	Railway Building	1896	2260115
O	431m W	Railway Building	1938	2246513
O	441m W	Goods Yard	1938	2142142
O	455m W	Gasometer	1874	2139768
O	459m W	Railway Buildings	1896 - 1909	2249455
O	460m W	Railway Buildings	1938	2295081
O	464m W	Railway Building	1962 - 1974	2169580
O	472m W	Railway Building	1909	2148127
O	472m W	Gasometer	1874 - 1896	2250345
O	487m W	Railway Buildings	1909	2247183

This data is sourced from Ordnance Survey / Groundsure.

1.2 Historical tanks

Records within 500m

22

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**



ID	Location	Land use	Dates present	Group ID
C	105m S	Unspecified Tank	1897	360406
1	142m E	Unspecified Tank	1910	360640
2	152m NE	Tank or Trough	1874	379403
G	172m S	Unspecified Tank	1897 - 1910	402139
I	243m E	Unspecified Tank	1897	360626
I	272m E	Unspecified Tank	1910 - 1937	390939
I	301m E	Unspecified Tank	1937	360627
5	320m NE	Unspecified Tank	1910	360639
6	329m NE	Unspecified Tank	1897 - 1910	384868
M	348m NW	Unspecified Tank	1910	360641
7	363m E	Unspecified Tank	1897	360628
N	415m NW	Unspecified Tank	1910	360642
O	421m W	Gas Works	1874	386123
O	452m W	Unspecified Tank	1954 - 1961	397083
O	454m W	Gas Works	1897	384129
O	454m W	Gas Works	1910	408692
O	455m W	Unspecified Tank	1937	387010
O	455m W	Gasometers	1874 - 1910	388954
R	471m E	Unspecified Tank	1937	360426
R	474m E	Unspecified Tank	1874	360427
O	474m W	Gasometers	1874 - 1897	385227
11	479m W	Unspecified Tank	1937	360643

This data is sourced from Ordnance Survey / Groundsure.

1.3 Historical energy features

Records within 500m

29

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or



succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
C	63m S	Electricity Substation	1977	267118
C	63m S	Electricity Substation	1985	272927
C	64m S	Electricity Substation	1997	274178
D	101m W	Electricity Substation	1954	241974
F	146m SW	Electricity Substation	1977	281370
F	147m SW	Electricity Substation	1997	270670
F	155m SW	Electricity Substation	1985	241975
H	220m W	Electricity Substation	1985 - 1997	285520
H	222m W	Electricity Substation	1977	267027
3	253m N	Electricity Substation	1954 - 1997	259161
J	285m SW	Electricity Substation	1985	267864
J	286m SW	Electricity Substation	1997	289119
J	287m SW	Electricity Substation	1977	291639
K	318m S	Electricity Substation	1997	254550
K	318m S	Electricity Substation	1997	255852
I	325m E	Electricity Substation	1984	282633
I	326m E	Electricity Substation	1977	285109
I	326m E	Electricity Substation	1994	266583
K	327m S	Electricity Substation	1985	254451
K	327m S	Electricity Substation	1977	255564
K	327m S	Electricity Substation	1977	255566
O	421m W	Gas Works	1874	256056
O	454m W	Gas Works	1897	256053
O	454m W	Gas Works	1910	266932
O	455m W	Gasometers	1874 - 1910	271201
Q	462m NE	Electricity Substation	1984	280600



ID	Location	Land use	Dates present	Group ID
Q	465m NE	Electricity Substation	1994	258944
Q	465m NE	Electricity Substation	1977	257772
O	474m W	Gasometers	1874 - 1897	272520

This data is sourced from Ordnance Survey / Groundsure.

1.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m

10

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14**

ID	Location	Land use	Dates present	Group ID
A	On site	Garage	1961	77467
A	On site	Garage	1985	78496
A	On site	Garage	1997	81879
A	On site	Garage	1977	82080
D	101m W	Garage	1985	78107
D	102m W	Garage	1997	84621
D	103m W	Garage	1977	82758
D	109m W	Garage	1954 - 1961	81538



ID	Location	Land use	Dates present	Group ID
L	344m W	Garage	1997	83729
O	448m W	Garage	1997	82245

This data is sourced from Ordnance Survey / Groundsure.

1.6 Historical military land

Records within 500m



0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.



2 Past land use - un-grouped



2.1 Historical industrial land uses

Records within 500m

62

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21**

ID	Location	Land Use	Date	Group ID
B	22m N	Nursery	1896	2161133
B	96m N	Nurseries	1874	2223875
E	105m N	Nurseries	1938	2249038

ID	Location	Land Use	Date	Group ID
E	107m N	Nurseries	1962	2263410
G	167m S	Unspecified Tank	1909	2153511
I	246m E	Unspecified Tank	1896	2153512
3	262m W	Cuttings	1896	2129236
I	272m E	Unspecified Tank	1938	2183345
I	272m E	Unspecified Tank	1909	2183345
O	348m W	Railway Sidings	1984	2251517
O	348m W	Railway Sidings	1962	2251517
O	348m W	Railway Sidings	1974	2251517
N	348m NW	Unspecified Tank	1909	2153513
O	349m W	Railway Sidings	1896	2188876
M	349m W	Railway Building	1962	2148112
P	352m W	Cuttings	1874	2206092
O	357m NW	Railway Sidings	1938	2288768
O	357m NW	Railway Sidings	1909	2288768
M	365m W	Cuttings	1896	2183992
M	366m W	Railway Station	1896	2171878
M	367m W	Railway Station	1938	2285025
M	367m W	Railway Station	1909	2285025
Q	370m SE	Nursery	1950	2245597
Q	370m SE	Nursery	1909	2245597
M	373m W	Railway Station	1962	2245346
M	373m W	Railway Station	1974	2245346
M	373m W	Railway Station	1984	2192536
P	375m W	Railway Sidings	1962	2278564
P	375m W	Railway Sidings	1974	2278564
R	378m W	Unspecified Pit	1938	2124039
N	380m NW	Railway Sidings	1874	2176123



ID	Location	Land Use	Date	Group ID
M	380m W	Railway Building	1874	2148109
P	381m W	Railway Sidings	1909	2234036
P	381m W	Railway Sidings	1896	2280640
P	381m W	Railway Sidings	1938	2234036
M	385m W	Railway Building	1896	2148108
P	386m W	Cuttings	1874	2280451
6	390m SE	Nursery	1897	2161134
R	399m W	Cuttings	1974	2129235
M	401m W	Railway Building	1909	2148110
7	402m NW	Railway Building	1874	2148111
M	404m W	Railway Station	1874	2249429
P	411m W	Coal Depot	1874	2128325
P	421m W	Unspecified Pit	1938	2208830
P	421m W	Unspecified Pit	1909	2208830
P	424m W	Gas Works	1874	2288807
M	426m W	Railway Building	1909	2250251
M	427m W	Railway Building	1938	2250251
P	431m W	Railway Building	1896	2260115
P	431m W	Railway Building	1938	2246513
P	441m W	Goods Yard	1938	2142142
P	453m W	Gas Works	1896	2288807
P	455m W	Gasometer	1874	2139768
P	459m W	Railway Buildings	1909	2249455
P	459m W	Railway Buildings	1896	2249455
P	460m W	Railway Buildings	1938	2295081
P	464m W	Railway Building	1962	2169580
P	464m W	Railway Building	1974	2169580
P	472m W	Railway Building	1909	2148127



ID	Location	Land Use	Date	Group ID
P	472m W	Gasometer	1896	2250345
P	472m W	Gasometer	1874	2250345
P	487m W	Railway Buildings	1909	2247183

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m

29

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21**

ID	Location	Land Use	Date	Group ID
C	105m S	Unspecified Tank	1897	360406
1	142m E	Unspecified Tank	1910	360640
2	152m NE	Tank or Trough	1874	379403
G	172m S	Unspecified Tank	1897	402139
G	172m S	Unspecified Tank	1910	402139
I	243m E	Unspecified Tank	1897	360626
I	272m E	Unspecified Tank	1910	390939
I	272m E	Unspecified Tank	1937	390939
I	301m E	Unspecified Tank	1937	360627
4	320m NE	Unspecified Tank	1910	360639
L	329m NE	Unspecified Tank	1897	384868
L	329m NE	Unspecified Tank	1910	384868
N	348m NW	Unspecified Tank	1910	360641
5	363m E	Unspecified Tank	1897	360628
O	415m NW	Unspecified Tank	1910	360642
P	421m W	Gas Works	1874	386123
P	452m W	Unspecified Tank	1954	397083



ID	Location	Land Use	Date	Group ID
P	452m W	Unspecified Tank	1961	397083
P	454m W	Gas Works	1897	384129
P	454m W	Gas Works	1910	408692
P	455m W	Gasometers	1874	388954
P	455m W	Gasometers	1897	388954
P	455m W	Gasometers	1910	388954
P	455m W	Unspecified Tank	1937	387010
T	471m E	Unspecified Tank	1937	360426
T	474m E	Unspecified Tank	1874	360427
P	474m W	Gasometers	1874	385227
P	474m W	Gasometers	1897	385227
8	479m W	Unspecified Tank	1937	360643

This data is sourced from Ordnance Survey / Groundsure.

2.3 Historical energy features

Records within 500m

43

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21**

ID	Location	Land Use	Date	Group ID
C	63m S	Electricity Substation	1977	267118
C	63m S	Electricity Substation	1985	272927
C	64m S	Electricity Substation	1997	274178
C	64m S	Electricity Substation	1997	274178
D	101m W	Electricity Substation	1954	241974
F	146m SW	Electricity Substation	1977	281370
F	147m SW	Electricity Substation	1997	270670
F	147m SW	Electricity Substation	1997	270670



ID	Location	Land Use	Date	Group ID
F	155m SW	Electricity Substation	1985	241975
H	220m W	Electricity Substation	1985	285520
H	222m W	Electricity Substation	1997	285520
H	222m W	Electricity Substation	1997	285520
H	222m W	Electricity Substation	1977	267027
B	253m N	Electricity Substation	1997	259161
B	253m N	Electricity Substation	1997	259161
B	254m N	Electricity Substation	1977	259161
B	254m N	Electricity Substation	1954	259161
B	255m N	Electricity Substation	1985	259161
J	285m SW	Electricity Substation	1985	267864
J	286m SW	Electricity Substation	1997	289119
J	286m SW	Electricity Substation	1997	289119
J	287m SW	Electricity Substation	1977	291639
K	318m S	Electricity Substation	1997	254550
K	318m S	Electricity Substation	1997	255852
I	325m E	Electricity Substation	1984	282633
I	326m E	Electricity Substation	1977	285109
I	326m E	Electricity Substation	1994	266583
I	327m E	Electricity Substation	1977	285109
K	327m S	Electricity Substation	1985	254451
K	327m S	Electricity Substation	1977	255564
K	327m S	Electricity Substation	1977	255566
P	421m W	Gas Works	1874	256056
P	454m W	Gas Works	1897	256053
P	454m W	Gas Works	1910	266932
P	455m W	Gasometers	1874	271201
P	455m W	Gasometers	1897	271201



ID	Location	Land Use	Date	Group ID
P	455m W	Gasometers	1910	271201
S	462m NE	Electricity Substation	1984	280600
S	465m NE	Electricity Substation	1994	258944
S	465m NE	Electricity Substation	1977	257772
S	466m NE	Electricity Substation	1977	257772
P	474m W	Gasometers	1874	272520
P	474m W	Gasometers	1897	272520

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

2.5 Historical garages

Records within 500m

17

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21**

ID	Location	Land Use	Date	Group ID
A	On site	Garage	1985	78496
A	On site	Garage	1997	81879
A	On site	Garage	1997	81879
A	On site	Garage	1977	82080
A	On site	Garage	1961	77467
A	On site	Garage	1977	82080



ID	Location	Land Use	Date	Group ID
D	101m W	Garage	1985	78107
D	102m W	Garage	1997	84621
D	102m W	Garage	1997	84621
D	103m W	Garage	1977	82758
D	103m W	Garage	1977	82758
D	109m W	Garage	1954	81538
D	109m W	Garage	1961	81538
M	344m W	Garage	1997	83729
M	344m W	Garage	1997	83729
P	448m W	Garage	1997	82245
P	448m W	Garage	1997	82245

This data is sourced from Ordnance Survey / Groundsure.



3 Waste and landfill

3.1 Active or recent landfill

Records within 500m 0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m 0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m 0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m 0

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m 0

Waste site records derived from Local Authority planning records and high detail historical mapping.

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.



3.6 Licensed waste sites

Records within 500m

0

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions



Records within 500m

0

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

This data is sourced from the Environment Agency and Natural Resources Wales.

4 Current industrial land use



4.1 Recent industrial land uses

Records within 250m **8**

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on **page 31**

ID	Location	Company	Address	Activity	Category
A	On site	National Tyres and Autocare	60, Keymer Road, Hassocks, West Sussex, BN6 8AR	Vehicle Repair, Testing and Servicing	Repair and Servicing
A	22m E	Hassocks Hardware	8, Orion Parade, Hassocks, West Sussex, BN6 8QA	General Construction Supplies	Industrial Products



ID	Location	Company	Address	Activity	Category
A	25m N	Hassocks Pet Centre	41-43, Keymer Road, Hassocks, West Sussex, BN6 8AG	Animal Feeds, Pet Foods, Hay and Straw	Foodstuffs
1	60m S	Electricity Sub Station	West Sussex, BN6	Electrical Features	Infrastructure and Facilities
3	130m S	Telephone Exchange	West Sussex, BN6	Telecommunications Features	Infrastructure and Facilities
C	149m SW	Electricity Sub Station	West Sussex, BN6	Electrical Features	Infrastructure and Facilities
5	201m NW	Electricity Sub Station	West Sussex, BN6	Electrical Features	Infrastructure and Facilities
D	241m W	Electricity Sub Station	West Sussex, BN6	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.

4.2 Current or recent petrol stations

Records within 500m

1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on **page 31**

ID	Location	Company	Address	LPG	Status
A	14m W	OBSOLETE	60, Keymer Road, Dale Avenue, Hassocks, West Sussex, BN6 8AR	Not Applicable	Obsolete

This data is sourced from Experian.

4.3 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.



4.4 Gas pipelines

Records within 500m	0
---------------------	---

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m	0
---------------------	---

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.6 Control of Major Accident Hazards (COMAH)

Records within 500m	0
---------------------	---

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.7 Regulated explosive sites

Records within 500m	0
---------------------	---

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.8 Hazardous substance storage/usage

Records within 500m	0
---------------------	---

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

1

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 31**

ID	Location	Address	Details	
A	24m NE	Smarty's Dry Cleaners, 45 Keymer Road, Hassocks, West Sussex, BN6 8AG	Process: Dry Cleaning Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authority records.

4.12 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m

8

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 31**

ID	Location	Address	Details	
B	95m NW	RESIDENTIAL DEVELOPMENT, SPITALFORD BRIDGE, HAS SOCKS, SUSSEX	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: N01407 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 14/01/1974 Effective Date: 14/01/1974 Revocation Date: 31/03/1997
2	96m W	HAS SOCKS POST OFFICE, KEYMER ROAD	Effluent Type: TRADE DISCHARGES - PROCESS EFFLUENT - NOT WATER COMPANY Permit Number: S02036 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 15/10/1971 Effective Date: 15/10/1971 Revocation Date: 31/03/1997
B	119m NW	HAS SOCKS CONGREGATIONAL CHURCH, STATION ROAD	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: S01074 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 23/01/1964 Effective Date: 23/01/1964 Revocation Date: 31/03/1997
B	128m NW	HAS SOCKS CONGREGATIONAL CHURCH	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: S01139 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 01/05/1962 Effective Date: 01/05/1962 Revocation Date: 31/03/1997
4	138m W	THE ORCHARD, DOWNSVIEW ROAD, HAS SOCKS, WEST SUSSEX	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: S01571 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 22/02/1967 Effective Date: 22/02/1967 Revocation Date: 11/09/1997
C	144m SW	DEVELOPMENT AT 50 PARKLANDS ROAD	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: S02189 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: 04/06/1973 Effective Date: 04/06/1973 Revocation Date: 31/03/1997
D	269m W	ROADWAY - CLAYTONS AVENUE	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: S01748 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 22/07/1968 Effective Date: 22/07/1968 Revocation Date: 01/07/1991



ID	Location	Address	Details	
6	327m SE	ROOF OF BROCKENHURST, HIGHLANDS CLOSE, HASSOCKS	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: S02744 Permit Version: 1 Receiving Water: FRESHWATER RIVER	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 16/04/1964 Effective Date: 16/04/1964 Revocation Date: 01/07/1991

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m	0
----------------------------	----------

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m	0
----------------------------	----------

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m	0
----------------------------	----------

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m	0
----------------------------	----------

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

2

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 31**

ID	Location	Details	
D	240m W	Incident Date: 08/03/2002 Incident Identification: 62765 Pollutant: Pollutant Not Identified Pollutant Description: Not Identified	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
D	240m W	Incident Date: 08/03/2002 Incident Identification: 62765 Pollutant: Pollutant Not Identified Pollutant Description: Not Identified	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution inventory substances

Records within 500m

0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m

0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



4.21 Pollution inventory radioactive waste

Records within 500m



0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.



5 Hydrogeology - Superficial aquifer



5.1 Superficial aquifer

Records within 500m

2

Aquifer status of groundwater held within superficial geology.



Features are displayed on the Hydrogeology map on **page 39**

ID	Location	Designation	Description
1	415m S	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	430m S	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type



This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

Bedrock aquifer



5.2 Bedrock aquifer

Records within 500m

3

Aquifer status of groundwater held within bedrock geology.



Features are displayed on the Bedrock aquifer map on **page 41**

ID	Location	Designation	Description
1	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
2	226m S	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

ID	Location	Designation	Description
3	427m S	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 43**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Principal bedrock aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: 300- 550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Medium Aquifer type: Principal Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	0
------------------------	----------

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site	0
------------------------	----------

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



5.6 Groundwater abstractions

Records within 2000m

7

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 45**

ID	Location	Details	
-	836m W	Status: Historical Licence No: 10/41/322206 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Southern Region Groundwater Point: CLAYTON NURSERIES, HASSOCKS Data Type: Point Name: Tates of Pyecombe Ltd Easting: 529990 Northing: 115220	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: - Expiry Date: - Issue No: 101 Version Start Date: 31/03/2000 Version End Date: -
-	952m W	Status: Active Licence No: 10/41/322206 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Southern Region Groundwater Point: SOUTHADOWNS GARDEN CENTRE & NURSERY Data Type: Point Name: Tates of Pyecombe Ltd Easting: 529890 Northing: 115150	Annual Volume (m ³): 6,364 Max Daily Volume (m ³): 72.70 Original Application No: - Original Start Date: 08/03/1966 Expiry Date: - Issue No: 102 Version Start Date: 01/04/2008 Version End Date: -
-	1228m E	Status: Historical Licence No: 10/41/322210 Details: Potable Water Supply - Direct Direct Source: Southern Region Groundwater Point: DITCHLING PS Data Type: Point Name: South East Water Plc Easting: 532040 Northing: 115230	Annual Volume (m ³): 248893 Max Daily Volume (m ³): 909.2 Original Application No: - Original Start Date: 02/12/1966 Expiry Date: - Issue No: 100 Version Start Date: 08/06/2009 Version End Date: -
-	1743m S	Status: Active Licence No: 10/41/312504 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Southern Region Groundwater Point: CLAYTON PS BOREHOLE 1 Data Type: Point Name: South East Water Ltd Easting: 530470 Northing: 113720	Annual Volume (m ³): 1,168,000 Max Daily Volume (m ³): 9,082.90 Original Application No: - Original Start Date: 01/04/1969 Expiry Date: - Issue No: 102 Version Start Date: 13/02/2013 Version End Date: -



ID	Location	Details	
-	1743m S	Status: Active Licence No: 10/41/312504 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Southern Region Groundwater Point: CLAYTON PS BOREHOLE 2 Data Type: Point Name: South East Water Ltd Easting: 530470 Northing: 113720	Annual Volume (m ³): 1,168,000 Max Daily Volume (m ³): 9,082.90 Original Application No: - Original Start Date: 01/04/1969 Expiry Date: - Issue No: 102 Version Start Date: 13/02/2013 Version End Date: -
-	1743m S	Status: Active Licence No: 10/41/312504 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Southern Region Groundwater Point: CLAYTON PS WELL 1 Data Type: Point Name: South East Water Ltd Easting: 530470 Northing: 113720	Annual Volume (m ³): 1,168,000 Max Daily Volume (m ³): 9,082.90 Original Application No: - Original Start Date: 01/04/1969 Expiry Date: - Issue No: 102 Version Start Date: 13/02/2013 Version End Date: -
-	1743m S	Status: Active Licence No: 10/41/312504 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Southern Region Groundwater Point: CLAYTON PS WELL 2 Data Type: Point Name: South East Water Ltd Easting: 530470 Northing: 113720	Annual Volume (m ³): 1,168,000 Max Daily Volume (m ³): 9,082.90 Original Application No: - Original Start Date: 01/04/1969 Expiry Date: - Issue No: 102 Version Start Date: 13/02/2013 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m

0

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.



5.8 Potable abstractions

Records within 2000m

1

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 45**

ID	Location	Details	
-	1228m E	Status: Historical Licence No: 10/41/322210 Details: Potable Water Supply - Direct Direct Source: Southern Region Groundwater Point: DITCHLING PS Data Type: Point Name: South East Water Plc Easting: 532040 Northing: 115230	Annual Volume (m ³): 248893 Max Daily Volume (m ³): 909.2 Original Application No: - Original Start Date: 02/12/1966 Expiry Date: - Issue No: 100 Version Start Date: 08/06/2009 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m

0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m



0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.



6 Hydrology



6.1 Water Network (OS MasterMap)

Records within 250m

8

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on **page 49**

ID	Location	Type of water feature	Ground level	Permanence	Name
A	On site	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
3	89m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
4	91m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
B	93m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
C	100m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
5	117m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
C	228m W	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
C	239m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m

4

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on **page 49**

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site

1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.



Features are displayed on the Hydrology map on **page 49**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
A	On site	River WB catchment	Herrings Stream	GB107041012150	Upper Adur	Adur and Ouse

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified	1
---------------------------	----------

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 49**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	3713m NW	River	Herrings Stream	GB107041012150	Poor	Good	Poor	2016

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site	1
------------------------	----------

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.



Features are displayed on the Hydrology map on **page 49**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
1	On site	Lower Greensand Adur & Ouse	GB40701G502400	Good	Good	Good	2015

This data is sourced from the Environment Agency and Natural Resources Wales.



7 River and coastal flooding



7.1 Risk of Flooding from Rivers and Sea (RoFRaS)

Records within 50m

1

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance).

Features are displayed on the River and coastal flooding map on **page 52**

Distance	RoFRaS flood risk
On site	Medium
0 - 50m	Medium

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m

0

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m

0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.5 Flood Storage Areas



Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.

River and coastal flooding - Flood Zones



7.6 Flood Zone 2

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

Features are displayed on the River and coastal flooding map on **page 52**

Location	Type
On site	Zone 2 - (Fluvial /Tidal Models)

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.


Features are displayed on the River and coastal flooding map on **page 52**

Location	Type
On site	Zone 3 - (Fluvial Models)

This data is sourced from the Environment Agency and Natural Resources Wales.



8 Surface water flooding



8.1 Surface water flooding

Highest risk on site

1 in 30 year, 0.1m - 0.3m

Highest risk within 50m

1 in 30 year, 0.3m - 1.0m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 56**



The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.

The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.3m and 1.0m
1 in 250 year	Between 0.3m and 1.0m
1 in 100 year	Between 0.1m and 0.3m
1 in 30 year	Between 0.1m and 0.3m

This data is sourced from Ambiental Risk Analytics.

9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site

High

Highest risk within 50m



High

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 58**

This data is sourced from Ambiantal Risk Analytics.

10 Environmental designations



10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

1

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

Features are displayed on the Environmental designations map on **page 59**

ID	Location	Name	Data source
-	1700m S	Clayton to Offham Escarpment	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m

0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m

0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m

0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m

0

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.



10.6 Local Nature Reserves (LNR)

Records within 2000m

0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m

24

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on **page 59**

ID	Location	Name	Woodland Type
1	358m SW	Keymer Allotment Shaw	Ancient & Semi-Natural Woodland
2	458m N	Woodsland Glebe	Ancient & Semi-Natural Woodland
3	527m SW	Butchers Wood	Ancient & Semi-Natural Woodland
A	599m S	Southdown Farm Shaw	Ancient & Semi-Natural Woodland
4	615m SW	Signal Post Wood	Ancient & Semi-Natural Woodland
5	817m SW	Lag Wood	Ancient & Semi-Natural Woodland
6	989m NW	Reed Pond Shaw	Ancient & Semi-Natural Woodland
7	992m SW	Bonnys Wood	Ancient & Semi-Natural Woodland
8	1091m SW	Ockendens Wood	Ancient & Semi-Natural Woodland
9	1151m SE	Millbrook Shaw	Ancient & Semi-Natural Woodland
10	1211m W	Ham Shaw	Ancient & Semi-Natural Woodland
-	1290m W	Ockendens Shaw	Ancient & Semi-Natural Woodland
-	1454m W	Bullsmead Shaw	Ancient & Semi-Natural Woodland
-	1482m W	Stonecroft Copse	Ancient & Semi-Natural Woodland
-	1530m SW	Furzefield /Parsons Copse	Ancient & Semi-Natural Woodland
-	1627m NE	Ockley Wood	Ancient & Semi-Natural Woodland



ID	Location	Name	Woodland Type
-	1684m S	Clayton Holt	Ancient & Semi-Natural Woodland
-	1760m W	The Gill	Ancient & Semi-Natural Woodland
-	1818m W	Danny Wood	Ancient & Semi-Natural Woodland
-	1870m SW	Newer Copse	Ancient & Semi-Natural Woodland
-	1882m SW	Roundhill Plantation	Ancient & Semi-Natural Woodland
-	1893m NE	The Tole	Ancient & Semi-Natural Woodland
-	1940m N	Brook Cottage Wood	Ancient & Semi-Natural Woodland
-	1990m SE	Jointer Copse	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m

1

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

Features are displayed on the Environmental designations map on **page 59**

ID	Location	Name	Status
A	423m S	Brighton and Lewes Downs	Declared

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.



10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

0

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.



10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m



3

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
On site	Adur East (Sakeham) NVZ	Surface Water	S522	Changed
504m N	Adur East (Sakeham) NVZ	Surface Water	S522	Changed
1348m W	Chess Stream NVZ	Surface Water	S808	New

This data is sourced from Natural England and Natural Resources Wales.

SSSI Impact Zones and Units



10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on **page 65**

ID	Location	Type of developments requiring consultation
1	On site	<p>Infrastructure - Airports, helipads and other aviation proposals.</p> <p>Minerals, Oil and Gas - Oil & gas exploration/extraction.</p> <p>Air pollution - Any industrial/agricultural development that could cause AIR POLLUTION (incl: industrial processes, livestock & poultry units with floorspace > 500m², slurry lagoons > 200m² & manure stores > 250t).</p> <p>Combustion - General combustion processes >20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion</p> <p>Waste - Landfill. Incl: inert landfill, non-hazardous landfill, hazardous landfill.</p> <p>Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management</p>

This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m	4
-----------------------------	----------

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

Features are displayed on the SSSI Impact Zones and Units map on **page 65**

ID: -
 Location: 1700m S
 SSSI name: Clayton to Offham Escarpment
 Unit name: Clayton Holt
 Broad habitat: Calcareous Grassland - Lowland
 Condition: Favourable
 Reportable features:

Feature name	Feature condition	Date of assessment
Lowland beech and yew woodland	Favourable	13/08/2014
Lowland calcareous grassland (CG2)	Favourable	13/08/2014
Lowland calcareous grassland (CG3-5)	Favourable	13/08/2014

ID: -
 Location: 1784m S
 SSSI name: Clayton to Offham Escarpment
 Unit name: Holt Valley
 Broad habitat: Calcareous Grassland - Lowland



Condition: Unfavourable - Recovering

Reportable features:

Feature name	Feature condition	Date of assessment
Lowland calcareous grassland (CG2)	Unfavourable - Recovering	17/06/2014
Lowland calcareous grassland (CG3-5)	Unfavourable - Recovering	17/06/2014

ID: -
 Location: 1863m S
 SSSI name: Clayton to Offham Escarpment
 Unit name: South Of Whitelands
 Broad habitat: Calcareous Grassland - Lowland
 Condition: Unfavourable - Recovering
 Reportable features:

Feature name	Feature condition	Date of assessment
Lowland calcareous grassland (CG2)	Unfavourable - Recovering	17/06/2014

ID: -
 Location: 1867m S
 SSSI name: Clayton to Offham Escarpment
 Unit name: Burnthouse Bostall
 Broad habitat: Calcareous Grassland - Lowland
 Condition: Unfavourable - Recovering
 Reportable features:

Feature name	Feature condition	Date of assessment
Lowland calcareous grassland (CG2)	Not Recorded	01/01/1900
Lowland calcareous grassland (CG3-5)	Not Recorded	01/01/1900

This data is sourced from Natural England and Natural Resources Wales.

11 Visual and cultural designations

11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

0

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.



This data is sourced from English Heritage, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m

0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m



0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.



12 Agricultural designations



12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 70**

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

This data is sourced from Natural England.



12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m


0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.



13 Habitat designations



13.1 Priority Habitat Inventory

Records within 250m

1

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on **page 72**

ID	Location	Main Habitat	Other habitats
1	79m S	Traditional orchard	Main habitat: TORCH (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m



0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.



14 Geology 1:10,000 scale - Availability



14.1 10k Availability

Records within 500m

2

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on **page 74**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	No coverage	TQ31NW
2	427m S	Full	Full	Full	No coverage	TQ31SW

This data is sourced from the British Geological Survey.

Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m


0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- Landlip (10k)
- Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m

2

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on **page 76**

ID	Location	LEX Code	Description	Rock description
1	403m S	HEAD- XCZSV	Head - Clay, Silt, Sand And Gravel	Clay, Silt, Sand And Gravel
2	431m S	HEAD- DMTN	Head - Diamicton	Diamicton

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m


0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.



Geology 1:10,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- Bedrock faults and other linear features (10k)
- Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m

4

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 78**

ID	Location	LEX Code	Description	Rock age
1	On site	FO-SDST	Folkestone Formation - Sandstone	Albian Age - Aptian Age
2	74m N	LGS-SLSST	Lower Greensand Group - Silty Sandstone	Albian Age - Aptian Age
3	224m S	GLT-MDST	Gault Formation - Mudstone	Albian Age
4	427m S	GLT-MDST	Gault Formation - Mudstone	Albian Age

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m


0

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.



15 Geology 1:50,000 scale - Availability



— Site Outline

Search buffers in metres (m)

□ Geological map tile

15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on **page 80**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	EW318_333_brighton_and_worthing_v4

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m

0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



15.5 Superficial permeability (50k)

Records within 50m

0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.



Geology 1:50,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- Bedrock faults and other linear features (50k)
- Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m

3

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 84**

ID	Location	LEX Code	Description	Rock age
1	On site	FO-SDST	FOLKESTONE FORMATION - SANDSTONE	APTIAN
2	73m N	LGS-SLSST	LOWER GREENSAND GROUP - SANDSTONE, SILTY	APTIAN
3	226m S	GLT-MDST	GAULT FORMATION - MUDSTONE	ALBIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m

1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	High	High

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m

0

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.

16 Boreholes

16.1 BGS Boreholes

Records within 250m



0

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

This data is sourced from the British Geological Survey.



17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m

1


The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 87**

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Running sands



— Site Outline
Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.2 Running sands

Records within 50m

1

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on **page 88**

Location	Hazard rating	Details
On site	Low	Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Compressible deposits



— Site Outline
Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

© Crown copyright and database rights 2021. Ordnance Survey licence 100035207

17.3 Compressible deposits

Records within 50m

1



The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 89**

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Collapsible deposits



17.4 Collapsible deposits

Records within 50m

1



The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 90**

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.



Features are displayed on the Natural ground subsidence - Landslides map on **page 91**

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

This data is sourced from the British Geological Survey.



Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m

1


The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 92**

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

This data is sourced from the British Geological Survey.

18 Mining, ground workings and natural cavities



- Site Outline
- Search buffers in metres (m)
- Natural cavities (Area)
- Natural cavities (Point)
- BritPits
- Surface ground workings
- Underground workings
- Historical Mineral Planning Areas
- Mining Cavities
- Non Coal Mining
- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

18.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Peter Brett Associates (PBA).

18.2 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m

2

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining, ground workings and natural cavities map on **page 93**

ID	Location	Land Use	Year of mapping	Mapping scale
A	70m SE	Pond	1949	1:10560
A	70m SE	Pond	1909	1:10560

This data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.



18.6 Non-coal mining

Records within 1000m

3

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining, ground workings and natural cavities map on **page 93**

ID	Location	Name	Commodity	Class	Likelihood
1	On site	Not available	Sand	A	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered
-	798m W	Not available	Sand	A	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered
-	918m NW	Not available	Sand/Building Stone	B	Localised small scale underground mining may have occurred. Potential for difficult ground conditions are unlikely or localised and are at a level where they need not be considered

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Peter Brett Associates (PBA).

18.8 JPB mining areas

Records on site

0

Areas which could be affected by former coal mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.



18.9 Coal mining

Records on site	0
-----------------	---

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.10 Brine areas

Records on site	0
-----------------	---

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.11 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

This data is sourced from Mining Searches UK.


18.13 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).

19 Radon



— Site Outline
 Search buffers in metres (m)

- Greater than 30%
- Between 10% and 30%
- Between 5% and 10%
- Between 3% and 5%
- Between 1% and 3%
- Less than 1%

19.1 Radon

Records on site

1

Estimated percentage of dwellings exceeding the Radon Action Level. This data is the highest resolution radon dataset available for the UK and is produced to a 75m level of accuracy to allow for geological data accuracy and a 'residential property' buffer. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain. The data was derived from both geological assessments and long term measurements of radon in more than 479,000 households.

Features are displayed on the Radon map on [page 97](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None**

This data is sourced from the British Geological Survey and Public Health England.

20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m

4

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 - 200 mg/kg	60 - 120 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
14m SE	15 - 25 mg/kg	No data	100 - 200 mg/kg	60 - 120 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
21m NW	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
32m NE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.



20.3 BGS Measured Urban Soil Chemistry

Records within 50m

0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².

This data is sourced from the British Geological Survey.



21 Railway infrastructure and projects

21.1 Underground railways (London)

Records within 250m 0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m 0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m 0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m 0

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m 0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m

0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m

0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m

0

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 Ltd.



Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference>.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <https://www.groundsure.com/terms-and-conditions-jan-2020/>.

