



Spring View Recommended Viewing Distance of 300mm @ A3

VIEWPOINT 8: EXISTING VIEW FROM A23 LOOKING TOWARDS SITE					
Distance From Site Boundary:	14m	Lens:	FFS 50mm	Weather Conditions:	Sunny
Direction of View	SE	Camera HeightAbove AOD:	1.6m		
Camera Make and Model	CANON EOS 5D MARK 3	AOD:	14m	Conservation View Receptors.	
OS Grid Reference:	X 526790 Y 120901	Date and Time:	14/06/2024 11:31 AM		



Spring View Recommended Viewing Distance of 300mm @ A3

VIEWPOINT 9: EXISTING VIEW FROM A23 LOOKING TOWARDS SITE					
Distance From Site Boundary:	13m	Lens:	FFS 50mm	Weather Conditions:	Sunny
Direction of View	E	Camera HeightAbove AOD:	1.6m		
Camera Make and Model	CANON EOS 5D MARK 3	AOD:	16m	Conservation View Receptors.	
OS Grid Reference:	X 526805 Y 120863	Date and Time:	14/06/2024 11:31 AM		



Spring View Recommended Viewing Distance of 300mm @ A3

VIEWPOINT 10: EXISTING VIEW FROM A23 LOOKING TOWARDS SITE					
Distance From Site Boundary:	5m	Lens:	FFS 50mm	Weather Conditions:	Sunny
Direction of View	E	Camera HeightAbove AOD:	1.6m		
Camera Make and Model	CANON EOS 5D MARK 3	AOD:	16m	Conservation View Receptors.	
OS Grid Reference:	X 526818 Y 120833	Date and Time:	14/06/2024 11:31 AM		



Spring View Recommended Viewing Distance of 300mm @ A3

VIEWPOINT 11: EXISTING VIEW FROM A2300 LOOKING TOWARDS SITE					
Distance From Site Boundary:	275m	Lens:	FFS 50mm	Weather Conditions:	Sunny
Direction of View	N	Camera HeightAbove AOD:	1.6m		
Camera Make and Model	CANON EOS 5D MARK 3	AOD:	29m	Conservation View Receptors.	
OS Grid Reference:	X 527076 Y 120290	Date and Time:	14/06/2024 11:33 AM		