


This is an estimation of the greenfield runoff rates that are used to meet normal best practice criteria in line with Environment Agency guidance “Rainfall runoff management for developments”, SC030219 (2013), the SuDS Manual C753 (CIRIA, 2015) and the non-statutory standards for SuDS (Defra, 2015). This information on greenfield runoff rates may be the basis for setting consents for the drainage of surface water runoff from sites.

Project details

Date	10/06/2025
Calculated by	Simon Dent Associates
Reference	1894
Model version	2.0.1

Location

Site name	Eastlands Farm
Site location	Hurstpierpoint



Site easting	529264
Site northing	119029

Site details

Total site area (ha)	.2	ha
----------------------	----	----

Greenfield runoff

Method

Method	FEH statistical
--------	-----------------

FEH statistical

	<u>My value</u>		<u>Map value</u>
SAAR (mm)	823	mm	823
BFIHOST	0.233		
QMed-QBar conversion	1.136		1.136
QMed (l/s)	1.6	l/s	
QBar (FEH statistical) (l/s)	1.8	l/s	

Growth curve factors

	<u>My value</u>		<u>Map value</u>
Hydrological region	7		7
1 year growth factor	0.85		
2 year growth factor	0.88		
10 year growth factor	1.62		
30 year growth factor	2.3		
100 year growth factor	3.19		
200 year growth factor	3.74		

Results

Method	FEH statistical	
Flow rate 1 year (l/s)	1.5	l/s
Flow rate 2 year (l/s)	1.6	l/s
Flow rate 10 years (l/s)	2.9	l/s
Flow rate 30 years (l/s)	4.2	l/s
Flow rate 100 years (l/s)	5.8	l/s
Flow rate 200 years (l/s)	6.8	l/s

Disclaimer

This report was produced using the Greenfield runoff rate estimation tool (2.0.1) developed by HR Wallingford and available at uksuds.com (<https://www.uksuds.com/>).

The use of this tool is subject to the UK SuDS terms and conditions and licence agreement, which can both be found at [uksuds.com/terms-conditions](https://www.uksuds.com/terms-conditions) (<https://www.uksuds.com/terms-conditions>). The outputs from this tool have been used to estimate Greenfield runoff rates. The use of these results is the responsibility of the users of this tool. No liability will be accepted by HR Wallingford, the Environment Agency, Centre for Ecology and Hydrology, Wallingford Hydrosolutions or any other organisation for the use of these data in the design or operational characteristics of any drainage scheme.