

From: planninginfo@midsussex.gov.uk <planninginfo@midsussex.gov.uk>
Sent: 27 January 2026 19:23:16 UTC+00:00
To: "planninginfo" <planninginfo@midsussex.gov.uk>
Subject: Mid Sussex DC - Online Register - Comments for Planning Application
DM/26/0028

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 27/01/2026 7:23 PM.

Application Summary

Address:	69 Western Road Haywards Heath West Sussex RH16 3LR
Proposal:	Pine tree - fell to ground level and ground out stump.
Case Officer:	Irene Fletcher

[Click for further information](#)

Customer Details

Address: 35 Blackberry Drive Haywards Heath

Comments Details

Commenter Type:	Other type - not listed
Stance:	Customer made comments neither objecting to or supporting the Planning Application
Reasons for comment:	
Comments:	I have spoken with the applicant and share their concerns for the safety of residents, should this tree ever fall. However, this tree appears healthy with no immediate risk, and I feel that protecting trees in our town is important. The complete removal of this tree would be costly and contravene the TPO. Although I recognise that the potential damage that could be caused by this tree would likely be severe, I feel this can be mitigated by a significant reduction, rather than a complete removal. This allows the tree to remain healthy and residents to

feel secure. Could the tree officer consider a reduction to this tree, perhaps up to fifty-percent, as a compromise between the safety concerns of residents and the health of this tree.

Kind regards