

From: planninginfo@midsussex.gov.uk <planninginfo@midsussex.gov.uk>
Sent: 22 May 2025 14:06:24 UTC+01:00
To: "planninginfo" <planninginfo@midsussex.gov.uk>
Subject: Mid Sussex DC - Online Register - Consultee Comments for Planning Application
DM/25/1170

Consultee comments

Dear Sir/Madam,

A consultee has commented on a Planning Application. A summary of the comments is provided below.

Comments were submitted at 22/05/2025 2:06 PM from . East Grinstead Town Council on behalf of Parish Consultation.

Application Summary

Reference:	DM/25/1170
Address:	Stildon Brendoncare Nursing Home Dorset Avenue East Grinstead West Sussex RH19 1PZ
Proposal:	Oak Trees (T1,T2,T3 and T4) - Fell
Case Officer:	Irene Fletcher

[Click for further information](#)

Comments Details

Comments: It was clear that the trees required remedial work but not felling. MSDC had been contacted as there was no tree report on the portal and was advised that WSCC Highways had submitted the request for the trees to be removed due to their condition. The Tree Officer confirmed there should always be a report and would visit the site to review the tree condition. If they did have to be removed there must be replacements planted although not necessarily in the same place.

The committee supported approval subject to no adverse report from the MSDC tree officer.

Kind regards