



Date: 29 September 2025

Our ref: 09473

Anna Tidey
Mid Sussex District Council
Oaklands Road
Haywards Heath
West Sussex
RH16 1SS

By email only: Planning Department, planninginfo@midsussex.gov.uk

Thank you for requesting advice on this application from Place Services' ecological advice service. This service provides advice to planning officers to inform Mid Sussex District Council planning decisions with regard to potential ecological impacts from development. Any additional information, queries or comments on this advice that the applicant or other interested parties may have, must be directed to the Planning Officer who will seek further advice from us where appropriate and necessary.

Application: DM/25/1868
Location: 50 Hurst Road Hassocks West Sussex BN6 9NL
Proposal: Proposed tennis court to rear garden.

Thank you for consulting Place Services on the above householder application.

No ecological objection	☐
No ecological objection subject to attached conditions	☒
Further information required/Temporary holding objection	☐
Recommend Refusal	☐
Subject to Natural England's formal comments on the conclusion of the LPA's Appropriate Assessment	☐

Summary

We have reviewed the Preliminary Ecological Appraisal (CT Ecology, January 2025) relating to the likely impacts of development on designated sites, protected and Priority species & habitats and identification of appropriate mitigation measures.

We are satisfied that there is sufficient ecological information available to support determination of this application.

This provides certainty for the LPA of the likely impacts on designated sites, protected and Priority species & habitats and, with appropriate mitigation measures secured, the development can be made acceptable.

The mitigation measures identified in the Preliminary Ecological Appraisal (CT Ecology, January 2025) should be secured by a condition of any consent and implemented in full. This is necessary to conserve and enhance protected and Priority species particularly those recorded in the locality.

As the proposal may include lighting and the site is adjacent to a small patch of woodland, we recommend that a Wildlife Sensitive Lighting Design Scheme is secured by a condition of any consent, in order to mitigate potential impacts on foraging and commuting bats. If no lighting is proposed, a statement to this effect can be provided in place of a lighting scheme to discharge the condition.

With regard to mandatory biodiversity net gains, this application is exempt as it is a householder application.

We also support the proposed reasonable biodiversity enhancements for protected, Priority and threatened species, which have been recommended to secure net gains for biodiversity, as outlined under Paragraph 187d and 193d of the National Planning Policy Framework (December 2024). The reasonable biodiversity enhancement measures should be outlined within a separate Biodiversity Enhancement Strategy and should be secured by a condition of any consent.

This will enable LPA to demonstrate its compliance with its statutory duties including its biodiversity duty under s40 NERC Act 2006 (as amended) and delivery of mandatory Biodiversity Net Gain.

Impacts will be minimised such that the proposal is acceptable, subject to the conditions below based on BS42020:2013. We recommend that submission for approval and implementation of the details below should be a condition of any planning consent.

Recommended conditions

1. ACTION REQUIRED IN ACCORDANCE WITH ECOLOGICAL APPRAISAL RECOMMENDATIONS

“All mitigation measures and/or works shall be carried out in accordance with the details contained in the Preliminary Ecological Appraisal (CT Ecology, January 2025) as already submitted with the planning application and agreed in principle with the local planning authority prior to determination.

This may include the appointment of an appropriately competent person e.g. an ecological clerk of works (ECoW) to provide on-site ecological expertise during construction. The appointed person shall undertake all activities, and works shall be carried out, in accordance with the approved details.”

Reason: To conserve protected and Priority species and allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

2. **PRIOR TO BENEFICIAL USE: BIODIVERSITY ENHANCEMENT LAYOUT**

“Prior to beneficial use, a Biodiversity Enhancement Layout for protected, Priority and threatened species, prepared by a suitably qualified ecologist in line with the recommendations of the Preliminary Ecological Appraisal (CT Ecology, January 2025), shall be submitted to and approved in writing by the local planning authority.

The content of the Biodiversity Enhancement Layout shall include the following:

- a) Purpose and conservation objectives for the proposed enhancement measures;*
- b) detailed designs or product descriptions to achieve stated objectives;*
- c) locations of proposed enhancement measures by appropriate maps and plans (where relevant);*

The works shall be implemented in accordance with the approved details shall be retained in that manner thereafter.”

Reason: To enhance protected, Priority and threatened species and allow the LPA to discharge its duties under paragraph 187d of NPPF 2024 and s40 of the NERC Act 2006 (as amended).

Optional – If external lighting is proposed:

3. **PRIOR TO OCCUPATION: WILDLIFE SENSITIVE LIGHTING DESIGN SCHEME**

“Prior to occupation, a “lighting design strategy for biodiversity” for external lighting in accordance with Guidance Note 08/23 (Institute of Lighting Professionals) shall be submitted to and approved in writing by the local planning authority. The strategy shall:

- a) identify those areas/features on site that are particularly sensitive for bats and that are likely to cause disturbance in or around their breeding sites and resting places or along important routes used to access key areas of their territory, for example, for foraging; and*
- b) show how and where external lighting will be installed so that it can be clearly demonstrated that areas to be lit will not disturb or prevent the above species using their territory or having access to their breeding sites and resting places.*

All external lighting shall be installed in accordance with the specifications and locations set out in the scheme and maintained thereafter in accordance with the scheme. Under no circumstances should any other external lighting be installed without prior consent from the local planning authority.”

Reason: To allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 (as amended) and s40 of the NERC Act 2006 (as amended).

Please do not hesitate to contact us if you have any queries in relation to this advice.

Hallie Rees MSci (Hons)

A Current Qualifying Member of CIEEM

Assistant Ecological Consultant

Place Services at Essex County Council

Email: PlaceServicesEcology@essex.gov.uk



Place Services provide ecological advice on behalf of Mid Sussex District Council.

Please note: This letter is advisory and should only be considered as the opinion formed by specialist staff in relation to this particular matter.