

Delegated Decision

Sign off Sheet

Ref. No:	DM/26/0555	Case Officer:	Peter Davies
Application Type:	Lawful Development Certificate -Proposed		
Proposal:	Proposed single storey rear extension and roof conversion.		
Site:	4 St Georges Place, Hurstpierpoint, Hassocks, West Sussex, BN6 9QT, , ,		
Validation Date	3 Mar 2026	Overall Expiry Date:	31 Mar 2026
Pre-Commencement Conditions Required:		Pre-Com Conditions Date Agreed:	
Recommendation:	Permission	Recommendation Date:	20 Apr 2026
Target Date:	28 Apr 2026	Recommending Officer Signature:	Peter Davies

Date Legal Agreement Completed: (if applicable)		No of Representations:	0
--	--	-------------------------------	---

Signed and Agreed By:	Steven King	Date:	20 Apr 2026
Comments:			

MID SUSSEX DISTRICT COUNCIL

DM/26/0555

**4 St Georges Place, Hurstpierpoint, Hassocks, West Sussex, BN6 9QT, ,
Proposed single storey rear extension and roof conversion.
Ms Hilary Blanford**

REPRESENTATIONS

None received.

SUMMARY OF CONSULTEES

Southern Water

No objection.

PARISH COUNCIL OBSERVATIONS

The committee recommends that MSDC grant permission.

INTRODUCTION

This application seeks a Lawful Development Certificate for single storey rear extension and loft conversion with a rear dormer and Velux windows to the front.

PLANNING HISTORY

None relevant.

SITE AND SURROUNDINGS

The application property is a detached bungalow located on the north side of St Georges Place, within the built-up area boundary of Hurstpierpoint.

The application property has a pitched roof and is constructed from brick with hanging tile, interlocking roof tiles and white uPVC fenestration. The dwelling is set back from the highway with soft landscaping to the front and a detached garage set back behind the dwelling. The locality consists of detached and semi-detached bungalows and chalet bungalows of varying form scale and design with many having been extended previously.

APPLICATION DETAILS

The proposed extension will be located on the rear (north) of the dwelling and will have a width and depth of 9.40 metres and 2.0 metres. The extension will have a crown roof with an eaves height of 2.80 metres and an overall height of 3.05 metres.

The proposed dormer is to be located on the rear elevation and will have a width and depth of 9.07 metres and 3.49 metres. The dormer will have a crown roof with a height of 2.40 metres. To build the dormer will result in the removal of 2 no. chimneys.

Four no. Velux windows are proposed on the front (south) elevation.

The proposed extension and dormer will be constructed from materials similar in appearance to the existing dwelling.

LEGAL FRAMEWORK

This application is to establish whether the existing development would benefit from permitted development rights and will be a legal decision; planning merits cannot be taken into account when considering this application.

The existing enlargements and alterations will be tested against the relevant criteria of Part 1 Classes A, B, C and G Schedule 2 of the Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended), as detailed below:

Class A - enlargement, improvement or other alteration of a dwellinghouse

Permitted Development

A. The enlargement, improvement or other alteration of a dwellinghouse.

Development not permitted

A.1 Development is not permitted by Class A if—

- (a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class M, N, P, PA or Q of Part 3 of this Schedule (changes of use);
- (b) as a result of the works, the total area of ground covered by buildings within the curtilage of the dwellinghouse (other than the original dwellinghouse) would exceed 50% of the total area of the curtilage (excluding the ground area of the original dwellinghouse);
- (c) the height of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the highest part of the roof of the existing dwellinghouse;
- (d) the height of the eaves of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the eaves of the existing dwellinghouse;
- (e) the enlarged part of the dwellinghouse would extend beyond a wall which—
 - (i) forms the principal elevation of the original dwellinghouse; or
 - (ii) fronts a highway and forms a side elevation of the original dwellinghouse;
- (f) subject to paragraph (g), the enlarged part of the dwellinghouse would have a single storey and—
 - (i) extend beyond the rear wall of the original dwellinghouse by more than 4 metres in the case of a detached dwellinghouse, or 3 metres in the case of any other dwellinghouse, or
 - (ii) exceed 4 metres in height;
- (g) for a dwellinghouse not on article 2(3) land nor on a site of special scientific interest, the enlarged part of the dwellinghouse would have a single storey and—
 - (i) extend beyond the rear wall of the original dwellinghouse by more than 8 metres in the case of a detached dwellinghouse, or 6 metres in the case of any other dwellinghouse, or
 - (ii) exceed 4 metres in height;
- (h) the enlarged part of the dwellinghouse would have more than a single storey and—
 - (i) extend beyond the rear wall of the original dwellinghouse by more than 3 metres, or
 - (ii) be within 7 metres of any boundary of the curtilage of the dwellinghouse being enlarged which is opposite the rear wall of the dwellinghouse;
- (i) the enlarged part of the dwellinghouse would be within 2 metres of the boundary of the curtilage of the dwellinghouse, and the height of the eaves of the enlarged part would exceed 3 metres;
- (j) the enlarged part of the dwellinghouse would extend beyond a wall forming a side elevation of the original dwellinghouse, and would—
 - (i) exceed 4 metres in height,
 - (ii) have more than a single storey, or
 - (iii) have a width greater than half the width of the original dwellinghouse;
- (ja) any total enlargement (being the enlarged part together with any existing enlargement of the original dwellinghouse to which it will be joined) exceeds or would exceed the limits set out in subparagraphs (e) to (j);
- (k) it would consist of or include—
 - (i) the construction or provision of a verandah, balcony or raised platform,
 - (ii) the installation, alteration or replacement of a microwave antenna,
 - (iii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or

- (iv) an alteration to any part of the roof of the dwellinghouse; or
- (l) the dwellinghouse is built under Part 20 of this Schedule (construction of new dwellinghouses).

A.2 In the case of a dwellinghouse on article 2(3) land, development is not permitted by Class A if—

- (a) it would consist of or include the cladding of any part of the exterior of the dwellinghouse with stone, artificial stone, pebble dash, render, timber, plastic or tiles;
- (b) the enlarged part of the dwellinghouse would extend beyond a wall forming a side elevation of the original dwellinghouse; or
- (c) the enlarged part of the dwellinghouse would have more than a single storey and extend beyond the rear wall of the original dwellinghouse.
- (d) any total enlargement (being the enlarged part together with any existing enlargement of the original dwellinghouse to which it will be joined) exceeds or would exceed the limits set out in subparagraphs (b) and (c).

A.3 Development is permitted by Class A subject to the following conditions—

- (a) the materials used in any exterior work (other than materials used in the construction of a conservatory) must be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse;
- (b) any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse must be—
 - (i) obscure-glazed, and
 - (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed; and
- (c) where the enlarged part of the dwellinghouse has more than a single storey, or forms an upper storey on an existing enlargement of the original dwelling, the roof pitch of the enlarged part must, so far as practicable, be the same as the roof pitch of the original dwellinghouse.

Class B - additions etc to the roof of a dwellinghouse

Permitted Development

The enlargement of a dwellinghouse consisting of an addition or alteration to its roof.

Development Not Permitted

B.1 Development is not permitted by Class B if—

- (a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use);
- (b) any part of the dwellinghouse would, as a result of the works, exceed the height of the highest part of the existing roof;
- (c) any part of the dwellinghouse would, as a result of the works, extend beyond the plane of any existing roof slope which forms the principal elevation of the dwellinghouse and fronts a highway;
- (d) the cubic content of the resulting roof space would exceed the cubic content of the original roof space by more than—
 - (i) 40 cubic metres in the case of a terrace house, or
 - (ii) 50 cubic metres in any other case;
- (e) it would consist of or include—
 - (i) the construction or provision of a verandah, balcony or raised platform, or
 - (ii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe;
- (f) the dwellinghouse is on article 2(3) land
- (g) the dwellinghouse is built under Part 20 of this Schedule (construction of new dwellinghouses); or
- (h) the existing dwellinghouse has been enlarged in reliance on the permission granted by Class AA (enlargement of a dwellinghouse by construction of additional storeys).

Conditions

B.2 Development is permitted by Class B subject to the following conditions—

- (a) the materials used in any exterior work must be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse;
- (b) the enlargement must be constructed so that—
 - (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension—
 - (aa) the eaves of the original roof are maintained or reinstated; and
 - (bb) the edge of the enlargement closest to the eaves of the original roof is, so far as practicable, not less than 0.2 metres from the eaves, measured along the roof slope from the outside edge of the eaves; and
 - (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse; and
- (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse must be—
 - (i) obscure-glazed, and
 - (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed.

Interpretation of Class B

B.3 For the purposes of Class B, "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this Class or not.

B.4 For the purposes of paragraph B.2(b)(ii)—

- (a) roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the external wall of the original dwellinghouse are not to be considered part of the enlargement; and
- (b) "rear or side extension" includes an original part of, or a subsequent extension of, the dwellinghouse that extends from the rear or side of the principal part of the original dwellinghouse.

Class C - other alterations to the roof of a dwellinghouse

Permitted development

C. Any other alteration to the roof of a dwellinghouse.

Development Not Permitted

C.1 Development is not permitted by Class C if—

- (a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use);
- (b) the alteration would protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof;
- (c) it would result in the highest part of the alteration being higher than the highest part of the original roof;
- (d) it would consist of or include—
 - (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or
 - (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment; or
- (e) the dwellinghouse is built under Part 20 of this Schedule (construction of new dwellinghouses).

Conditions

C.2 Development is permitted by Class C subject to the condition that any window located on a roof slope forming a side elevation of the dwellinghouse must be—

- (a) obscure-glazed; and
- (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed.

Class G - chimneys, flues etc on a dwellinghouse

Permitted development

G. The installation, alteration or replacement of a chimney, flue or soil and vent pipe on a dwellinghouse.

Development not permitted

G.1 Development is not permitted by Class G if—

- (a) permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use);
- (b) the height of the chimney, flue or soil and vent pipe would exceed the highest part of the roof by 1 metre or more;...
- (c) in the case of a dwellinghouse on article 2(3) land, the chimney, flue or soil and vent pipe would be installed on a wall or roof slope which—
 - (i) fronts a highway, and
 - (ii) forms either the principal elevation or a side elevation of the dwellinghouse; or
- (d) the dwellinghouse is built under Part 20 of this Schedule (construction of new dwellinghouses).

ASSESSMENT

The property's planning history has been checked and household permitted development rights are understood to be intact for the element proposed. The property is not located on Article 2(3) land or subject to an Article 4 Direction.

The proposed extension and enlargement would be situated within the curtilage of the dwellinghouse and the location, dimensions, and volume (38.06 cubic metres) of the proposal complies with applicable criteria of Classes A, B, C and G. The exterior materials of the proposed works would be similar in appearance to the materials of the exterior of the existing dwellinghouse.

OTHER MATTERS

Southern Water have provided comments on the proposal raising no objection and state surface water should not be disposed of into a public foul sewer and that any new connection would require a new sewer connection application to be submitted and approved by Southern Water.

CONCLUSION

In conclusion, the proposed development is deemed to comply with the applicable permitted development criteria as set out within Classes A, B, C and G of Part 1 Schedule 2 of the Town and Country Planning (General Permitted Development) (England) Order 2015 (as amended) and therefore a certificate can be issued.

Decision: Permission

Case Officer: Peter Davies