

From: planninginfo@midsussex.gov.uk <planninginfo@midsussex.gov.uk>
Sent: 03 April 2025 15:10:04 UTC+01:00
To: "Hamish Evans" <hamish.evans@midsussex.gov.uk>
Subject: Mid Sussex DC - Online Register - Comments for Planning Application
DM/25/0589

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 03/04/2025 3:10 PM.

Application Summary

Address:	Land North Of Leylands Road Burgess Hill West Sussex
Proposal:	The installation of 1 No. 30 metre high lattice tower mounted with 9 No. antennas, 12 No. cabinets, within a compound comprised of 2.4 metre high palisade fencing painted green, 1 No. electrical metre cabinet and associated development thereto.
Case Officer:	Hamish Evans

[Click for further information](#)

Customer Details

Address:	3 MAPLE CLOSE Burgess Hill
----------	----------------------------

Comments Details

Commenter Type:	Neighbour or general public
Stance:	Customer objects to the Planning Application
Reasons for comment:	
Comments:	Please could Cellnex be asked to provide their methodology for creating the existing coverage map in Appendix A of the Technical Support statement. It does not match the results for my methodology of walking along the footpath next to the railway line watching the 5G coverage on my phone - which never goes below 2 bars and is at the full 4 bars for more than half of it (noting also that for much of this distance the railway is higher than I am and likely to have less housing etc blocking reception). Since there

doesn't appear to be a means of uploading my results I will send
by email to Hamish Evans

Kind regards