



13th January 2024

Andy Watt
Mid Sussex District Council
Oaklands Road
Haywards Heath
RH16 1SS

By email only

Thank you for requesting advice on this application from Place Services' ecological advice service. This service provides advice to planning officers to inform Mid Sussex District Council planning decisions with regard to potential ecological impacts from development. Any additional information, queries or comments on this advice that the applicant or other interested parties may have, must be directed to the Planning Officer who will seek further advice from us where appropriate and necessary.

Application: DM/24/2957
Location: The Prince Albert Copthorne Bank Copthorne Crawley West Sussex RH10 3QX
Proposal: Sever existing land to retain existing public house use and area of pub garden and erect a convenience store and 4 no. apartments with associated works, including alterations to the existing vehicular access and car park.

Dear Andy

Thank you for consulting Place Services on the above application.

Holding Objection pending further information	
No ecological objections	
Recommended Approval subject to attached conditions	Yes
Recommended Discharge of condition	

Summary

We have reviewed the Ecological Impact Assessment (OLC Ecological Services, October 2024) relating to the likely impacts of development on designated sites, protected & Priority species and habitats, identification of appropriate mitigation measures and mandatory Biodiversity Net Gain.

In addition, we have reviewed the information submitted relating to mandatory biodiversity net gains, which includes the Biodiversity Net Gain Report (OLC Ecological Services, October 2024), Statutory Biodiversity Metric (September 2024) and Baseline Habitats (OLC Ecological Services, September 2024).

We note from the Ecological Impact Assessment (OLC Ecological Services, October 2024) that the trees onsite have negligible bat roost potential and that there will be no works to the main public house building. We therefore agree no further surveys are required for bats with regard to buildings or trees.



As mobile protected species such as Hedgehog (Priority species) are present within the locality, we support the Precautionary Method Statement for mobile species in Section 7.4 of the Ecological Impact Assessment (OLC Ecological Services, October 2024), which should be secured by a condition of any consent.

We are satisfied that there is sufficient ecological information available for determination of this application.

This provides certainty for the LPA of the likely impacts on designated sites, protected and Priority species & habitats and, with appropriate mitigation measures secured, the development can be made acceptable.

The mitigation measures identified in the Ecological Impact Assessment (OLC Ecological Services, October 2024) should be secured by a condition of any consent and implemented in full. This is necessary to conserve and enhance protected and Priority species particularly those recorded in the locality.

If external lighting is required, we support the recommendation that a Wildlife Friendly Lighting Strategy is implemented for this application (Ecological Impact Assessment (OLC Ecological Services, October 2024) to avoid impacts from light disturbance. This should be secured by a condition of any consent and implemented in full. Therefore, technical specification should be submitted prior to occupation, which demonstrates measures to avoid lighting impacts to foraging / commuting bats, which are likely to be present within the local area. This should summarise the following measures recommended by [Guidance Note:08/23 \(Institute of Lighting Professionals\)](#) will be implemented:

- Do not provide excessive lighting. Light levels should be as low as possible as required to fulfil the lighting need.
- All luminaires should lack UV elements when manufactured. Metal halide, compact fluorescent sources should not be used.
- Warm White lights should be used at <2700k. This is necessary as lighting which emits an ultraviolet component or that has a blue spectral content has a high attraction effect on insects. This may lead in a reduction in prey availability for some light sensitive bat species.
- Where appropriate, external security lighting should be set on motion-sensors and set to as short a possible a timer as the risk assessment will allow.
- Luminaires should always be mounted horizontally, with no light output above 90° and/or no upward tilt.
- Only if all other options have been explored, accessories such as baffles, hoods or louvres can be used to reduce light spill and direct it only to where it is needed. However, due to the lensing and fine cut-off control of the beam inherent in modern LED luminaires, the effect of cowls and baffles is often far less than anticipated and so should not be relied upon solely.

We also support the proposed reasonable biodiversity enhancements for protected, Priority and threatened species, which have been recommended to secure net gains for biodiversity, as outlined under Paragraph 187d and 193d of the National Planning Policy Framework (December 2024). The reasonable biodiversity enhancement measures should be outlined within a separate Biodiversity Enhancement Layout and should be secured by a condition of any consent.

With regard to mandatory biodiversity net gains, it is highlighted that we support the submitted Biodiversity Net Gain Report (OLC Ecological Services, October 2024) and Statutory Biodiversity Metric



(September 2024). Biodiversity net gains is a statutory requirement set out under [Schedule 7A \(Biodiversity Gain in England\) of the Town and Country Planning Act 1990](#) and we are satisfied that submitted information provides sufficient information at application stage. However, we note that there will be a loss of -90.08% in habitat units which does not comply with Mid Sussex District Plan DP38 which requires no net loss of biodiversity or with mandatory BNG, which requires a gain of 10% biodiversity. We highlight that net gain must be achieved by the purchase of offsite credits through a provider or through the government's statutory scheme. As a result, a Biodiversity Gain Plan should be submitted prior to commencement, which also includes the following:

- a) The completed metric calculation tool showing the calculations of the pre-development and post-intervention biodiversity values.
- b) Pre and post development habitat plans.
- c) Legal agreement(s)
- d) Biodiversity Gain Site Register reference numbers (if using off-site units).
- e) Proof of purchase (if buying statutory biodiversity credits at a last resort).

In addition, a [Habitat Management and Monitoring Plan](#) (HMMP) should be secured for all [significant on-site enhancements](#). Based on the submitted post-intervention values, it is suggested that this includes the following habitats: rural trees. The HMMP should be completed alongside the provision of details relating to the Biodiversity Gain Plan, with the maintenance and monitoring secured via legal obligation or a condition of any consent for a period of up to 30 years. The monitoring of the post-development habitat creation / enhancement will need be provided to the LPA at years 2, 5, 10, 15, 20, 25, 30 any remedial action or adaptive management will then be agreed with the LPA to ensure the aims and objectives of the Biodiversity Gain Plan are achieved.

This will enable LPA to demonstrate its compliance with its statutory duties including its biodiversity duty under s40 NERC Act 2006 (as amended).

Impacts will be minimised such that the proposal is acceptable, subject to the conditions below based on BS42020:2013.

We recommend that submission for approval and implementation of the details below should be a condition of any planning consent.

Recommended conditions

1. ACTION REQUIRED IN ACCORDANCE WITH ECOLOGICAL APPRAISAL RECOMMENDATIONS

"All mitigation measures and/or works shall be carried out in accordance with the details contained in the Ecological Impact Assessment (OLC Ecological Services, October 2024), as already submitted with the planning application and agreed in principle with the local planning authority prior to determination. This includes the Precautionary Method Statement for mobile species in Section 7.4 of the Ecological Impact Assessment (OLC Ecological Services, October 2024), which avoids impacts on protected species.



This may include the appointment of an appropriately competent person e.g., an ecological clerk of works (ECoW) to provide on-site ecological expertise during construction. The appointed person shall undertake all activities, and works shall be carried out, in accordance with the approved details.”

Reason: To conserve and enhance protected and Priority species and allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 as amended and s40 of the NERC Act 2006 (as amended).

2. PRIOR TO COMMENCEMENT: HABITAT MANAGEMENT AND MONITORING PLAN (HMMP)

If significant on-site enhancements are included within the approved Biodiversity Gain Plan, a Habitat Management and Monitoring Plan (HMMP), prepared in accordance with the approved Biodiversity Gain Plan, shall be submitted to, and approved in writing by the local authority, prior to commencement of development, including:

- a) the roles and responsibilities of the people or organisation(s) delivering the HMMP;*
- b) the planned habitat creation and enhancement works to create or improve habitat to achieve the on-site significant enhancements in accordance with the approved Biodiversity Gain Plan;*
- c) the management measures to maintain habitat in accordance with the approved Biodiversity Gain Plan for a period of 30 years from the completion of development;*
- d) the monitoring methodology in respect of the created or enhanced habitat to be submitted to the local planning authority; and*
- e) details of the content of monitoring reports to be submitted to the LPA including details of adaptive management which will be undertaken to ensure the aims and objectives of the Biodiversity Gain Plan are achieved.*

Notice in writing shall be given to the Council when the:

- The initial enhancements, as set in the HMMP, have been implemented; and*
- habitat creation and enhancement works, as set out in the HMMP, have been completed after 30 years.*

The created and/or enhanced habitat specified in the approved HMMP shall be managed and maintained in accordance with the approved HMMP.

Unless otherwise agreed in writing, monitoring reports shall be submitted in years 2, 5, 10, 15, 20, 25, and 30 to the Council, in accordance with the methodology specified in the approved HMMP.

Reason: To satisfy the requirement of Schedule 7A, Part 1, section 9(3) of the Town and Country Planning Act 1990 that significant on-site habitat is delivered, managed, and monitored for a period of at least 30 years from completion of development.

3. PRIOR TO ANY WORKS ABOVE SLAB LEVEL: BIODIVERSITY ENHANCEMENT LAYOUT

“A Biodiversity Enhancement Layout for biodiversity enhancements listed in the Ecological Impact Assessment (OLC Ecological Services, October 2024) shall be submitted to and approved in writing by the local planning authority.



The content of the Biodiversity Enhancement Layout shall include the following:

- a) detailed designs or product descriptions for biodiversity enhancements; and*
- b) locations, orientations and heights for biodiversity enhancements on appropriate drawings.*

The enhancement measures shall be implemented in accordance with the approved details prior to occupation and all features shall be retained in that manner thereafter."

Reason: To enhance protected and Priority species & habitats and allow the LPA to discharge its duties under paragraph 187d of the NPPF 2024 and s40 of the NERC Act 2006 (as amended).

4. PRIOR TO OCCUPATION: WILDLIFE SENSITIVE LIGHTING DESIGN SCHEME

"A lighting design scheme for biodiversity based on Guidance Note: 08/23 (Institute of Lighting Professionals) shall be submitted to and approved in writing by the local planning authority. The scheme shall identify those features on site that are particularly sensitive for bats and that are likely to cause disturbance along important routes used for foraging; and show how and where external lighting will be installed (through the provision of appropriate lighting contour plans and technical specifications) so that it can be clearly demonstrated that areas to be lit will not disturb or prevent bats using their territory.

All external lighting shall be installed in accordance with the specifications and locations set out in the scheme and maintained thereafter in accordance with the scheme. Under no circumstances should any other external lighting be installed without prior consent from the local planning authority."

Reason: To allow the LPA to discharge its duties under the Conservation of Habitats and Species Regulations 2017 (as amended), the Wildlife & Countryside Act 1981 as amended and s40 of the NERC Act 2006 (as amended).

Biodiversity Gain condition

Natural England advises that the biodiversity gain condition has its own separate statutory basis, as a planning condition under [paragraph 13 of Schedule 7A of the Town and Country Planning Act 1990](#). The condition is deemed to apply to every planning permission granted for the development of land in England (unless exemptions or transitional provisions apply), and there are separate provisions governing the Biodiversity Gain Plan.

Local planning authority are strongly encouraged to not include the biodiversity gain condition, or the reasons for applying this, in the list of conditions imposed in the written notice when granting planning permission. However, it is highlighted that biodiversity gain condition could be added as an informative, using [draft text](#) provided by the Secretary of State:

"Biodiversity Net Gain

The effect of paragraph 13 of Schedule 7A to the Town and Country Planning Act 1990 is that planning permission granted for the development of land in England is deemed to have been granted subject to the condition "(the biodiversity gain condition)" that development may not begin unless:



- (a) a Biodiversity Gain Plan has been submitted to the planning authority, and*
- (b) the planning authority has approved the plan.*

The planning authority, for the purposes of determining whether to approve a Biodiversity Gain Plan if one is required in respect of this permission would be Mid Sussex District Council.

There are statutory exemptions and transitional arrangements which mean that the biodiversity gain condition does not always apply. These are listed in paragraph 17 of Schedule 7A of the Town and Country Planning Act 1990 and the Biodiversity Gain Requirements (Exemptions) Regulations 2024.

Based on the information available this permission is considered to be one which will require the approval of a biodiversity gain plan before development is begun because none of the statutory exemptions or transitional arrangements are considered to apply.”

Please contact us with any queries.

Yours sincerely

Genevieve Broad MCIEEM MSc BSc (Hons)

Ecological Consultant

Place Services at Essex County Council

placeservicesecology@essex.gov.uk

Place Services provide ecological advice on behalf of Mid Sussex District Council

Please note: This letter is advisory and should only be considered as the opinion formed by specialist staff in relation to this particular matter.