


Appendix E – Facing bricks – External Walls – Ibstock Bradgate Harvest Antique

Appendix E – Facing bricks – External Walls – Ibstock Bradgate Harvest Antique

< Brick Selector



Bradgate Harvest Antique

A0028A

Layout

 Stretcher	 Stack	 Flemish
 English		
Stretcher	Header	Mix
0°	90°	

Mortar

 Black	 Dark Grey	 Med Grey
 Light Grey	 White	 Light Buff
 Med Buff	 Dark Buff	
6mm	8mm	10mm
12mm		

Request Sample

Contact Sales Team

F10 Brick/ block walling

Types of walling

110 Clay facing bricks

1. Bricks: To BS EN 771-1.
 - 1.1. Manufacturer: [Ibstock Brick Ltd](#)
 - 1.1.1. Contact details
 - 1.1.1.1. Address: Leicester Road
Ibstock
Leicestershire
LE67 6HS
 - 1.1.1.2. Telephone: [+44 \(0\)1530 261999](#)
 - 1.1.1.3. Web: [www.ibstockbrick.co.uk](#)
 - 1.1.1.4. Email: [enquiries@ibstock.co.uk](#)
 - 1.1.2. Product reference: [Bradgate Harvest Antique](#) Subject to contractor providing manufactures sample and constructing additional sample panel on site for planning authority & CA review and comment.
 - 1.2. Standard: To BS EN 771-1.
 - 1.3. Brick description: Facing brick.
 - 1.4. Work size (length x width x height): 215 x 102 x 65 mm.
 - 1.5. Tolerances
 - 1.5.1. Mean value: T2.
 - 1.5.2. Range: R1.
 - 1.6. Compressive strength
 - 1.6.1. Mean compressive strength (minimum): 20 N/mm².
 - 1.7. Durability designation: F2.
 - 1.8. Density
 - 1.8.1. Gross dry: 1400 kg/m³.
 - 1.8.2. Tolerance: T2, R1.
 - 1.9. Water absorption: 20%.
 - 1.10. Configuration: Single frog.
 - 1.11. Thermal conductivity: 0.71 kVal.
 - 1.12. Water vapour permeability: 5/10 µ.
 - 1.13. Bond strength: 0.15 N/mm².
 - 1.14. Reaction to fire: Class A1 to BS EN 13501-1.
 - 1.15. Type: Stock.
 - 1.16. Weight: 2 kg.
 - 1.17. Active soluble salts: S2.

200 Brick - Specials

1. Contractor is to provide & install brick specials as required and detailed on drawings.
Contractor is to coordinate with Ibstock and allow sufficient time for fabrication.
Manufacture: Ibstock Kevington.
Product reference: Special shapes and architectural features - Cut & Epoxy resin bonded angled bricks.