

CONSTRUCTION DETAILS 1:10

BITUMINOUS CARRIAGEWAY RESURFACING

- ① 30mm thick Close graded asphalt concrete surface course, 10mm aggregate, 100/150. In accordance with BS EN 13108-4:2006.
- ② Existing construction maintained.

GRANITE SETT DETAIL

REFER TO WSCC STANDARD DETAILS;

WSCC-SD1-1100-041 RevC1
WSCC-SD1-1100-061 RevC1
WSCC-SD1-1100-011 RevC1
WSCC-SD1-1100-001 RevC1

GENERAL ARRANGEMENT 1:200

1. The location, size, depth and identification of existing services that may be shown or referred to on this drawing have been assessed from non-intrusive observations, record drawings or the like. The contractor shall satisfy themselves that the location, size, depth and identification prior to commencing work to satisfy himself that it is safe to proceed and that the assessments are accurate. Any discrepancies shall be notified to gta prior to works commencing.
2. Tender or billing drawings shall not be used for construction or the ordering of materials.
3. Do not scale. All dimensions and levels to be site confirmed.
4. This drawing shall be read in conjunction with all relevant architect, consultants drawings and specifications, together with H&S plan requirements.
5. Copyright: This drawing must not be copied, amended nor reproduced without the prior written agreement of gta.
6. All drawings specifications and recommendations made by gta are subject to Local Authority and other relevant Statutory Authorities approval. Any works or services made abortive due to the client proceeding to these approvals is considered wholly at the Clients risk, gta hold no responsibility for resulting abortive works or costs.
7. If viewing this drawing as an Autocad file (.dwg) in digital format then it is done so with this Disclaimer due to the fact that it can be altered and manipulated following its issue by GTA Civils Transport and therefore, any alteration or modification of DWG data files provided by GTA Civils Transport, by you or a third party, without GTA Civils and GTA Civils Express written approval, is done so entirely at your own risk. Modification of drawings is limited to turning layers on and off, unfreezing layers and reloading, turning on and off print functions and unloading xrefs.
8. Your attention is also drawn to the fact that the information contained within this file may be subject to alteration at any time, pending technical approval from an approving authority or at the client's instruction. It is therefore strongly recommended that multiple and regular cross checks are made against the current contract drawings.
9. It is your responsibility to ensure that the correct issue or revision of the DWG data file is being used and requests for updated information made accordingly.
10. Should any apparent discrepancies between the data contained within the DWG file and the current contract drawings become evident, it must be reported back to GTA Civils & Transport as soon as reasonably practicable. No liability shall be given to the current contract drawings (PDF) unless advised otherwise.

P4	updated to comments	23/07/2025	JMW	LNS
P3	updated to comments	11/07/2025	ART	LNS
P2	updated to comments	01/07/2025	ART	LNS
P1	INITIAL ISSUE	24/06/2025	ART	LNS
Rev	Amendments	Date	Dsn	Chk

PRELIMINARY

Client	REMMUS DESIGNER HOMES LTD
Architect	
Project	COLLEGE ROAD, ARDINGLY WEST SUSSEX, RH17 6SA
Title	ACCESS IMPROVEMENTS FOR CROSSOVER APPLICATION GENERAL ARRANGEMENT
Date	Scale @ A1 JUNE 2025 1:200
Clients Ref.	Project Ref. 11109A


Civils & Transport
 Maple House, 192-198 London Road,
 Burgess Hill, West Sussex, RH15 9RD
 Tel 01444 874444 Web: www.gtacivils.co.uk

Drawing Number	11109_114	Rev.	P4
----------------	-----------	------	----