



Classic
- Standard
Frames

Quantity: 1
Style: French Doors
Colour: White
Overall Frame Dimensions: 1950mm wide x 2100mm high
External Cill: 85mm
Threshold: Low 57mm Frame
Opening Direction: Outwards
Master Door: Right (viewed outside)
Glass: Clear Toughened
Hardware Colour: White
Lock: Hook Lock Upgrade
Trickle Vents: Yes




- NOT Flush
- NOT
↓
SCULPTURED
- Making
Existing


Quantity: 1
Style: Style 10
Colour: White
Overall Frame Dimensions: 600mm wide x 1200mm high
External Cill: 150mm
Glass: Clear
Glass Extras: A+ Rated
Hardware Colour: White
Hinges: Standard Hinges
Lock: Standard Roller Locking
Trickle Vents: 1



Quantity: 1
Style: Style 52
Colour: White
Overall Frame Dimensions: 1500mm wide x 1350mm high
External Cill: 150mm
Glass: Clear
Glass Extras: A+ Rated
Hardware Colour: White
Hinges: Standard Hinges
Lock: Standard Roller Locking
Trickle Vents: 2



Quantity: 1
Style: Style 3
Colour: White
Overall Frame Dimensions: 958mm wide x 1200mm high
External Cill: 150mm
Glass: Clear
Glass Extras: A+ Rated
Hardware Colour: White
Hinges: Standard Hinges
Lock: Standard Roller Locking
Trickle Vents: 2



Casement Windows




The most popular choice, this traditional British window style offers slim sight lines to maximise the light in your home.

Classic styling

Clean, sharp and modern, our Casement Window range is available in a wide variety of openings, colours, finishes, glazing and hardware.


KEY DETAILS

- 1 Slim Sightlines**
Ultra slim sightlines allow a larger area of glass, providing more light and better views.
- 2 Security matters**
The high security shootbolt locking system carries a 10 year mechanical guarantee.
- 3 Hinge protection**
The Stay Guard Elite device withstands twice the force.
- 4 Durable hardware**
Stainless steel friction stays provide enhanced security and have been tested to 20,000 cycles.



Typical Assembly


French Door (Sculptured Outward Opening)




Typical Elevation
(Viewed from outside)

Reinforcement shown is for indicative illustration purposes only. Please refer to Liniair's current fabrication manual for reinforcement guidelines.

Maximum Size (mm)
French Door - (sash size):
998 w x 2146 h
max sash weight = 42.8kg



Section 'Y-Y'



Section 'X-X'


Exceeding Maximum Size - '10% Rule'

Width or height of above maximum sizes may be increased by a maximum of 10% if required so long as the dimension perpendicular is reduced until the product maximum weight is equal or lower than stated above

Please ensure load carrying capacity of hardware used is capable of carrying designed sash weights. Max sizes shown are based upon our test evidence and weights should be referred back to the hardware manufacturers guidelines


Typical Assembly

Internally Glazed Casement (Sculptured)




Typical Elevation
(Viewed from outside)


Reinforcement shown is for indicative illustration purposes only.
Please refer to Linar's current fabrication manual for reinforcement guidelines




Section 'Y-Y'



Section 'Z-Z'




Section 'W-W'



Section 'X-X'

* Franklands.

Bi-Gold
- White
- Rear.



FRAME

Bead

Ext. Colour

Int. Colour

Slide direction (viewed from outside)

Master Door (viewed from outside)

Configuration

Delivery Method

QuickGlaze

White - (Gloss finish)

White - (Gloss finish)

Left

N/A

3 Pane (330)

Assembled - (recommended)

Marine/Hazardous Paint

No

External Sash Profile

Square

Integrated Cordless Blinds

White

Blinds Spacer Bar Colour

Black

-Spec
Bi-fold

TECHNICAL

Open direction (viewed from outside)

Outwards

Trickle Vent

2 x White Flush-fit (In Sash)

Sill

150mm

Threshold

DV14 50mm rebated

Overall width

2783mm

Overall height

2100mm

HARDWARE

Main Handle

Lever/Lever

Slave Handle

Intermediate

Part Q Compliant

No

Intermediate Handles To Lock

Non-Locking

Cylinder

3* Security Key-Key

Magnetic Catch

White

Lever/Lever Colour

White

'D' pull handle colour

White

Hinge Colour

Black