

Project:	Wilderness Field, Lindfield		Tree Hazard Assessment Survey		Surveyed by	OH	 Greenspace Ecological Solutions		
Ref:	J26-000068_Arb				Weather	Overcast			
Date:	23.03.26				Tagged	No			
Client:	Lindfield Parish Council								
Tag No.	Species	Height (m)	Physiological Condition	Structural Condition	Risk Rating	Comments	Works Required	Priority	Location
T1	Quercus robur (Common Oak)	16	Good	Fair	Low	Dysfunctional bark and exposed sapwood from base south east to 9m north. Heavily weighted and extending northern crown. Longitudinal fault in northern leader.	Reduce end weighting of north/northeastern crown by 20%, reduce spread by up to 2m.	Low	Refer to accompanying tree location plan
T2	Quercus robur (Common Oak)	16	Fair	Good	Low	Slightly sparse. Southern crown historically reduced.	None	N/A	Refer to accompanying tree location plan
T3	Quercus robur (Common Oak)	16	Fair	Good	Low	Southern crown historically reduced.	None	N/A	Refer to accompanying tree location plan
T4	Quercus robur (Common Oak)	17	Good	Good	Low	Southern crown historically reduced.	None	N/A	Refer to accompanying tree location plan
T5	Quercus robur (Common Oak)	15	Good	Fair	Low	Historic failure of codominant leader to north, large tear out wound, no active decay observed, good sapwood occlusion around wound. Crown reduced. High vitality.	None	N/A	Refer to accompanying tree location plan
T6	Quercus robur (Common Oak)	13	Good	Good	Low	—	None	N/A	Refer to accompanying tree location plan