



NOT FOR CONSTRUCTION





CHIMNEY WORKS

To all three chimneys, renew the existing lead footings in Code 4-lead, tie-point the existing defective brickwork in lime mortar, and renew the existing lead-cappings in lime mortar. Refer to project specification for details.

Architectural drawing of a three-story building showing a proposed roof renovation. The drawing includes a cross-section of the building with various roof types (Sloping Tiled, Flat, and Aerial) and structural elements (Brick, Render). Key features include chimneys (CS-01, CS-02, CS-03), roof voids (W/G/07, W/G/08, W/G/13, W/G/14, W/G/15, W/G/16, W/G/17, W/G/18, W/G/19, W/G/21), and roof sections (HT-06, HT-09, HT-03). The drawing is color-coded: pink for existing brickwork, blue for new brickwork, and green for new render. A note in the top left corner states: 'CHIMNEY WORKS To all three chimneys, renew the existing lead footings in Code 4-lead, tie-point the existing defective brickwork in lime mortar, and renew the existing lead-cappings in lime mortar. Refer to project specification for details.'

Replacement Windows - Second Floor



External Angle with Meta Soakers

External angle with metal sockets

*	*	*	*	*
REV.	DATE.	BY.	AMENDMENT.	CHK.

**LISTED BUILDING
CONSENT**



2 Lucastes Mews, Paddockhall Road,
Haywards Heath,
West Sussex, RH16 1HE
(01444) 452604
hh@gouldbaxter.co.uk
www.gouldbaxter.co.uk

NOTES.
DO NOT SCALE OFF THIS DRAWING UNLESS FOR PLANNING PURPOSES.
CHECK ALL DIMENSIONS ON SITE BEFORE ANY WORK IS COMMENCED.
ALL GOODS MATERIALS AND WORKMANSHIP MUST CONFORM WITH
CURRENT BUILDING REGULATIONS, BRITISH STANDARDS AND CODES OF
PRACTICE.
COPYRIGHT OF THIS DRAWING IS RETAINED BY GOULD PROPERTY
CONSULTANTS LLP T/A GOULD BAXTER AND IT MUST NOT BE REPRODUCED
WITHOUT WRITTEN CONSENT.

CLIENT,
Great Walstead School

PROJECT.

Walstead House
East Mascalls Lane, Lindfield
West Sussex
RH16 2QJ

DRAWING.

South West and North West Elevations
As Proposed

DATE.	SCALE AT A1.	DRAWN BY. RH
20.07.2026	1:50 / 1:20	CHECKED BY. MD

JOB NO. GH1061	DRAWING NO. PL.104	REV. *
-------------------	-----------------------	-----------