



Plate 119: Looking W. Gate to northern fields from gas tank area.



Plate 120: Access gate between car park and access track.



Plate 121: Looking W along access track from gate to car park.



Plate 122: Well adjacent to access track, opposite access gate to central car park. Looking S.



Plate 122: Well adjacent to access track. Looking SE.



Plate 123: Inside well.



Plate 124: Inside well.

APPENDIX F

Ground Gas Assessment



Project: LVS Hassocks, Sayers Common
 Ref: GE22666
 Client: Wates Developments Ltd



Location	Date	Time (sec)	CH ₄ (%)	CO ₂ (%)	O ₂ (%)	Flow (l/hr)	VOC (ppm)	Pressure (mb)	GWL (m bgl)	GSV/Qhgs		Characteristic Situation		CS1 Limiting Value Check			NHBC			
										CH ₄	CO ₂	BS8485 & C665		Flow	CH ₄	CO ₂	CH ₄		CO ₂	
												CH ₄	CO ₂				GSV	Conc.	GSV	Conc.
WS01	06/09/24	0	0.1	0.3	19.4	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	10	0.2	1.2	19.4	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	20	0.2	1.3	19.3	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	30	0.1	1.3	19.3	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	60	0.1	1.3	19.2	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	90	0.1	1.3	19.2	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	120	0.1	1.2	19.2	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	06/09/24	180	0.1	1.1	19.1	0.0	-	1008	2.28	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	0	0.3	0.2	20.3	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	10	0.2	0.1	19.7	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	20	0.2	0.1	19.6	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	30	0.2	0.1	19.7	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	60	0.1	0.1	19.6	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	90	0.1	0.1	19.6	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	120	0.2	0.1	19.6	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	06/09/24	180	0.1	0.1	19.6	0.0	-	1007	2.17	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	0	0.2	0.2	20.9	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	10	0.2	3.0	17.5	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	20	0.2	3.0	17.3	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	30	0.2	3.0	17.1	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	60	0.2	3.0	16.9	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	90	0.2	3.0	16.8	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	120	0.2	2.0	16.8	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	06/09/24	180	0.2	2.5	16.9	0.0	-	1008	1.44	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	0	0.2	0.1	19.3	0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	10	0.2	1.1	20.1	0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	20	0.2	1.2	20.1	0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	30				0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	60				0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	90				0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	120				0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	06/09/24	180				0.0	-	1007	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	0	0.3	2.7	18.4	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	10	0.2	2.8	17.9	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	20	0.2	2.7	17.8	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	30	0.2	2.7	17.8	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	60	0.2	2.5	17.9	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	90	0.2	2.4	18.1	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	120	0.2	2.1	18.4	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	06/09/24	180	0.2	1.7	18.8	0.0	-	1007	Dry	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	0	0.0	2.0	20.4	4.1	-	1008	0.25	0.000	0.082	CS1	CS2	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	10	0.2	1.6	19.4	4.1	-	1008	0.25	0.008	0.066	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	20	0.1	1.6	19.4	4.1	-	1008	0.25	0.004	0.066	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	30	0.1	1.5	19.9	4.1	-	1008	0.25	0.004	0.062	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	60				4.1	-	1008	0.25	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN

Project: LVS Hassocks, Sayers Common
 Ref: GE22666
 Client: Wates Developments Ltd



Location	Date	Time (sec)	CH ₄ (%)	CO ₂ (%)	O ₂ (%)	Flow (l/hr)	VOC (ppm)	Pressure (mb)	GWL (m bgl)	GSV/Qhgs		Characteristic Situation		CS1 Limiting Value Check			NHBC			
										CH ₄	CO ₂	BS8485 & C665		Flow	CH ₄	CO ₂	CH ₄		CO ₂	
												CH ₄	CO ₂				GSV	Conc.	GSV	Conc.
WS10	06/09/24	90				4.1	-	1008	0.25	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	120				4.1	-	1008	0.25	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	06/09/24	180				4.1	-	1008	0.25	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	0	0.2	0.2	20.6	0.1	0.2	1007	2.56	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	10	0.2	3.7	18.6	0.1	0.2	1007	2.56	0.000	0.004	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	20	0.2	3.7	18.4	0.1	0.2	1007	2.56	0.000	0.004	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	30	0.2	3.8	18.3	0.1	0.2	1007	2.56	0.000	0.004	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	60	0.2	3.8	18.3	0.1	0.2	1007	2.56	0.000	0.004	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	90	0.2	3.6	18.3	0.1	0.2	1007	2.56	0.000	0.004	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	120	0.2	3.3	18.3	0.1	0.2	1007	2.56	0.000	0.003	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	06/09/24	180	0.2	3.0	18.4	0.1	0.2	1007	2.56	0.000	0.003	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	0	0.0	1.7	20.1	-0.6	0.1	1007	0.70	0.000	-0.010	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	10	0.8	2.0	20.0	-0.6	0.1	1007	0.70	-0.005	-0.012	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	20				-0.6	0.1	1007	0.70	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	30				-0.6	0.1	1007	0.70	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	60				-0.6	0.1	1007	0.70	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	90				-0.6	0.1	1007	0.70	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	120				-0.6	0.1	1007	0.70	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	06/09/24	180				-0.6	0.1	1007	0.70	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	0	0.2	0.2	20.5	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	10	0.2	0.2	19.2	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	20	0.2	0.2	19.3	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	30	0.2	2.3	19.0	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	60	0.2	2.4	18.9	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	90	0.2	2.4	18.9	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	120	0.2	2.2	18.8	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	06/09/24	180	0.2	1.9	18.8	0.0	-	1007	2.12	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	0	0.2	0.2	21.1	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	10	0.2	1.3	20.1	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	20	0.2	1.3	20.0	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	30	0.2	1.3	20.0	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	60	0.2	1.4	19.9	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	90	0.2	1.3	19.0	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	120	0.2	1.3	19.9	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	06/09/24	180	0.2	1.3	19.8	0.0	-	1008	2.04	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	0	0.2	0.2	21.2	0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	10	0.2	0.3	21.0	0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	20	0.2	0.6	20.6	0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	30				0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	60				0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	90				0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	120				0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	06/09/24	180				0.0	-	1008	1.13	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	0	0.2	0.2	21.0	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	10	0.2	0.3	19.6	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN

Project: LVS Hassocks, Sayers Common
 Ref: GE22666
 Client: Wates Developments Ltd



Location	Date	Time (sec)	CH ₄ (%)	CO ₂ (%)	O ₂ (%)	Flow (l/hr)	VOC (ppm)	Pressure (mb)	GWL (m bgl)	GSV/Qhgs		Characteristic Situation		CS1 Limiting Value Check			NHBC			
										CH ₄	CO ₂	BS8485 & C665		Flow	CH ₄	CO ₂	CH ₄		CO ₂	
												CH ₄	CO ₂				GSV	Conc.	GSV	Conc.
WS27	06/09/24	20	0.2	3.3	18.2	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	30	0.2	3.4	18.1	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	60	0.2	3.4	18.1	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	90	0.2	3.4	18.1	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	120	0.2	3.2	18.2	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	06/09/24	180	0.2	2.9	18.4	0.0	-	1008	3.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	0	0.2	0.2	20.6	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	10	0.2	1.6	19.2	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	20	0.2	1.9	18.9	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	30	0.2	2.2	18.8	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	60	0.2	2.8	18.5	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	90	0.2	3.1	18.5	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	120	0.2	2.9	18.6	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	06/09/24	180	0.2	2.5	18.7	0.0	-	1008	2.65	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	0	0.0	0.2	20.4	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	10	0.0	1.3	16.0	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	20	0.0	1.3	12.4	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	30	0.0	1.3	11.8	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	60	0.0	1.3	11.6	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	90	0.0	1.3	11.6	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	120	0.0	1.3	11.6	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS01	20/09/24	180	0.0	1.3	11.5	0.0	-	1017	2.24	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	0	0.0	0.1	20.3	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	10	0.0	0.1	19.2	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	20	0.0	0.1	18.5	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	30	0.0	0.1	18.5	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	60	0.0	0.0	7.8	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	90	0.0	0.0	7.4	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	120	0.0	0.0	10.0	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS02	20/09/24	180	0.0	0.0	15.1	0.0	-	1016	0.90	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	20/09/24	0	0.0	0.1	20.4	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	20/09/24	10	0.0	0.9	18.4	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	20/09/24	20	0.0	4.7	13.0	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	20/09/24	30	0.0	4.9	12.6	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS04	20/09/24	60	0.0	5.9	8.6	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	CO ₂ >CS1 limit	GREEN	GREEN	GREEN	AMBER 1
WS04	20/09/24	90	0.0	9.2	0.3	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	CO ₂ >CS1 limit	GREEN	GREEN	GREEN	AMBER 1
WS04	20/09/24	120	0.0	9.0	1.1	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	CO ₂ >CS1 limit	GREEN	GREEN	GREEN	AMBER 1
WS04	20/09/24	180	0.0	6.5	7.8	0.0	-	1017	1.03	0.000	0.000	CS1	CS1	NO	NO	CO ₂ >CS1 limit	GREEN	GREEN	GREEN	AMBER 1
WS07	20/09/24	0	0.0	0.1	20.3	0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	20/09/24	10	0.0	1.1	19.5	0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	20/09/24	20	0.0	1.1	18.6	0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	20/09/24	30	0.0	1.1	18.4	0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	20/09/24	60				0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	20/09/24	90				0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS07	20/09/24	120				0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN

Project: LVS Hassocks, Sayers Common
 Ref: GE22666
 Client: Wates Developments Ltd



Location	Date	Time (sec)	CH ₄ (%)	CO ₂ (%)	O ₂ (%)	Flow (l/hr)	VOC (ppm)	Pressure (mb)	GWL (m bgl)	GSV/Qhgs		Characteristic Situation		CS1 Limiting Value Check			NHBC			
										CH ₄	CO ₂	BS8485 & C665		Flow	CH ₄	CO ₂	CH ₄		CO ₂	
												CH ₄	CO ₂				GSV	Conc.	GSV	Conc.
WS07	20/09/24	180				0.0	-	1016	1.10	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	0	0.0	0.2	20.6	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	10	0.0	2.5	18.7	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	20	0.0	2.6	17.7	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	30	0.0	2.6	17.4	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	60	0.0	2.7	17.4	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	90	0.0	2.6	17.5	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	120	0.0	2.4	17.7	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS08	20/09/24	180	0.0	2.0	18.3	0.0	-	1017	3.60	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	0	0.0	0.2	20.4	0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	10	0.0	1.4	19.6	0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	20				0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	30				0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	60				0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	90				0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	120				0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS10	20/09/24	180				0.0	-	1017	0.47	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	0	0.0	0.1	20.7	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	10	0.1	4.0	18.8	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	20	0.0	4.0	17.7	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	30	0.0	4.1	17.3	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	60	0.0	4.1	17.2	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	90	0.0	4.0	17.2	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	120	0.0	3.9	17.2	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS12	20/09/24	180	0.0	3.8	17.3	0.0	-	1018	2.71	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	0	0.0	0.2	20.5	2.1	-	1018	0.70	0.000	0.004	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	10	0.0	1.9	19.3	2.1	-	1018	0.70	0.000	0.040	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	20	0.0	1.0	19.3	2.1	-	1018	0.70	0.000	0.021	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	30	0.0	1.0	19.2	2.1	-	1018	0.70	0.000	0.021	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	60	0.0	2.7	18.1	2.1	-	1018	0.70	0.000	0.057	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	90	0.0	2.6	18.1	2.1	-	1018	0.70	0.000	0.055	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	120	0.0	2.6	18.1	2.1	-	1018	0.70	0.000	0.055	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS13A	20/09/24	180	0.0	2.5	18.2	2.1	-	1018	0.70	0.000	0.053	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	0	0.0	0.2	20.6	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	10	0.0	2.1	19.6	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	20	0.0	2.1	18.6	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	30	0.0	2.1	18.3	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	60	0.0	2.1	18.3	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	90	0.0	2.1	18.3	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	120	0.0	2.0	18.3	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS15	20/09/24	180	0.0	1.9	18.4	0.0	-	1017	2.15	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	0	0.0	0.1	20.0	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	10	0.0	1.1	19.1	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	20	0.0	1.1	18.8	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	30	0.0	1.1	18.7	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN

Project: LVS Hassocks, Sayers Common
 Ref: GE22666
 Client: Wates Developments Ltd



Location	Date	Time (sec)	CH ₄ (%)	CO ₂ (%)	O ₂ (%)	Flow (l/hr)	VOC (ppm)	Pressure (mb)	GWL (m bgl)	GSV/Qhgs		Characteristic Situation		CS1 Limiting Value Check			NHBC			
										CH ₄	CO ₂	BS8485 & C665		Flow	CH ₄	CO ₂	CH ₄		CO ₂	
												CH ₄	CO ₂				GSV	Conc.	GSV	Conc.
WS18	20/09/24	60	0.0	1.1	18.7	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	90	0.0	1.1	18.7	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	120	0.0	1.1	18.7	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS18	20/09/24	180	0.0	1.1	18.7	0.0	-	1018	1.94	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	0	0.0	0.1	21.0	0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	10	0.0	0.6	20.5	0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	20	0.0	0.1	20.6	0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	30	0.0	0.1	20.8	0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	60				0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	90				0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	120				0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS22	20/09/24	180				0.0	-	1018	1.14	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	0	0.0	0.1	20.9	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	10	0.0	4.4	19.3	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	20	0.0	4.1	17.2	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	30	0.0	4.0	17.0	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	60	0.0	4.0	16.9	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	90	0.0	3.9	16.9	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	120	0.0	3.8	17.0	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS27	20/09/24	180	0.0	3.7	17.2	0.0	-	1018	3.00	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	0	0.0	0.2	20.7	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	10	0.0	2.9	17.9	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	20	0.0	3.1	16.7	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	30	0.0	3.1	16.7	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	60	0.0	3.2	16.7	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	90	0.0	3.1	16.8	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	120	0.0	2.8	17.0	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
WS30	20/09/24	180	0.0	2.7	17.1	0.0	-	1018	2.38	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
Max values			0.8	9.2	21.2	4.1	0.2	1018.0	3.6	0.033	0.377	CS1	CS2	NO	NO	NO	GREEN	GREEN	GREEN	AMBER 1
Min Values			0.0	0.0	0.3	-0.6	0.1	1007.0	0.3	0.000	0.000	CS1	CS1	NO	NO	NO	GREEN	GREEN	GREEN	GREEN
BH Flow LoD check			0.8	9.2	21.2	0.1	-	-	-	0.001	0.009	CS1	CS1	NO	NO	CO2>CS1 limit	GREEN	GREEN	GREEN	AMBER 1