


Beechy Bottom Parkland Reserve

CUCKFIELD PARK BOUNDARY



Scale 1:20 @ A3 - measurements in mm






Beechy Bottom Parkland Reserve

CYCLE ROUTE-HOGGIN TRAIL

HOGGIN PATH

Well graded mixture of gravel, sand and clay, producing a buff colourer surface.
2.5% camber to be central.

A verge of minimum 1m width should be provided on each side of the path. Verges should be kept clear of any vegetation other than grass, which should be mown and kept cut back to prevent it encroaching on the path.




Scale 1:20 - at A3 measurements in mm




Beechy Bottom Parkland Reserve

INFORMATION BOARDS

TWIN LEG STEEL LECTURN
Stainless steel construction with powdercoat finish to standard colour.
Removable graphic panel; standard sizes A1 and A0 (custom sizes can be manufactured to order).
Tamper resistant fixings.




Scale 1:25@ A3 - measurements in mm




Beechy Bottom Parkland Reserve

VIEWING PLATFORM



Scale 1:50 @ A3 - measurements in mm





Beechy Bottom Parkland Reserve

BIRD HIDE

BIRD HIDE
Wild Deck Company
custom-made timber hide.

Earth mounding used to
achieve desired height.

Sedum roof option available.



Scale 1:25 at A3- measurements in mm



