

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning


White House Farm Cottage
Staplefield Lane
RH17 6AU

Window & Door Schedule GF01 & GF02

Scale: 1:25@A3
Revision: -

Drawing 2403-03-10

GF01



Description
Existing modern steel window replaced with conservation timber casement window

Opening
Flush casement window, outwards opening

Material
Sapele, painted finish

Finish
Painted in offwhite (F&B or similiar)

Glazing bar
Solid glazing bar, Ovolo see drawing 2403-03-19 DT01


Glass
4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.

Windowboard
25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

GF02



Description
Existing modern steel window replaced with conservation timber casement window

Opening
Flush casement window, outwards opening

Material
Sapele, painted finish

Finish
Painted in offwhite (F&B or similiar)


Glazing bar
Solid glazing bar, Ovolo see drawing 2403-03-19 DT01

Glass
4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.

Windowboard
25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

GF03																
	<table><tr><td>Description</td><td>New casement conservation timber window</td></tr><tr><td>Opening</td><td>Flush casement, opening outwards</td></tr><tr><td>Material</td><td>Sapele, painted finish</td></tr><tr><td>Finish</td><td>Painted in offwhite (F&B or similiar)</td></tr><tr><td>Glazing bar</td><td>Solid glazing bar, Ovolo see drawing 2403-03-19 DT01</td></tr><tr><td>Glass</td><td>4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.</td></tr><tr><td>Windowboard</td><td>25mm bullnose window board with returned bullnose at ends 50mm from jambs</td></tr></table>	Description	New casement conservation timber window	Opening	Flush casement, opening outwards	Material	Sapele, painted finish	Finish	Painted in offwhite (F&B or similiar)	Glazing bar	Solid glazing bar, Ovolo see drawing 2403-03-19 DT01	Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.	Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs	
Description	New casement conservation timber window															
Opening	Flush casement, opening outwards															
Material	Sapele, painted finish															
Finish	Painted in offwhite (F&B or similiar)															
Glazing bar	Solid glazing bar, Ovolo see drawing 2403-03-19 DT01															
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.															
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs															

GF05

Approx. 1720

Approx. 788

S/O Aprox. 789

Vertical boarded timber panel

Description	Reinstatement of existing door opening, new cottage door
Opening	Cottage door, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.

Existing window to be reinstated into door opening

SOMMERER

Architecture & Living

55 Renfields, Haywards Heath, RH16 4UG, West Sussex

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning

White House Farm Cottage

Staplefield Lane

RH17 6AU


Window & Door Schedule GF03 & GF05

Scale: 1:25@A3

Revision: -

Drawing 2403-03-11

GF06




- Description** Existing window opening sized increased. New double casement window.
- Opening** Flush casement window, opening outwards
- Material** Sapele, painted finish
- Finish** Painted in offwhite (F&B or similiar)
- Glazing bar** Solid glazing bar, Ovolo see drawing 2403-03-19 DT01
- Glass** 4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
- Windowboard** 25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

GF07



- Description** Existing modern steel window replaced with conservation timber casement window
- Opening** Flush casement, opening outwards
- Material** Pre-treated hardwood
- Finish** Painted in offwhite (F&B or similiar)
- Glazing bar** Solid glazing bar, Ovolo see drawing 2403-03-19 DT01
- Glass** 4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
- Windowboard** 25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning

White House Farm Cottage
Staplefield Lane
RH17 6AU

Window & Door Schedule GF06 & GF07


Scale: 1:25@A3
Revision: -

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

GF08



Description Existing modern steel window replaced with conservation timber window

Opening Flush casement, outwards opening

Material Sapele, painted finish

Finish Painted in offwhite (F&B or similiar)

Glazing bar Solid glazing bar, Ovolo see drawing 2403-03-19 DT01


Glass 4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.

Windowboard 25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

GF09



Description Existing modern steel window replaced with conservation timber window

Opening Flush casement, outwards opening

Material Sapele, painted finish

Finish Painted in offwhite (F&B or similiar)

Glazing bar Solid glazing bar, Ovolo see drawing 2403-03-19 DT01

Glass 4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.

Windowboard 25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

Rev	Date	Description
-	24.03.25	First Issue

Planning

White House Farm Cottage
Staplefield Lane
RH17 6AU

Window & Door Schedule GF08 & GF09

Scale: 1:25@A3
Revision: -



Drawing 2403-03-13

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes



GF10,GF11 & EXD05



PROPOSED UTILITY ROOM EXTENSION

Description	Flush casement windows and cottage door with glass panel
Opening	Outwards opening
Finish	Natural oak
Glazing bar	Ovolo, see drawing 2403-03-19 DT02
Glass	14mm double glazed
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs

GF12



PROPOSED UTILITY ROOM EXTENSION

Description	Flush casement windows
Opening	Outwards opening
Finish	Natural oak
Glazing bar	Ovolo, see drawing 2403-03-19 DT02
Glass	14mm double glazed
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs


Rev	Date	Description
-	24.03.25	First Issue

Planning

White House Farm Cottage
Staplefield Lane
RH17 6AU


Window & Door Schedule GF10,11 & EXD05,
GF12
Scale: 1:25@A3
Revision: -

GF13 & EXD04



PROPOSED UTILITY ROOM EXTENSION	
Description	Flush casement window and cottage door with glass panel
Opening	Outwards opening
Finish	Natural oak
Glazing bar	Ovolo, see drawing 2403-03-19 DT02
Glass	14mm double glazed
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs

FF01



Description	Existing modern steel window replaced with conservation timber window
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

SOMMERER

Architecture & Living

55 Renfields, Haywards Heath, RH16 4UG, West Sussex

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning

White House Farm Cottage

Staplefield Lane

RH17 6AU

Window & Door Schedule GF13, EXD04, FF01

Scale: 1:25@A3

Revision: -

Drawing 2403-03-15

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning


White House Farm Cottage
Staplefield Lane
RH17 6AU

Window & Door Schedule FF02 & FF03

Scale: 1:25@A3
Revision: -

Drawing 2403-03-16

FF02




Description	Existing modern steel window replaced with conservation timber window
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

FF03



Description	Existing modern steel window replaced with conservation timber window
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning


White House Farm Cottage
Staplefield Lane
RH17 6AU

Window & Door Schedule FF04 & FF05

Scale: 1:25@A3
Revision: -

Drawing 2403-03-17

FF04




Description	Existing modern steel window replaced with conservation timber casement window.
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

FF05



Description	Existing modern steel window replaced with conservation timber casement window. Existing window opening reduced. Existing stone to be re-used, which was salvaged from the window opening increase of GF06.
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid galzing bar, Ovolo Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs



Existing photograph

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue

Planning


White House Farm Cottage
Staplefield Lane
RH17 6AU

Window & Door Schedule FF07, FF08 & FF09

Scale: 1:25@A3
Revision: -


Drawing 2403-03-18

FF07 & FF08



Description	New casement dormer window
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs

FF09



Description	Existing modern steel window replaced with conservation timber window
Opening	Flush casement, outwards opening
Material	Sapele, painted finish
Finish	Painted in offwhite (F&B or similiar)
Glazing bar	Solid glazing bar, Ovolo Ovolo, see drawing 2403-03-19 DT01
Glass	4mm annealed float glass or 6.4mm laminated glass below 800mm from FFL; bedded with linseed oil putty.
Windowboard	25mm bullnose window board with returned bullnose at ends 50mm from jambs

These drawings have been prepared for planning purposes and are **not** to be used as production or construction drawings. Do not scale from this drawing unless for planning application purposes.

© Sommerer Architecture & Living Limited 2025

General Notes

Rev	Date	Description
-	24.03.25	First Issue


Planning

White House Farm Cottage
Staplefield Lane
RH17 6AU

Glazing Bar Details


Scale: 1:2@A3
Revision: -

Drawing 2403-03-19



DT-01 Ovolo Glazing Bar - 4mm single glazed

Scale 1:2 @A3



DT-02 Ovolo Glazing Bar - 14 mm double glazed

Scale 1:2 @A3