

Form Submission PDF

Application for works to trees subject to a tree preservation order (TPO) and/or notification of proposed works to trees in a conservation site.

Your Data

REFERENCENUMBER	3810-0526-5343-1435
-----------------	---------------------

Applicant Details

Your Details	
Applicant Details	
First name	Philip
Last name	Truluck
Phone number	
Email address	
Confirm email address	
Address	Costells Wood. Grid reference: TQ366237

Agent Details

Agent Details	
Agent Details	
Name	Philip
Last Name	Truluck
Company	Woodland Trust
Address	The Woodland Trust, Kempton Way, Grantham, Lincolnshire, NG31 6LL
Phone number	
Email address	

Tree Location

Tree Location	
Do all trees stand at the applicant address?	No
Full address/location of the site where the tree(s) stand	Costells Wood. Grid reference: TQ366237
Location Description	Costells Wood. Grid reference: TQ366237

Ownership of Trees

Label	

Is the applicant the owner of the trees?	Yes
Owner Details	
First name	
Last name	
Phone number	
Email address	
Address	

TPO Details

Further Details	
Are you seeking consent for works to tree(s) subject to TPO	Yes
Are you wishing to carry out works to tree(s) in a conservation area?	No
If you know which TPO protects the tree(s), enter its title or number	LR/01/TPO/02
Please identify the tree(s) and provide a full and clear specification of the works you want to carry out	Tree safety works to the following trees at risk of failure onto roads, properties and recreation ground, and/or at risk of obstructing highway use: T1: Birch. Dead tree. Fell to ground level. T2: Goat Willow. Split in stem. Dismantle to just above fence height at lowest stem union. T3: Sweet Chestnut. Triple stem coppice. In decline with dieback in upper crown. Fell (coppice) all 3 stems. T4: Oak. In decline with canopy dieback. Fell to ground level. T5: Ash. Old wound/bark damage at base. Ash dieback decline symptoms/dieback in crown. Fell to ground level. T6: Birch. In decline/crown dieback. Fell to ground level. T7: Birch. Dead tree. Fell to ground level. T8: Birch. In decline/crown dieback. Fell to ground level. G1: Birch x7. Young trees with extreme lean/crown bias towards adjacent property. Fell 7 stems to ground level. G2: Birch x1, Ash x2. Dead/in decline/crown dieback. Fell all 3 trees to ground level. G3: Mixed broadleaves. See additional map for extent of group. Low branches over highway. Crown lift to 5.2 metres and cut back to boundary. G4: Mixed broadleaves. See additional map for extent of group. Low branches over highway. Crown lift to 5.2 metres and cut back to boundary. Trees marked with orange paint on site. Chip and/or stack arisings on site Replacement trees will be recruited from natural regeneration of existing trees, avoiding importing of nursery stock trees into this ancient woodland.

Additional Information

ADDITIONALINFORMATION	
For all trees	
Sketch plan clearly showing the position of trees listed in the previous question	Costells Wood_Tree Safety Map.pdf (download)
For works to trees covered by TPO	

Please provide a reason why you wish to perform these works	Tree safety works to trees at risk of failure onto roads, properties and recreation ground, and /or at risk of obstructing highway use.
Condition of the trees(s)	Yes
Advice/Diagnostics	Costells Wood_TS Report_Summer 2025.pdf (download)
Alleged damage to property	No
Report/Evidence	
Are you providing separate information?	Yes
Please provide the reference numbers of plans, documents, professional reports, photographs etc in support of your application.	Costells Wood_G3&G4 extent map G2_Photo T3_Photo Attached to this application or submitted via email. Applicant is the Woodland Trust Site Manager and holds the LANTRA Professional Tree Inspection certificate and Refresher certificate.

Authority/Employee

Label	
With respect to the Authority, I am	none of the above
Please provide details of the name, relationship and role	

Declaration

Label	
Signed - Applicant	Phil Truluck
Signed - Agent	Phil Truluck
Date	2025-08-08

Summary of Form