

From: Judith Ashton <judith@judithashton.co.uk>
Sent: 03 April 2025 17:36:59 UTC+01:00
To: "Steven King" <steven.king@midsussex.gov.uk>
Cc: "Van Laun, Jordan" <Jordan.VanLaun@wates.co.uk>; "Holly Rush" <Holly.Rush@wates.co.uk>
Subject: DM/25/0014, DM/25/0015, DM/25/0016 & DM/25/0017 - Land West of Turners Hill Road Crawley Down, West Sussex
Attachments: Thames Water.PDF, Letter 2 Capacity FOUL Only DS6135667 West of Turner Hill Rd N of Huntsland Crawley RH10 4HB.pdf, Letter 2 FOUL ONLY DS6135666 L W of Turner Hill Rd and South of Huntsland Crawley RH10 4NJ.pdf

Steve please see below and attached – which I trust is self-explanatory and can be uploaded onto the councils website

Kind Regards
Judith

Judith Ashton Associates
Telephone: 01580 230900
Mobile: 07709 406 528
Email:- judith@judithashton.co.uk

This email is confidential, and may be legally privileged. If you are not the intended recipient, do not copy, use or disclose its content, but contact the sender immediately.

Whilst we run anti-virus software on all Internet emails we are not liable for any loss or damage sustained as a result of software viruses. The recipient is advised to run their own anti-virus software.

From: David Major <david.major@ramboll.co.uk>
Sent: 03 April 2025 16:42
To: Judith Ashton <judith@judithashton.co.uk>
Cc: Anthony Guay <Ant.Guay@ramboll.co.uk>; Holly Rush <holly.rush@wates.co.uk>; Jordan Van Laun <jordan.vanlaun@wates.co.uk>
Subject: Crawley Down - Response to Thames Water Planning Comments 18 February 2025 (DTS: 78596)

Hi Judith,

Following Thames Water comments dated to 18/02/2025 (attached), updated wastewater pre application enquiries were issued.

They have since responded and confirmed sufficient capacity for the proposed foul drainage strategy (attached Letters) as provided in the Drainage Layout plans of Appendix B of the Flood Risk Assessment and Drainage Strategy Addendum Reports.

It is noted that the attached Letters now supersede those found in Appendix D of the previously submitted Drainage Strategy reports (pages 15-16 of Part 4 of the 'Drainage Strategy').

Kind regards
David Major

BSc (Hons), MSc
Consultant

Water Team

D +44 2380 817672

david.major@ramboll.co.uk

Ramboll
Twenty3
Brunswick Place
Southampton
SO15 2AQ
<https://uk.ramboll.com/environment-and-health>

Ramboll UK Limited Registered in England & Wales Company No: 03659970
Registered office: 240 Blackfriars Road, London SE1 8NW

Classification: Confidential

Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).