

**From:** Lauren Sinden <Lauren.Sinden@dhaplanning.co.uk>  
**Sent:** 24 March 2025 09:49:35 UTC+01:00  
**To:** "Steven King" <steven.king@midsussex.gov.uk>  
**Cc:** "Isabella Mash" <isabella.mash@dhaplanning.co.uk>; "Mark Bewsey" <Mark.Bewsey@dhaplanning.co.uk>  
**Subject:** RE: Land To The West Of Freeks Lane, Burgess Hill, West Sussex DM/25/0306 & DM/25/0307

You don't often get email from lauren.sinden@dhaplanning.co.uk. [Learn why this is important](#)

Dear Steven,

I hope this email finds you well.

I wanted to follow up as I haven't received a response from Joseph regarding my previous email. With the determination deadline approaching, could you kindly provide me with an update on the below?

I look forward to hearing from you.

Kind regards,

Lauren Sinden  
Planner

---

**From:** Lauren Sinden  
**Sent:** 17 March 2025 11:19  
**To:** Joseph Swift <Joseph.Swift@midsussex.gov.uk>  
**Cc:** Isabella Mash <isabella.mash@dhaplanning.co.uk>  
**Subject:** RE: Land To The West Of Freeks Lane, Burgess Hill, West Sussex DM/25/0306 & DM/25/0307

Hi Joseph,

I hope you had a good weekend.

I believe that all outstanding issues have now been dealt with on the above applications. Could you please confirm if you are expecting any further consultee responses?

As the team is eager to finalise Phase 2 as soon as possible, I would appreciate it if you could provide your anticipated timescales for issuing the decisions.

Additionally, we have submitted an application to discharge conditions 13 & 14 under reference DM/25/0570. I believe these are the final relevant conditions for Phase 2. Could you kindly confirm this matches your understanding?

Thank you.

Kind regards,

Lauren Sinden  
Planner

---

**From:** Lauren Sinden

**Sent:** 27 February 2025 15:46

**To:** Joseph Swift <[Joseph.Swift@midsussex.gov.uk](mailto:Joseph.Swift@midsussex.gov.uk)>

**Cc:** Isabella Mash <[isabella.mash@dhaplanning.co.uk](mailto:isabella.mash@dhaplanning.co.uk)>

**Subject:** FW: Land To The West Of Freeks Lane, Burgess Hill, West Sussex DM/25/0306

Dear Joseph,

Thanks for your email and apologies for the delay in getting back to you.

In relation to condition 11, the communal chargers are post mounted twin units – so 2 chargers per post.

[Home](#) > [Brands](#) > [Rolec EV](#) > [Rolec BasicCharge EV Chargers](#) > [Rolec BasicCharge Smart EV Charging Pedestals](#)



Regarding Condition 12, the Officer has noted that a ventilation scheme for thermal comfort should be provided, as some properties cannot meet noise standards unless windows remain closed, and trickle vents alone are insufficient. I understand this issue relates to properties on the western section of Phase 3. In the interest of discharging the conditions for Phase 2 as soon as possible (as per contractor requirement), please can we separate these out, so that information for Phase 3 will follow in a later application?

Condition 18 – I confirm there is no plant or machinery.

Kind regards,

Lauren Sinden

Planner

---

**From:** Joseph Swift <[Joseph.Swift@midsussex.gov.uk](mailto:Joseph.Swift@midsussex.gov.uk)>  
**Sent:** 18 February 2025 15:41  
**To:** Lauren Sinden <[Lauren.Sinden@dhaplanning.co.uk](mailto:Lauren.Sinden@dhaplanning.co.uk)>  
**Subject:** DM/25/0306

[External email - This message originated from outside DHA – prior to opening any attachments or opening links, please ensure their authenticity with the sender]  
Good afternoon Lauren,

**RE: Discharge of condition nos 8, 11, 12 and 18 relating to planning application DM/18/0509.**

**AT: Land To The West Of Freeks Lane, Burgess Hill, West Sussex**

**REFERENCE: DM/25/0306**

In relation to the above mentioned discharge of conditions application please find attached a copy of the Environmental Protection Officers comments.

As you can see from these comments they have requested some additional information.

This information can be emailed to me directly.

Kind regards

Joseph Swift BA (Hons) MPLAN  
Senior Planning Officer (Brookleigh)  
01444 477319  
[joseph.swift@midsussex.gov.uk](mailto:joseph.swift@midsussex.gov.uk)  
[www.midsussex.gov.uk](http://www.midsussex.gov.uk)



The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and

remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.