



Land at Foxhole Farm, Bolney

Draft Landscape and Ecological Management Plan (LEMP)

Wates Developments Ltd

Wates House, Station Approach, Leatherhead, KT22 7SW

Prepared by:

SLR Consulting Limited

3rd Floor, Brew House, Jacob Street, Tower Hill,
Bristol, BS2 0EQ

SLR Project No.: 403.V06269.00044

4 July 2025

Revision: 01

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
00	04/03/2025	Rose Pendlebury	Frances Delaney	Frances Delaney
01	4 July 2025	Rose Pendlebury	Jeremy Smith	Jeremy Smith
	Click to enter a date.			
	Click to enter a date.			
	Click to enter a date.			

Basis of Report

This document has been prepared by SLR Consulting Limited. (SLR) with reasonable skill, care and diligence, and taking account of the timescales and resources devoted to it by agreement with Wates Developments Ltd (the Client) as part or all of the services it has been appointed by the Client to carry out, with input from Aspect Ecology Ltd. It is subject to the terms and conditions of that appointment.

SLR and Aspect Ecology Ltd shall not be liable for the use of or reliance on any information, advice, recommendations and opinions in this document for any purpose by any person other than the Client. Reliance may be granted to a third party only in the event that SLR and the third party have executed a reliance agreement or collateral warranty.

Information reported herein may be based on the interpretation of public domain data collected by SLR, and/or information supplied by the Client and/or its other advisors and associates. These data have been accepted in good faith as being accurate and valid.

The copyright and intellectual property in all drawings, reports, specifications, bills of quantities, calculations and other information set out in this report remain vested in SLR unless the terms of appointment state otherwise.

This document may contain information of a specialised and/or highly technical nature and the Client is advised to seek clarification on any elements which may be unclear to it.

Information, advice, recommendations, and opinions in this document should only be relied upon in the context of the whole document and any documents referenced explicitly herein and should then only be used within the context of the appointment.



Table of Contents

Basis of Report	i
1.0 Introduction	1
1.1 Purpose of Report	1
1.2 Scope of Report	1
1.3 Landscape Context	1
1.4 Ecology Context	2
1.5 Proposed Development	3
1.6 Extent of Proposed Planting, and Landscape and Ecological Features	3
1.7 Landscape Management Objectives	4
1.8 Ecology Management Objectives	4
1.8.1 Wildflower Grassland	4
1.8.2 Native Scrub	5
1.8.3 Native Woodland	5
1.8.4 Native Trees	5
1.8.5 Native Hedgerows	5
1.8.6 Sustainable Drainage System	5
1.8.7 Ornamental Planting (including amenity grassland)	5
2.0 Site Preparation and General Guidelines	6
2.1 Site Preparation	6
2.1.1 Protection of Existing Vegetation During Construction	6
2.1.2 Protection of Existing Ecological Features and Habitats During Construction	6
2.1.3 Ground Preparation and Vegetation Removal	7
2.1.4 Soil Resource	7
2.2 General Guidelines	8
2.2.1 Herbicide	8
2.2.2 Watering	8
2.2.3 General Management of Weeds	9
3.0 Implementation and Establishment	10
3.1 Proposed Grassland Establishment	10
3.1.1 Proposed Amenity Grassland	10
3.1.2 Proposed Wildflower Grassland	11
3.1.3 Proposed Damp Grassland	12
3.2 Proposed Tree, Shrub and Hedgerow Establishment	13
3.2.1 Proposed Native Woodland Planting	14
3.2.2 Proposed Individual Trees	14



3.2.3 Proposed Orchard Trees	15
3.2.4 Proposed Mixed Native Hedgerows.....	15
3.2.5 Reinforced Mixed Native Hedgerows.....	16
3.2.6 Proposed Native Shrubs.....	16
3.2.7 Proposed Ornamental Shrubs	16
3.3 Proposed Marginal Planting	17
3.4 Proposed Hard Surfaces and Furniture	18
3.5 Proposed Artificial Wildlife Installations	18
4.0 Aftercare	19
4.1 Management Responsibilities	19
4.1.1 Overview	19
4.1.2 Personnel.....	19
4.1.3 Reporting and Monitoring	20
4.2 General Management Considerations	20
4.3 Specific Management/ Monitoring considerations.....	22
4.3.1 Existing Vegetation/ Habitats.....	22
4.3.2 Proposed Grassland.....	23
4.3.3 Proposed Tree, Shrub and Hedgerow	24
4.3.4 Proposed Drainage Features (inc. Swales and Attenuation Basins).....	25
4.3.5 Proposed Hard Surfaces and Furniture	26
4.3.6 Proposed Artificial Wildlife Installations	27
5.0 Summary of Maintenance Operations	29

Drawings

Drawing FHF-44 Rev7: Landscape Masterplan



1.0 Introduction

1.1 Purpose of Report

SLR Consulting Ltd (SLR) and Aspect Ecology Ltd have been instructed by Wates Developments Ltd (Wates) to prepare a Draft Landscape and Ecology Management Plan (LEMP) for an outline planning application of up to 200 residential dwellings at Land at Foxhole Farm, Bolney. This draft LEMP has been prepared to accompany the outline planning application, as requested by Mid-Sussex District Council.

As this draft LEMP accompanies an outline planning application, the purpose is to provide an indication of how the proposed development would be established and maintained. However, as the detailed design stage has not yet been carried out, some details may be subject to change.

This revision takes on board the recent changes requested by Place Services in June 2025.

1.2 Scope of Report

This draft LEMP sets out the proposed overarching landscape and ecology management objectives and implementation and maintenance procedures for the residential parcels and public open spaces (POS) and includes the following sections:

- Landscape and Ecology Objectives;
- Site Preparation and General Guidelines;
- Implementation and Establishment;
- Aftercare; and
- Summary of Maintenance operations.

This draft LEMP refers to the landscape masterplan (**Drawing FHF-44, Rev7**). However, it is worth noting that as this draft LEMP accompanies an outline planning application, the landscape masterplan illustrates one potential form of the proposed development and therefore these areas are indicative. Similarly, the proposed planting mixes and hard materials are indicative and may alter at the detailed design stage, along with the maintenance procedures.

1.3 Landscape Context

The site comprises five rectilinear pasture fields, partly enclosed by hedgerows, trees and woodland. The site is located on the settlement edge of Bolney with existing dwellings associated with The Street immediately east of the site. To the south of the site is the A272/ Cowfold Road with dwellings at Crosspost, part of Bolney, beyond. To the west of the site is Foxhole Lane, a narrow, tree-lined lane, with Foxhole Farm inset into the western boundary. Immediately north of the site is footpath 44BO, with an area of woodland beyond and to the north-west, whereas beyond and to the north-east are gardens and paddocks at the rear of houses associated with The Street.

At a district scale the site is identified within the Mid-Sussex Landscape Character Assessment (November 2005) as being in LCA 10: High Weald Fringes. The landscape and visual appraisal determined that the site and its context broadly align with the LCA's key characteristics; a well-wooded, largely agricultural landscape with long views to the South Downs and intersected by a network of roads and lanes. The landscape management guidelines for this character area, which are of relevance to the landscape proposals and their maintenance, are as follows;

- *“Maintain and restore the historic pattern and fabric of the woodland and agricultural landscape for scenic, nature conservation and recreational purposes;*
- *Protect existing views from the area and avoid skyline development;*



- *Extend existing woodland areas rather than creating new woodland features, reinforcing existing, distinctive landscape patterns;*
- *Increase tree cover in and around villages, agricultural and other development including along the approach roads to settlements and along busy urban routes;*
- *Conserve and replant single oaks in hedgerows to maintain succession and replant parkland trees;*
- *Conserve, strengthen and manage existing hedgerows and hedgerow trees and replant hedgerows where they have been lost;*
- *Conserve species-rich meadows and road verges; and*
- *Seek to protect the tranquil and historic character of rural lanes and manage road verges to enhance their nature conservation value”.*

The following policies within the Mid Sussex District Plan 2014-2031 (March 2018) are also of relevance to the landscape proposals and their maintenance;

Policy DP26 Character and Design requires that all developments are “*well designed and reflect the distinctive character of the towns and villages while being sensitive to the countryside*”, including;

- *“of high quality design and layout and includes appropriate landscaping and greenspace; and*
- *protects open spaces, trees and gardens that contribute to the character of the area”.*

Policy DP37 Trees, Woodland and Hedgerows states that “*The District Council would support the protection and enhancement of trees, woodland and hedgerows, and encourage new planting.*

Proposals for new trees, woodland and hedgerows should be of suitable species, usually native, and where required for visual, noise or light screening purposes, trees, woodland and hedgerows should be of a size and species that would achieve this purpose.

Trees, woodland and hedgerows would be protected and enhanced by ensuring development:

- *incorporates existing important trees, woodland and hedgerows into the design of new development and its landscape scheme;*
- *prevents damage to root systems and takes account of expected future growth;*
- *where possible, incorporates retained trees, woodland and hedgerows within public open space rather than private space to safeguard their long-term management;*
- *has appropriate protection measures throughout the development process;*
- *takes opportunities to plant new trees, woodland and hedgerows within the new development to enhance on-site green infrastructure and increase resilience to the effects of climate change; and*
- *does not sever ecological corridors created by these assets”.*

1.4 Ecology Context

The proposed development has been informed by ecological survey and assessment work, the results of which are set out within the submitted ecology information, including the Ecological Appraisal (Aspect Ecology, 2025) and Biodiversity Net Gain Assessment (Aspect Ecology, 2025), whilst a brief summary of the ecological context is summarised below.

The site does not contain, nor is it located adjacent to any identified statutory nature conservation designation. The closest such designation is Blunts Wood and Paige’s Meadow LNR, which is located approximately 5.6km to the north-east of the site. The closest non-statutory ecological designation to the site is Colwood Lane Designated Road Verge, located approximately 0.85km north-west of the site.



The ecological habitats within the site itself are dominated by species-poor modified grassland, with other habitats relatively limited in extent, including Bracken, scrub, tall forbs, a pond, hedgerows and woodland edge.

In terms of faunal species, the habitats present were recorded to provide opportunities for use by foraging/commuting bats, Dormouse, reptiles including Slow-worm and Grass Snake and a number of widespread bird species. Great Crested Newt was also recorded from a pond within the surrounds of the site.

1.5 Proposed Development

The proposed development would comprise the erection of up to 200 dwellings; a community building (use class F1) encompassing land for education provision, together with associated access, ancillary parking and landscaping; the creation of a vehicular access point from the A272 Cowfold Road, and pedestrian and cycle only access to The Street; and creation of a network of roads, footways, and cycleways through the site; together with the provision of countryside open space, children's play areas, community orchard, and allotments; sustainable drainage systems and landscape buffers.

The permission granted for the proposed development would result in the loss of approximately 7.6ha of agricultural grassland for the development parcels and associated infrastructure. The remaining 9.28ha of the 16.88ha site would be used for green infrastructure including existing vegetation and proposed in the form of native woodland, shrubs, hedgerows, grassland, trees, orchards, drainage basins and swales. Play and fitness areas would also be distributed throughout, along with allotments, outdoor classroom and hard surfacing within the POS (as detailed below). The majority of existing hedgerows and trees would be retained.

1.6 Extent of Proposed Planting, and Landscape and Ecological Features

The proposed development (**Drawing FHF-44, Rev7**) comprises of the following areas of vegetation/habitat within the development parcels and POS. However, as previously noted, these areas are indicative only at this outline stage:

- Existing vegetation at the periphery of Foxhole Farm;
- Existing native hedgerows to be reinforced along the existing fields boundaries, both on the site boundaries and within the site;
- Proposed amenity grassland within Local Areas of Play (LAP) and other incidental play areas, front and back gardens, and grass verges within the development parcels;
- Proposed wildflower grassland within the POS, including the countryside open space;
- Proposed damp grassland and marginal planting within the attenuation basins and swales;
- Proposed native woodland within the north-western corner of the site and south-eastern corner of the countryside open space;
- Proposed individual trees through the development parcels and POS;
- Proposed orchards within the countryside open space;
- Proposed native hedgerows along the western boundary (south and east of Foxhole Farm) and forming boundaries within rear gardens, along the connecting access road, and within front and rear-gardens;
- Proposed native shrub planting within the landscape buffers north and east of the northern parcel;
- Proposed ornamental shrub planting within front gardens and at the Community building;



- Proposed hoggins and mown paths within the POS;
- Proposed timber pedestrian bridges across the swales;
- Proposed timber benches within the POS (including the outdoor learning space and play areas);
- Proposed timber bins within the POS;
- Proposed dog waste bins within the POS;
- Proposed grass mounds, boulders and logs within the incidental play areas;
- Proposed timber play and gym equipment and grass mounds within the Locally Equipped Areas of Play (LEAPs), LAPs and outdoor gym;
- Proposed bat boxes attached to retained trees;
- Proposed integrated bat roost units attached to proposed building;
- Proposed bird boxes attached to retained trees;
- Proposed integrated bird nesting units attached to proposed buildings;
- Proposed bee bricks and insect boxes; and
- Proposed wood piles/ Hibernacula.

1.7 Landscape Management Objectives

The management of the site layout (existing and proposed vegetation/ habitats and features) would seek to address the following management objectives in line with local policy and landscape character assessments:

- Provide well-maintained recreational facilities and open spaces that enhance the district's existing assets, and are safe, secure and useable spaces that are accessible to all;
- Protect and enhance the landscape's key characteristics and ensure the proposed development reflects the local landscape's character (LCA10);
- Protect existing trees and enhance levels of tree cover to retain and enhance the district's green infrastructure network and increase resilience to climate change (Policy DP37); and
- Maintain locally-recognised habitats on site such as species-rich meadows, native hedgerows and native woodland to enhance the landscape value of the site (LCA10).

1.8 Ecology Management Objectives

In addition, the management objectives in relation to individual ecological habitat types would be to ensure the appropriate habitat condition is achieved in line with BNG criteria, in order to accord with the permitted BNG assessment (Aspect Ecology, 2025) and ensure minimum overall net gains in excess of 10% are achieved at the site, in line with standard planning requirements. With regard to specific habitats, these can be summarised as follows:

1.8.1 Wildflower Grassland

The objectives of the wildflower grassland management would be to produce a species-rich sward, including maximising species and herb content. In particular the objectives of the management would be to achieve at least 'moderate' condition under Biodiversity Net Gain (BNG) guidance, in line with the permitted information in relation to the relevant areas under the planning permission.



1.8.2 Native Scrub

The objectives of the scrub management would be to produce a varied habitat structure with denser areas of cover and more open vegetation formed by native species. In particular the objectives of the management would be to achieve at least 'moderate' condition (with reference to relevant BNG guidance) in order to ensure consistency with the Biodiversity Net Gain information submitted to inform the planning application.

1.8.3 Native Woodland

The objectives of the woodland management would be to allow a complex woodland structure to develop in the long term, including diversity of native species and ages, retention of standing deadwood (subject to health and safety requirements), and maintenance of a range of ecological niches suitable for faunal species. The management would seek to achieve at least 'moderate' condition (with reference to relevant BNG guidance) in order to ensure consistency with the Biodiversity Net Gain information submitted to inform the planning application.

1.8.4 Native Trees

The objectives of the tree management would be to allow new tree planting to develop to maturity wherever possible, avoiding regular pruning to maximise natural canopy development, to maintain vegetation beneath tree canopies and where possible retain features providing natural ecological niches for faunal species, including standing deadwood (subject to health and safety requirements), cavities, ivy and loose bark.

1.8.5 Native Hedgerows

Management of hedgerows would aim to maintain a dense, vegetated corridor throughout the hedgerow length, whilst minimising disturbance and cutting, with the specific objective of achieving the individual condition criteria set out within the BNG assessment in order to achieve at least 'moderate' condition.

1.8.6 Sustainable Drainage System

Management of the drainage features would necessarily be directed by SUDs/drainage requirements, however objectives would include maximising ecological value through maintenance of varied vegetation including native aquatic and marginal species, with the specific objective of achieving the individual condition criteria set out within the BNG assessment in order to achieve at least 'moderate' condition.

1.8.7 Ornamental Planting (including amenity grassland)

In order to address the landscaping requirements and reflect the commercial nature of the site, open space areas would also include areas of ornamental planting. Where possible (and subject to specific consideration in order to ensure that the relevant amenity/landscaping requirements are met), these habitats would be subject to ecologically sensitive management in the long-term with the aim of maximising biodiversity value across the site.

Where necessary, management would be of a regular, formal nature designed to ensure a tidy and kempt appearance in keeping with their function as amenity areas, whilst also ensuring that new planting thrives and develops into quality specimens, which would also provide a variety of benefits to wildlife such as pollinating insects.



2.0 Site Preparation and General Guidelines

The following section of this draft LEMP deals with how the site would be prepared and sets out general guidance on herbicides, watering and weeding. Although, please note that as this draft LEMP accompanies an outline planning application, some aspects may be subject to change.

2.1 Site Preparation

2.1.1 Protection of Existing Vegetation During Construction

It is not anticipated that there would be any tracking of machinery, storage of materials or chemicals within the RPAs of existing trees to be retained. However, protective fencing should be erected prior to the commencement of all works on site, and retained in place throughout construction, in accordance with BS5837. Fencing positions should be located outside of the RPAs of trees to be retained, as shown on the SJA Tree Protection Plan (2025).

Fencing would comprise of either 2.4m wooden site hoarding; or a 2m high scaffolding framework, with uprights at maximum 3m spacings, every other one braced to the ground with 45 degree struts; supporting standard anti-climb 'Heras' welded mesh fence panels secured with anti-lift devices to concrete or plastic bases pinned to the ground by scaffold uprights sunk to a minimum depth of 600mm; individual panels fixed to each other with at least 2 clamps and to scaffolding with heavy-duty cable ties. "TREE PROTECTION ZONE - KEEP OUT" or similar notices would be attached to every fifth panel.

Any excavation work within or adjacent to RPAs would be carried out manually and under on-site supervision of an arboricultural consultant (in accordance with SJA's Tree Protection Plan (2025)). Should any additional construction works be required under canopy spreads or within RPAs of existing trees, the Contractor shall obtain an Arboricultural Method Statement to facilitate works and to provide detailed instructions of appropriate work methods, although it is anticipated that this will be required by planning condition in any event.

2.1.2 Protection of Existing Ecological Features and Habitats During Construction

Site preparation and construction activities shall be undertaken in accordance with the relevant ecological mitigation measures set out within the Ecological Appraisal (Aspect Ecology, 2025) which should be read in conjunction with this report.

In particular, measures would include specific measures and precautions in relation to protection of retained vegetation, use of lighting, general faunal safeguards, timing of vegetation clearance in relation to nesting birds and specific safeguards in regard to Dormouse, Great Crested Newt and reptiles.

Removal of wooded vegetation would be carried out under a development licence in relation to Dormouse with restrictions on timing and a requirement for hand searches as set out within the licence documents. Other features such as debris piles would also be searched for vulnerable wildlife by an Ecological Clerk of Works (ECoW). Should any vulnerable wildlife be found, they would be relocated to a place of safety.

All temporary and permanent external lighting would be designed to minimise the risk of light spill outside the area it is desired to illuminate; and particular care would be taken to minimise light spill on hedgerows or other linear features that can be used by bats for commuting. This can be achieved using baffles and directional lighting coupled with low-level lighting columns.

All trenches and excavations would be closed overnight to prevent badgers and other wildlife from becoming trapped. Where it is not feasible to close excavations overnight, they would be excavated with at least one sloping end or provided with a sturdy plank to provide a means of escape.



Standard control measures would be in place to ensure pollution events, through dust and other emissions from construction works, do not impact retained or adjacent habitats. These measures include the below:

- Chemicals and fuels must be stored in secure containers located away from watercourses or water bodies. Spill kits must be available;
- Implementation of a construction-phase drainage strategy to intercept, capture and attenuate surface water runoff;
- Lighting used for construction must be kept to a minimum and switched-off when not in use;
- Lighting should be positioned so as not to spill onto adjacent land or retained vegetation within the works area; and
- Night works should be avoided where possible to reduce lighting of sensitive habitats and disturbance to protected.

2.1.3 Ground Preparation and Vegetation Removal

Prior to commencement of any softworks, all areas would need to be suitably cleared and prepared for planting/ seeding. Areas would be cleared of rubbish, debris and unwanted vegetation/ weeds prior to planting.

Vegetation clearance would be undertaken following implementation of any specific requirements for reptiles and Great Crested Newt (i.e. translocation). Removal of wooded vegetation would be carried out under a development licence in relation to Dormouse with restrictions on timing and a requirement for hand searches as set out within the licence documents. Ideally vegetation would be cleared outside the bird nesting season (which runs from March to late August inclusive) however, where this is not possible, specific attention would be given to the presence of breeding birds as part of hand searches. Should nesting birds be present, then clearance in these areas would stop until young have fledged, which may extend to the end of August.

A proportion of the material (small to large diameter branch wood) would be retained and positioned along the peripheries of the public open space, forming log piles, where possible. Surplus arisings would be removed from site.

2.1.4 Soil Resource

Before the landscape works take place, an earthworks contract would be undertaken to form the levels of the site. Before any cut or fill takes place, it would be necessary to carefully remove and store all existing topsoil and subsoil resources. Once the final landform has been shaped, subsoil and topsoil would be replaced to approved depths and profiles.

The substrate would be inspected and assessed for its suitability for landscaping prior to the commencement of implementation works. All areas of planting and seeding would be assessed for compaction prior to works, and if necessary or practical, de-compaction would be carried out when ground conditions are reasonably dry, with soils loosened, aerated and broken up.

All soil handling operations would follow the guidelines set out in *BS:3882: Specification for topsoil and requirements for use* to make the best use of the available soil resource and minimise compaction as follows:

- All soil units would be separately stripped, stored and replaced;
- All soil units would be handled when dry and friable; and
- Where possible, no heavy wheeled earthmoving vehicles or machines would run over *in-situ*/undisturbed or replaced soils.



Where space is limited during construction, the soils would be placed into temporary storage mounds, according to the following methods:

- The storage areas would be subdivided into each part to receive each soil unit (topsoil or subsoil);
- Materials would be placed on dry firm foundations, which have been stripped of soils and/or soft material, as appropriate;
- Stored in heaps of a maximum 2m height; and
- To minimise soil wetness storage heaps would be shaped to shed water and positioned in the direction of flood water flows.

When stripping of topsoil is required, for example where there would be hard surfacing or extensive vehicle movements, this should be to an average depth of 300mm, although soils would not be removed from below the spread of trees to be retained.

Topsoil should be free draining and adhere to BS 3882:2015. The depth of topsoil spread shall be a minimum of 100mm and not normally exceed 300mm.

Subsoils should be below the topsoil and adhere to BS 8601:2013. For grassland areas, subsoil should be a depth of 450mm, 600mm for hedgerows, shrubs and allotment plots, and 900mm for tree planting, i.e. areas of hedgerows to comprise 300mm topsoil over existing 600mm subsoils.

If soils would need to be imported then these would need to adhere to BS 3882:2015 (topsoil) and BS 8601:2013 (subsoil).

Stones larger than 30mm as well as other debris would be removed.

All soil would be graded to smooth flowing contours to achieve the specified finished levels.

2.2 General Guidelines

2.2.1 Herbicide

Hand weeding and organic methods would be the preferred approaches for removing weeds. However, a suitable, non-residual herbicide may be used to clear existing weeds or unwanted vegetation in proposed planting areas where this cannot be achieved by cultivation alone.

Herbicides should not be applied within 10m of any watercourse or waterbody. If deemed necessary, Environment Agency consent would be required (refer to Environment Agency Guidance Notes AqHerb01: Agreement to use herbicides in or near water).

Where weeds are to be controlled by the application of herbicides this would need to be carried out by a certified competent person, according to manufacturer's instructions (for example, NPTC Certificate of Competence for use of Pesticides). If herbicides are to be used prior to planting and seeding, then at least 2 weeks should be allowed before planting and seeding operations commence.

2.2.2 Watering

Where possible, planting would take place during the cooler months to prevent the need for regular watering from the outset.

The need for watering would be assessed prior to the commencement of works. If considered necessary, the full depth of soil would be watered during planting operations and all areas thoroughly watered immediately after operations, without damaging or displacing plants.

It is anticipated that new planting may be watered, particularly in drier periods in the first year, subject to contractual agreements with the client and landscape contractor. Thereafter, plants would be assessed on an annual basis, to establish the need for watering.



2.2.3 General Management of Weeds

As required under the provisions of the Weeds Act 1959, all injurious weeds (such as spear thistle, creeping or field thistle, curled dock, broad-leaved dock and common ragwort) would be controlled, so that they do not spread.

Section 14 of the Wildlife and Countryside Act 1981 prohibits the establishment of particular non-native invasive species listed in Schedule 9 Part 2 of the Wildlife and Countryside Act 1981 (variation 6th April 2010). Any particularly invasive non-native plants which if found to be present would also need to be eradicated (for complete list refer to Schedule 9 Part 2 of the Wildlife and Countryside Act 1981). These include:

- Giant hogweed (*Heracleum mantegazzianum*) - poses a public health hazard because its sap would cause a skin rash in the presence of sunlight;
- Japanese knotweed (*Fallopia japonica var japonica*) - forms dense thickets displacing native plants;
- Himalayan balsam (*Impatiens glandulifera*) - spreads by seeds explosively propelled from ripened pods;
- Australian swamp stonecrop (*Crassula helmsii*) - quickly out-competes all native vegetation and maintains dominance through very rapid growth and uptake of almost all available nutrients;
- Parrot's feather (*Myriophyllum aquaticum*) – propagates by growth from small fragments that are easily spread when the brittle stems break; and
- Floating pennywort (*Hydrocotyle ranunculoides*) – forms dense interwoven mats that quickly cover the water surface.

All areas shall be monitored for these plant species on at least a twice-yearly basis, during the growing season. Where these plants are identified appropriate measures, specific to the plant species shall be taken to control and/or eradicate them, such as described by the Environment Agency leaflet Guidance for the control of invasive plants in or near fresh water. The Environment Agency identifies the following basic methods of controlling invasive plants:

- Mechanical – cultivation, hoeing, pulling, cutting, raking, dredging or other machinery to uproot or cut plants;
- Chemical – herbicides to kill plants;
- Natural – specific pests and diseases to weaken the target plant; and
- Environmental – alteration to the environment to make it less suitable for plant growth.

A waste license is required to remove Japanese knotweed to a waste disposal facility, and all waste materials, including weeds, are subject to the Duty of Care and must only be transferred to, and carried by, registered waste carriers.



3.0 Implementation and Establishment

The following section of this draft LEMP deals with how the various vegetation/ habitat types would be implemented and established on site.

Please note, as this draft LEMP accompanies an outline planning application, all planting mixes are indicative and may be subject to change at the detailed design stage.

3.1 Proposed Grassland Establishment

Seed should be of local provenance where possible and freshly purchased for each growing season.

Good preparation is essential to success, so the aim would be to control weeds and produce a good quality seed bed before sowing. This could be carried out by first removing the weeds using repeated cultivation or herbicide and then plough or dig to bury the surface vegetation.

The required mix (see sections below) would then be sown in the spring or early autumn (dependent on construction programme) onto bare ground after harrowing/raking the surface and should not be sown on compacted ground. Bulking up the seed with an inert carrier such as sand can make distribution easier. The seed must be surface sown and can be applied by machine or broadcast by hand. To get an even distribution, divide the seed into two or more parts and sow in overlapping sections.

After sowing lightly, rake or harrow the surface to settle the seed in. Take care not to bury the seed at depth. Firm with a roll to give good soil/seed contact. The newly seeded areas should be fenced off using pegs and tapes until the grass is well established.

Below are indicative mixes for the grassland areas, as indicated on the Landscape Masterplan (Drawing FHF-44, Rev7).

3.1.1 Proposed Amenity Grassland

The amenity grassland areas along grass verges, within front and back gardens, and in the natural play areas would ideally be sown with a flowering lawn mix such as Emorsgate Seeds EL1: Flowering Lawn Mixture or similar approved at a rate of 4 g/m².

EL1 contains slow growing grasses with a selection of wildflowers that respond well to regular short mowing. This combination produces an attractive turf which is resilient to wear, and provides ecological value.

Table 1 – Emorsgate Seeds Mix EL1 Flowering Lawn Mixture

%	Latin name	Common name
Wildflowers		
1	<i>Achillea millefolium</i>	Yarrow
1	<i>Anthyllis vulneraria</i>	Kidney Vetch
0.4	<i>Betonica officinalis</i>	Betony
1.5	<i>Centaurea nigra</i>	Common Knapweed
0.4	<i>Galium album</i>	Hedge Bedstraw
1.5	<i>Galium verum</i>	Lady's Bedstraw
0.4	<i>Knautia arvensis</i>	Field Scabious
0.5	<i>Leontodon hispidus</i>	Rough Hawkbit
1	<i>Leucanthemum vulgare</i>	Oxeye Daisy
1	<i>Medicago lupulina</i>	Black Medick



0.4	<i>Plantago lanceolata</i>	Ribwort Plantain
2	<i>Plantago media</i>	Hoary Plantain
2	<i>Primula veris</i>	Cowslip
0.4	<i>Prunella vulgaris</i>	Selfheal
0.4	<i>Ranunculus acris</i>	Meadow Buttercup
1.6	<i>Ranunculus bulbosus</i>	Bulbous Buttercup
4	<i>Trifolium repens</i>	White Clover (ag)
20		
Grasses		
8	<i>Agrostis capillaris</i>	Common Bent
28	<i>Cynosurus cristatus</i>	Crested Dogstail
24	<i>Festuca rubra</i>	Red-fescue
4	<i>Phleum bertolonii</i>	Smaller Cat's-tail
16	<i>Poa pratensis</i>	Smooth-stalked Meadow-grass
80		

3.1.2 Proposed Wildflower Grassland

The majority of the POS would be seeded with a wildflower grassland mix such as Emorsgate Seeds Mix EM1: Basic General Purpose Meadow Mixture or similar approved at a rate of 4g/m².

This is a simple meadow mixture suitable for a wide range of soil types. The wildflowers are robust and showy, and the grasses are fine and slow growing.

Table 2 – Emorsgate Seeds Mix EM1 Basic General Purpose Meadow Mixture

%	Latin name	Common name
Wildflowers		
5	<i>Centaurea nigra</i>	Common Knapweed
1.5	<i>Daucus carota</i>	Wild Carrot
4	<i>Galium verum</i>	Lady's Bedstraw
0.5	<i>Leucanthemum vulgare</i>	Oxeye Daisy
2	<i>Malva moschata</i>	Musk Mallow
2	<i>Poterium sanguisorba - (Sanguisorba minor)</i>	Salad Burnet
1.5	<i>Prunella vulgaris</i>	Selfheal
1.5	<i>Ranunculus acris</i>	Meadow Buttercup
2	<i>Silene dioica</i>	Red Campion
20		
Grasses		
8	<i>Agrostis capillaris</i>	Common Bent
40	<i>Cynosurus cristatus</i>	Crested Dogstail
28	<i>Festuca rubra</i>	Slender-creeping Red-fescue
4	<i>Phleum bertolonii</i>	Smaller Cat's-tail



%	Latin name	Common name
80		

3.1.3 Proposed Damp Grassland

The attenuation basins and swales, which would be periodically wet, would be seeded with a mix that endures both damp and dry conditions, such as Emorsgate Seeds Mix EM8: Meadow Mixture for Wetlands or similar approved at a rate of 4 g/m².

This mix contains wildflowers and grasses based on the vegetation of traditional floodplain and water meadows.

Sowings on ground prone to winter flooding are safest either in late summer or in spring (once the land has drained) as this allows the plants to grow and mature before flooding.

Table 3 – Emorsgate Seeds EM8 Meadow Mixture for Wetlands

%	Latin name	Common name
Wildflowers		
0.7	<i>Achillea Millefolium</i>	Yarrow
0.6	<i>Agrimonia eupatoria</i>	Agrimony
0.1	<i>Angelica sylvestris</i>	Wild Angelica
0.2	<i>Betonica officinalis</i>	Betony
3.2	<i>Centaurea nigra</i>	Common Knapweed
1.4	<i>Filipendula ularia</i>	Meadowsweet
0.4	<i>Galium album</i>	Hedge Bedstraw
2.0	<i>Galium verum</i>	Lady's Bedstraw
0.8	<i>Lathyrus pratensis</i>	Meadow Vetchling
0.6	<i>Leontodon hispidus</i>	Rough Hawkbit
1.2	<i>Leucanthemum vulgare</i>	Oxeye Daisy (Moon Daisy)
0.6	<i>Lotus corniculatus</i>	Birdsfoot Trefoil
0.1	<i>Lotus pedunculatus</i>	Greater Birdsfoot Trefoil
1.0	<i>Medicago lupulina</i>	Black Medick
2.0	<i>Plantago lanceolata</i>	Ribwort Plantain
0.4	<i>Primula veris</i>	Cowslip
0.8	<i>Prunella vulgaris</i>	Ragged Robin
1.2	<i>Ranunculus acris</i>	Meadow Buttercup
0.8	<i>Rhinanthus minor</i>	Yellow Rattle
0.6	<i>Rumex acetosa</i>	Common Sorrel
0.3	<i>Sanguisorba officinalis</i>	Great Burnet
0.5	<i>Silene flos-cuculi</i>	Ragged Robin
0.2	<i>Taraxacum officinale</i>	Dandelion
0.3	<i>Vicia cracca</i>	Tufted Vetch
20		
Grasses		
4	<i>Agrostis capillaris</i>	Common Bent



%	Latin name	Common name
4	<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass (w)
0.8	<i>Carex divulsa subsp. divulsa</i>	Grey Sedge (w)
33.60	<i>Cynosurus cristatus</i>	Crested Dogstail
1.6	<i>Deschampsia cespitosa</i>	Tufted Hair-grass (w)
20	<i>Festuca rubra</i>	Red-fescue
3.2	<i>Hordeum secalinum</i>	Meadow Barley (w)
5.6	<i>Phleum bertolonii</i>	Smaller Cat's-tail (w)
5.6	<i>Poa trivialis</i>	Rough-stalked Meadow-grass
1.6	<i>Schedonorus arundinaceus</i>	Tall Fescue
80		

3.2 Proposed Tree, Shrub and Hedgerow Establishment

It is envisaged that individual trees would be light standards, 250-300cm tall, bareroot or rootball, and street trees would have clear stems of 150-175cm. Whereas, it is recommended that native woodland, shrub and hedgerow plants would be transplants or seedlings, 40-60cm tall, and primarily bareroot although species such as Holly (*Ilex aquifolium*) would be container grown.

All plants would be well-grown nursery stock and sourced as local as possible, with effort made to source stock of native genetic origin. All plant handling and planting operations would comply with relevant clauses of CPSE 'Handling and Establishing of Landscape Plants' (obtainable from the Horticultural Trades Association).

All small, bareroot plants would be notch planted whilst all larger stock, container stock or rootballs would be pit planted.

For the notch planting, a notch would be cut with a spade or mattock and, whilst holding it open, the transplant slipped in, roots spread, and making sure the root collar is level with the soil surface. Then the split tread closed and checked that the shrub/tree is firmly planted. Backfill would consist of previously excavated material and if deemed necessary, sanitized and stabilised, friable compost also (non-peat compost) as well as fertiliser.

For pit planting, the pit would be 1.5 times the size of the rootball/ container or as necessary to accommodate their root systems. The soil would be replaced as it is removed e.g. topsoil above subsoil. All pits would be excavated on the same day of planting and trees double or triple staked with expandable, horizontal ties.

As per the notch planting, when pit planting the top of the root collar must be level with the surrounding soil surface and the ground around the plant would be firmed in by treading, taking care to avoid scuffing or damage. The completed, the ground below the tree would be either at ground level or slightly domed to prevent waterlogging. On no account would any roots be left exposed or bent. The soil around all plants would then be suitably firmed and watered.

It is also recommended that those trees located adjacent to hardstanding would also be installed with an urban irrigation system, and root deflecting ribs if required (fitted to manufacturer's guidance). Those trees close to parking bays may also be fitted with tree guard protection.

All proposed woodland, shrub and hedgerow plants would be protected by either 0.6m high translucent plastic spiral guards supported by a softwood timber stake or planting areas fenced off into compartments using internal rabbit fencing, if appropriate.

Planting would take place in November – March, avoiding frosty conditions.



A 75mm deep layer of Bromide free bark mulch would be spread across all planted areas, to assist with weed control (1m diameter around the base of all individual trees).

3.2.1 Proposed Native Woodland Planting

An area of native woodland is proposed in the north-western corner of the site, adjacent to Foxhole Lane, and another in the south-eastern corner of the countryside open space.

Planting mixes would include native species characteristic of the local area, such as Beech, Oak and Hazel, and which further benefit the ecological value of the site.

New tree and shrub planting would consist of randomly mixed, single species groups of 3-7 in number, at an average planting density of 2m centres.

Table 4 – Proposed Native Woodland Mix

%	Latin name	Common name
10	<i>Acer campestre</i>	Field Maple
10	<i>Cornus sanguinea</i>	Common Dogwood
10	<i>Corylus avellane</i>	Common Hazel
15	<i>Crataegus monogyna</i>	Common Hawthorn
10	<i>Euonymus europaeus</i>	Spindle
10	<i>Fagus sylvatica</i>	Common Beech
5	<i>Ilex aquifolium</i>	Common Holly
10	<i>Prunus avium</i>	Wild Cherry
10	<i>Quercus robur</i>	English Oak
10	<i>Viburnum opulus</i>	Guelder Rose

3.2.2 Proposed Individual Trees

Public open space trees would include native species such as Oak, Beech, Hornbeam, Rowan, Cherry, Silver Birch and Field Maple, whilst street trees would comprise of smaller, compact species that are suited to more intimate spaces; Birch 'Edinburgh', Rowan 'Sheerwater Seedling', Hornbeam 'Frans Fontaine', Field Maple 'Elegant' and Siberian Crab Apple 'Street Parade'. This selection of trees has been chosen to provide coherence between the open space and streets, to enhance the aesthetic and visual qualities of the area, provide seasonal interest, but also in the interests of biodiversity to provide a variety of nesting and foraging habitats.

Table 5 – Proposed Individual Trees

Latin name	Common name
Open Space Trees	
<i>Acer campestre</i>	Field Maple
<i>Betula pendula</i>	Silver Birch
<i>Carpinus betulus</i>	Common Hornbeam
<i>Fagus sylvatica</i>	Common Beech
<i>Prunus avium</i>	Wild Cherry
<i>Quercus robur</i>	English Oak
<i>Sorbus aucuparia</i>	Rowan
Street Trees	



Latin name	Common name
<i>Acer campestre</i> 'Elegant'	Field Maple 'Elegant'
<i>Betula</i> 'Edinburgh'	Birch 'Edinburgh'
<i>Carpinus betulus</i> 'Frans Fontaine'	Hornbeam 'Frans Fontaine'
<i>Malus baccata</i> 'Street Parade'	Siberian Crab Apple 'Street Parade'
<i>Sorbus aucuparia</i> 'Sheerwater Seedling'	Rowan 'Sheerwater Seedling'

3.2.3 Proposed Orchard Trees

Fruit trees are proposed within the countryside open space in a loose, 8 by 8m, orchard-grid arrangement. Species of local provenance such as *Malus domestica* "Crawley Beauty" or *Malus domestica* "Coronation" would be recommended. The orchards would be managed to maximise biodiversity value as well as to provide fruit production for use by the community. As indicated on the landscape masterplan, the orchards would be under-sown with a wildflower meadow mix suitable for the area (refer to Section 3.1.2). The existing vegetation nearby to the orchards would also provide shelter for the establishing trees and help to attract pollinators.

Fruit trees are also proposed within rear-gardens. These would help to further integrate the development into the landscape and enhance the ecological value. Species would be the same as those within the orchards to provide cohesion across the site.

3.2.4 Proposed Mixed Native Hedgerows

New hedgerows would comprise locally native species such as Hawthorn, Hazel, Holly, Blackthorn and Dog Rose which are characteristic of the hedgerows of the local landscape. The choice of species would also help to provide suitable foraging habitat for birds, suitable nesting habitat and shelter for small mammals, amphibians and reptiles, as well as encourage pollinators to assist with the successful establishment of the nearby orchards and reinforce the historic pattern of hedgerows. The hedgerows would also create green corridors around the site which link to existing and retained hedgerows, and to other habitats beyond the site.

Hedgerows would form double staggered rows, 5 plants per linear metre, with rows c. 30cm apart, and for hedgerow trees, gaps would be left every ca. 20 m to plant single small bare-rooted standards of native tree species.

Table 6 – Proposed Native Hedgerow

%	Latin name	Common name
10	<i>Cornus sanguinea</i>	Common Dogwood
15	<i>Corylus avellana</i>	Common Hazel
20	<i>Crataegus monogyna</i>	Common Hawthorn
10	<i>Euonymus europaeus</i>	Spindle
10	<i>Ilex aquifolium</i>	Common Holly
15	<i>Prunus spinosa</i>	Blackthorn
10	<i>Rosa canina</i>	Dog Rose
10	<i>Viburnum opulus</i>	Guelder Rose
Hedgerow Trees		
-	<i>Acer campestre</i>	Field Maple
-	<i>Prunus avium</i>	Wild Cherry
-	<i>Quercus robur</i>	English Oak



These hedgerows would be proposed around the periphery of the site to help contain landscape and visual effects and extend the existing green infrastructure network.

A further mixed native hedgerow would be planted on the eastern side of the connecting road, through the countryside open space. This hedgerow would help to contain light spill of vehicles headlights when travelling along this road, as well as provide landscape appeal, year-round structure and wildlife value.

Mixed native hedgerows would also be planted within front and rear garden boundaries (as illustrated on the landscape masterplan). These have been selected as they adhered to the site's primarily rural character and overtime will provide enclosure and privacy for occupiers, along with additional ecological value.

3.2.5 Reinforced Mixed Native Hedgerows

Existing hedgerows surrounding the site comprise a mix of native species, although Common Hawthorn is often dominant. Gaps in these existing hedgerows would be infilled with a native hedgerow mix and hedgerow trees, such as those shown in Table 6 above; reflecting locally recognised species. Where possible, this planting would also be in double staggered rows, 5 per linear metre. However, this planting would need to take into consideration the existing vegetation and therefore densities and distances between rows may need to vary.

Prior to planting, existing hedgerows would be cut to the desired heights and shape (refer to section 4.3.1). It may also be necessary to carry out hedgerow laying if existing hedgerows have become gappy at their bases prior to installation of new planting.

3.2.6 Proposed Native Shrubs

Native shrub planting is proposed along the northern boundary, adjacent to public footpath 44BO and to the east of the northern parcel. These areas of native shrub planting would comprise a mix of native species characteristic of the local landscape. Some of these species are also utilised throughout the native woodland areas and hedgerows, providing a continuity and coherence to the scheme. These shrubs would be notch planted at 1-2m centres, in single species groups of 3 or 5.

Table 7 – Proposed Native Shrub

%	Latin name	Common name
20	<i>Corylus avellana</i>	Common Hazel
20	<i>Cornus sanguinea</i>	Dogwood
15	<i>Euonymus europaeus</i>	Spindle
15	<i>Rosa canina</i>	Dog Rose
15	<i>Salix caprea</i>	Goat Willow
15	<i>Viburnum opulus</i>	Guelder Rose

3.2.7 Proposed Ornamental Shrubs

Ornamental planting comprising of shrubs, grasses and herbaceous plants are proposed at the front of residential dwellings and the community building to create formal, attractive entranceways and help to soften built form. Species have been selected to offer year-round interest whilst also providing foraging opportunities for pollinators.

A range of mixes would be proposed to suit both shaded and sunny plots and also provide some variety along the street scenes.



Table 9 – Proposed Ornamental Shrub Planting – Sunny Mix

Latin name	Common name
<i>Alchemilla mollis</i>	Lady's Mantle
<i>Astrantia major rosea</i>	Masterwort rosea
<i>Bergenia</i> 'Bressingham Ruby'	Elephant's Ears 'Bressingham Ruby'
<i>Ceanothus x delileanus</i> 'Gloire de Versailles'	Californian Lilac 'Gloire de Versailles'
<i>Euonymus fortunei</i> 'Emerald Gaiety'	Spindle 'Emerald Gaiety'
<i>Geranium</i> 'Johnson's Blue'	Cranesbill 'Johnson's Blue'
<i>Hydrangea paniculata</i> Little Lime	Panicled Hydrangea Little Lime
<i>Hylotelephium telephium</i> 'Purple Emperor'	Sedum 'Purple Emperor'
<i>Lavandula x intermedia</i> 'Alba'	Lavender 'Alba'
<i>Viburnum davidii</i>	David Viburnum

Table 10 – Proposed Ornamental Shrub Planting – Shaded Mix

Latin name	Common name
<i>Alchemilla mollis</i>	Lady's Mantle
<i>Astrantia major rosea</i>	Masterwort rosea
<i>Bergenia</i> 'Bressingham Ruby'	Elephant's Ears 'Bressingham Ruby'
<i>Geranium</i> 'Johnson's Blue'	Cranesbill 'Johnson's Blue'
<i>Heuchera</i> 'Fireworks'	Coral Flower 'Fireworks'
<i>Hydrangea paniculata</i> Little Lime	Panicled Hydrangea Little Lime
<i>Sarcococca confusa</i>	Sweet Box
<i>Skimmia japonica</i> 'Rubella'	Japanese Skimmia 'Rubella'
<i>Viburnum davidii</i>	David Viburnum

3.3 Proposed Marginal Planting

Within the periodically wet attenuation basins and swales the gradual slopes and varied edges would form subtle variations in water and moisture levels and assist the development of a diverse range of habitat types. At the bottom of these subtle gradients marginal species would be planted. Only small sections would be planted, allowing natural recolonisation to also occur. The various proposed marginal plants would also suit a range of wetland conditions, and therefore it is likely that these plants would compete and eventually establish to locations of their desired conditions. This approach would be applied as it is often difficult to predict which isolated areas would be wetter and drier within the basin.

As previously mentioned, the attenuation basins and swales would also be seeded with a damp grassland mix containing species which compliment those listed below in Table 11.

Table 11 – Proposed Marginal Planting

%	Latin name	Common name
10	<i>Angelica sylvestris</i>	Wild Angelica
20	<i>Dactylis glomerata</i>	Cock's-Foot
15	<i>Deschampsia cespitosa</i>	Tufted Hair Grass
15	<i>Filipendula ulmaria</i>	Meadowsweet



%	Latin name	Common name
10	<i>Iris pseudacorus</i>	Yellow Flag Iris
20	<i>Lythrum salicaria</i>	Purple Loosestrife
10	<i>Myosotis scorpioides</i>	Water Forget-Me-Not

3.4 Proposed Hard Surfaces and Furniture

The site layout also includes areas of paving and hard landscape features. The public open spaces would include the following hard surfaces and landscape features;

- Surfaces footpaths such as hoggin with timber edging to allow for year-round use;
- Pedestrian bridges (timber recommended) to allow for crossing the swales;
- Benches (timber recommended) such as ‘Classic Hardwood Bench’ from External Works;
- Bins (timber recommended) such as ‘LBS Hardwood Square Bin’ from External Works;
- Dog Waste Bins such as Lieutenant from external works or similar approved; and
- Play and fitness equipment (timber recommended) within the play areas and outdoor gym.

All hard surfaces and landscape features would be constructed in accordance with the appropriate British Standards and manufacturer’s guidance. It is recommended that all street furniture would be bolted into the hard surfaces, rather than cast into concrete, so that these features can be temporarily moved if required.

3.5 Proposed Artificial Wildlife Installations

In order to provide immediate opportunities for faunal species in addition to those to come forward as part of the extensive habitat proposals, a number of faunal specific measures are to be incorporated into the scheme. These would include:

- Bat boxes on retained trees (e.g. Schwegler 2F bat boxes or similar approved);
- Integral bat boxes (e.g. EcoBat, Ibstock or Weineberger or similar approved);
- Bird boxes on retained trees (e.g. Schwegler 1b/2GR, or similar approved);
- Integral bird boxes (e.g. Ibstock or Weineberger or similar approved);
- Bee bricks and insect boxes; and
- Wood piles/ Hibernacula.

Where trees are to be felled or hedgerows removed as part of the development proposals, cuttings would be set aside and used to create the habitat piles that would be distributed along the periphery of the public open space. This would provide a range of opportunities for reptile, amphibian and invertebrate species.



4.0 Aftercare

This section of the draft LEMP covers how all landscape and ecological elements of the site layout would be managed to achieve the longer-term objectives set out in section 1.7. Although, as this draft LEMP accompanies an outline planning application, some aspects may be subject to change.

4.1 Management Responsibilities

4.1.1 Overview

A management agent would be appointed by the developer for the site and would be responsible for coordinating and monitoring the works of an appointed management company, ensuring the works are in accordance with the final LEMP, best practise, relevant legislation, British Standards, Regulations and Codes of Practice.

The name and contact details of the management company would be incorporated into the site information and signage as appropriate, so that visitors are able to contact the management team if required.

A maintenance sum would be calculated in accordance with contractor quotes to ensure the financing of the long-term management of the landscape across the site.

4.1.2 Personnel

This draft LEMP provides an initial overview of activities for 5 years following implementation of the landscape scheme (or individual phase, if relevant). The various tasks contained within the final LEMP should be reviewed and revised as deemed necessary every 5 years as the site establishes and the requirements for certain activities change. All areas of the site would be closely monitored throughout a 5-year aftercare period from the completion of any implementation works by a suitably competent professional, so that the most appropriate management regime can be defined on an area-by-area basis. This process would identify where the existing management regime requires modification to meet management objectives, both annually and in the long-term.

It is suggested that the following are appointed to ensure the successful implementation of the site layout and its long-term management:

- **Ecological Clerk of Works (ECoW)** - would be present at the start of specific ecology-related activities to ensure the delivery of each activity in accordance with the approved documents and giving 'Tool Box Talks', and towards the completion of the activity in order to certify the quality of the work. It would be necessary for the ECoW to be present at other times in the interim period, although this would be defined by the complexity of the activity and the potential for disturbance to existing sensitive features. In addition, Biodiversity Net Gain monitoring would be undertaken by the ECoW or other suitably qualified ecologist in line with the details set out below. The ECoW may also select specialist contractors to assist in specific habitat works;
- **Principal Contractor Biodiversity Champion** – They would receive training by the ECoW through a series of toolbox talks and tutorial sessions and would be provided with site inspection forms to encourage the recording of the necessary level of information during fortnightly site inspections during the creation of habitats. This would allow any hazards/defects to be identified and rectified;
- **Arboriculturalist** - to undertake an annual tree inspection and supervise any remedial work; and
- **Landscape Architect** – to work with the ECoW to inspect the implementation and management of the landscape scheme to ensure the habitat creation aims and objectives are met, and the correct species and densities of planting are implemented as well as routine management



procedures. It is also recommended that an independent inspector be contacted to undertake frequent inspections of the area and street furniture.

All materials, workmanship, quality and operations would be in accordance with all relevant British Standards, Codes of Practice and legislation.

There is an opportunity for involvement of local residents, visitors, volunteers and school children with habitat creation, management and monitoring of the site in the public open space areas to foster a sense of community ownership, and for educational purposes. This may also affect the management requirements over time.

4.1.3 Reporting and Monitoring

It is recommended that a checklist and detailed record of management operations are maintained by the operator when the aftercare period commences. It is also recommended that details of each year's aftercare, including works carried out and proposed works for the next year are compiled as an annual report which can be shared with the LPA if required.

It is general practice that visual inspections during years 1 to 5 of aftercare are carried out twice a year (at the start and end of the growing season in March and September/October) by the appointed landscape contractor. Along with reviewing the success and growth of vegetation/ habitats, these visits also provide opportunities to evaluate the management regime/operations for the forthcoming year and amend where necessary. Additional visual inspections may need to be carried out following unpredictable events such as extreme weather, which may require additional, specific actions. In years 6 to 15 maintenance operations would be further adapted to reflect the increasing maturity of planting and habitats. If deemed appropriate, visual inspections would be reduced to one per year (September/October) to review planting needs and adapt the landscape maintenance schedule accordingly.

To assess the effectiveness of habitat creation, establishment and the 'condition' of habitats post-development (including in order to ensure the relevant target BNG conditions are achieved in line with the permitted information), specific ecological monitoring surveys are proposed. Surveys would be undertaken by the ECoW or other suitably qualified ecologist during the appropriate season in order to review the progress of management activities and record any changes (including specific condition assessment survey in line with BNG guidelines). This would include a review of the monitoring targets for BNG requirements including any recommended changes to be incorporated into the management plan and associated implementation. The specific monitoring years would be agreed as part of the BNG information submitted post-consent, likely in years 2, 5, 10, 20 and 30.

Following each monitoring period, a monitoring report would be prepared, including for any necessary remedial measures or management 'tweaks'. Monitoring targets and requirements for each habitat are detailed in Section 4.3.2.

4.2 General Management Considerations

All areas of proposed and existing planting should take account of the below General Management Considerations, and Table 12 which provides guidance on the timings of these General Management Considerations. In addition to these tasks many of the proposed vegetation types/ habitats, as well as existing, would require more specific management operations to ensure their longer-term establishment, as discussed in Section 4.3 and shown in Table 13.

- Pruning may take place at certain times, as required, to remove dead or dying and diseased wood to promote healthy growth and natural shape. All pruning should be carried out in accordance with good horticultural practices. All tree works are to be carried out by an approved member of the Arboricultural Association. Cuttings from pruning would be utilised in habitat piles if appropriate or off-cuts would be chipped/shred and spread around the base of each plant



provided that ground flora and associated habitats are not disturbed. Any surplus or unwanted cuttings would be removed off site;

- Replacements of any dead, dying or diseased plants (to allow for 95% coverage) would be undertaken in the early years (c.1-5) of establishment using like-for-like species/mixes, unless otherwise agreed with the local authority. Should losses reoccur then it may be necessary to undertake investigations into site conditions and agree alternatives with the LPA, to ensure that the proposed landscape continues to fulfil the landscape objectives in section 1.7. Replacement planting should be carried out between November and March inclusive, avoiding the winter frosts. Replacement seeding should be carried out in spring or autumn;
- All management operations requiring vegetation removal, including pruning, should have regard to the bird nesting season (running from March to late August) and any potential disturbance to bird habitats should be avoided during this time and/or ecological supervision provided;
- In all planted/ seeded areas, weed control, including ring weeding and hand pulling of seedlings and monitoring for invasive non-native species should be carried out annually. A minimum of three maintenance visits for weed control should be carried out in spring, summer and autumn. More visits should be carried out if required to keep the individual planting areas free of weeds;
- Under the provisions of the Weeds Act 1959, it is the responsibility of all occupiers of land to control injurious weeds, so that they do not spread. Noxious and/or non-native invasive species would be controlled, removed and disposed of in accordance with best practice and the appropriate guidelines, e.g. for Japanese Knotweed;
- An assessment of watering need should be carried out during dry periods, with particular note paid to planting areas that could be more susceptible to dry conditions;
- Annual checks on plant health and vigour shall inform the requirement for fertiliser and frequency of application. In areas of wildflower grassland, use of fertiliser should be avoided in order to promote a floristically diverse sward;
- Shelters, stakes and ties for new trees should be checked and replaced /adjusted /removed as required in spring/ autumn, and mulch topped up as required to retain a 75mm layer;
- Shelters would also be kept free from weeds, by hand weeding or where necessary by careful checking and folding out of any growth for spraying; and
- Monitoring of grassland should be undertaken during the initial establishment period in order to ensure target results are achieved. Any observations noted should be considered in order to update prescribed longer-term management operations as appropriate.

Table 12 - Timings of Main Annual Management Operations

Timings	Standard Operations, to be carried out as required
WINTER	<ul style="list-style-type: none"> • Complete record of previous year's operations • Thinning/ felling operations within woodland areas to maintain desired structure following arb advice. Removal of scrub such as bramble where identified to be dominating planting. Formation of habitat piles. • Native hedgerow trimming on rotation (once established) • Replacement planting – avoiding winter frosts (if required) • Checking of tree shelters and plant guards, stakes and ties and replace if necessary / remove where no longer required • Litter collection
SPRING	<ul style="list-style-type: none"> • Visual inspection of vegetation and habitats



Timings	Standard Operations, to be carried out as required
	<ul style="list-style-type: none"> • Replacement seeding (if required) • Weed control • Readjustments and firming of planting areas, including shelters and ties • 1st Grass cut of wildflower grassland to be undertaken in April (if required) • Assessment of fertiliser requirements • Litter collection
SUMMER	<ul style="list-style-type: none"> • Weed control • Grass cut of amenity grassland in communal areas • Main annual cut of wildflower grassland to occur between August to September. • Assess irrigation/ watering requirements • Assessment of fertiliser requirements • Litter collection
AUTUMN	<ul style="list-style-type: none"> • Visual inspection of vegetation and habitats • Collection of leaf litter • Grass cut of wet grassland on rotation • Weed control • Review of woodland thinning requirements (under arb supervision) • Replacement planting – avoiding winter frosts (if required) • Litter collection

4.3 Specific Management/ Monitoring considerations

The following additional considerations are provided for specific planting areas (existing to be retained and proposed) for 0-5 years (N.B. The final LEMP would be reviewed and revised as the site matures and management needs change):

4.3.1 Existing Vegetation/ Habitats

Existing Trees

Following construction, all trees would be monitored and managed in an appropriate manner by an arboriculturist, in accordance with an arboricultural method statement. This is likely to include the commissioning of a qualified arboriculturist to undertake an annual inspection of the health and structural condition of all trees and to produce a schedule of any remedial or arboricultural management works required or recommended in accordance with British Standard 3998 'Tree Work - Recommendations'. Particular attention would be given to the risk of trees causing harm to persons or property, to the physiological and structural condition of individual trees (including the recording and monitoring of diseases or decay) and to the ongoing management of trees, understorey and soils to improve arboricultural quality and longevity.

Emergency tree work may need to be carried out on occasion. Where time allows, advice from an arboriculturist, and if required permission from the LPA, shall be sought. To ensure swift action, contact details of the management company shall be available on site. Additional site inspections following extreme weather events shall also be carried out.

Existing Mixed Native Hedgerows

Once established, species rich hedgerows would be cut to c.2.5m in an 'A-Shape' no more than once annually, and ideally on a 2 – 3 year rotational basis, with no more than 50% cut per annum (ensuring continued habitat for nesting birds and varied structure). Any cuts shall typically be undertaken in late



winter, if possible, in order to avoid any potential impacts on nesting birds and Dormouse and retain valuable food sources for birds.

Intermittently, these hedgerows would also be maintained so they do not overhang any paths using a reciprocating blade cutter, not a flail. Cutting would consider potential presence of Dormouse and nesting birds, with a suitably qualified ecologist to be consulted if this is to be more than a very light trim.

Where possible, ground flora would be allowed to develop beneath the hedgerows/ unmown margins of c. 2m to enhance their function as a wildlife corridor. These areas of grassland would be strimmed once every three years on rotation (1/3 of vegetation strimmed at any one time).

4.3.2 Proposed Grassland

Growth and establishment of grasslands may be slow initially. Weed growth is easily controlled by topping or mowing in the first growing season.

In the second and subsequent years grass sowings can be managed in a number of ways which, in association with soil fertility, would determine the character of the grassland, as detailed below.

All grass areas would be reviewed annually for wear and tear. Any damaged areas would be made good by oversowing of a grass seed mix (to suit type of grassland) in March/April or September/October.

Prior to cutting, all debris/ litter in grassed areas is to be removed, including earth clods and stones larger than 25mm in diameter. Leaves would be raked off grass in autumn.

During Year 5, the requirement of a potential second scarification and re-seeding programme would be assessed in light of the success of the initial enhancement programme. Should it be determined that further measures are required in order to reach target condition, the exact methodology and seed-mix would be determined after evaluation.

Where necessary, hand weeding or an application of selective herbicide spot treatment may be undertaken in early April in order to control initial weed growth and prevent domination by colonising ruderal species. All arisings would be removed from site. Although, in no circumstances should a selective or translocated herbicides (e.g. Glyphosate) be used within the attenuation basins and swale.

Proposed Amenity Grassland

Once seedling grasses have established in all amenity grassland areas (typically 3 – 4 weeks in good growing conditions), the ground should be lightly firmed and the soil levelled around the grass roots. A few days later the grass should be ready for its first cut.

Grass should be cut with the mower set on a high setting (50mm +), aiming to trim the sown grass back by about one-third of its height and cut back any weeds. The grass can then be mown as regularly as required throughout the growing season (generally March – October), to a height of around 50-60mm.

Proposed Wildflower Grassland

Newly sown wildflower grassland areas can be mown regularly throughout the first year of establishment to a height of 50-60mm, removing cuttings if dense. This would control annual weeds and help maintain balance between faster growing grasses and slower developing wildflowers.

Following the first year of establishment, wildflower grass areas would receive one cut in April and another in late summer (late August/early September), after the wildflowers have set and shed seed, both to approximately 75-100mm. The sowing is to be managed to allow the grasses to grow tall, flower and seed from May through to July/August. When the grass is cut back in late summer uncut margins should be left each year on alternate rotation. Autumn mowing could then be undertaken as deemed appropriate and all arisings removed to a compost heap. The approach would be monitored by a suitably qualified professional. A 1m margin at the edges of the grassland adjacent to paths would be kept shorter, mown more frequently to a height of 50mm.



Proposed Damp Grassland

Damp grassland within the attenuation basins and swales would generally receive one cut in late summer (late August/early September), after the wildflowers have set and shed seed, to a height of approximately 75-100mm. All arisings would be removed from site.

4.3.3 Proposed Tree, Shrub and Hedgerow

Fertiliser requirements would be assessed on an annual basis throughout the aftercare period. Plants may receive slow-release fertiliser, applied to the base of each plant, according to manufacturer's instructions, at the start of the growing season (March – June).

Proposed Native Woodland Planting

Formative pruning would be undertaken to remove any dead, dying or diseased wood and suckers, to promote healthy growth and ensure balanced crown shape.

All woodland planting areas (out with 10m of the waterbodies) would be maintained free of vegetative competition (i.e. weeds) by hand weeding and where necessary use of the application of herbicide to a 1m diameter around the base of each plant, using a controlled droplet applicator, or similar, to minimise spray drift, for the first three years after planting.

Some bramble growth is to be encouraged in the woodland areas to provide valuable scrub cover for wildlife but any substantial increase in bramble cover would be checked and managed.

Proposed Individual Trees

Formative pruning would be undertaken to remove any dead, dying or diseased wood and suckers, to promote healthy growth, ensure balanced crown shape and ensure tree canopies are back from roads and paths.

When mature (anticipated year 15 onwards), management is likely to include steps such as crown lifting, pollarding and coppicing.

All individual trees planted with urban irrigation and anchor systems would be checked regularly, particularly during drier periods, to ensure that the system is working properly and the tree is of good health and vigour. All checks should be in accordance with the manufacturer's specification.

Proposed Orchard Trees

It is envisaged that management of the fruit trees would be relatively minimal to maximise their value to biodiversity whenever possible.

Along with the general management considerations, fruit trees would be pruned and shaped during winter to prevent branch rubbing and retain a balanced shape, air and light to the tree, and induce flower and fruit bud formation as well as shoot growth.

When mature (anticipated year 15 onwards), management is likely to include steps such as pollarding, coppicing and pruning.

If deemed appropriate, fallen fruit would be left in situ as a source of food for wildlife.

It may be necessary for the timing/ frequency of activities to be adapted according to the particular requirements of the fruit trees in later years – there may, for example be increased requirements for pruning as trees mature.

For the fruit trees within rear-gardens, these would be the responsibility of home owners. The retention of these trees would be ensured through a covenant on the property.



Proposed Mixed Native Hedgerows

In addition to annual tasks in relation to weed control, fertiliser application and watering, as stated in Section 4.2 above, proposed hedgerows would also be cut so that they retain a healthy form, aligning with the management of existing hedgerows.

For the hedgerows within front and rear gardens, these would be the responsibility of home owners. The retention of these trees would be ensured through a covenant on the property.

Proposed Native Shrubs

In addition to annual tasks in relation to weed control, fertiliser application and watering, as stated in Section 4.2 above, the shrubs would also be pruned once established so that they retain a healthy form, encourage vigorous growth, and ensure they do not overhang any paths. This would be done in accordance with good horticultural practices and at the appropriate time of year. Dead heading after flowering may also be required.

Proposed Ornamental Shrubs

Once established plants would be pruned as required to support vigorous growth and form, but to also prevent obscuring of paths and sight lines.

Where plants grow outside their bounds, they would be pruned in accordance with good horticultural practices and at the appropriate time of year. Dead heading after flowering may also be required.

Straggly stems, over-vigorous shoots, suckers and dead misshapen or broken branches shall be removed by pruning back.

4.3.4 Proposed Drainage Features (inc. Swales and Attenuation Basins)

Technical Maintenance

The following provides a summary of the typical maintenance activities associated with the different drainage features:

- **Permeable Paving** - Brushing and vacuuming three times per year; removal of weeds, repair of any broken blocks/damaged areas; maintenance of vegetation; three monthly inspections for poor operation and/or weed growth; annual inspection of inspection chambers; annual inspection for silt accumulation.
- **Swales/Rain Gardens** - Monthly removal of litter, grass cutting and vegetation management; annual re-seeding and pruning; repairs due to erosion, reinstatement of design levels, scarification and spiking of topsoil, removal of sediment, and removal of oils or petrol residues as required; monthly inspection for blockages, ponding, compaction and silt accumulation; monthly inspection for blockages and physical damage; six monthly inspection for silt accumulation and functioning of mechanical devices (where necessary).
- **Flow Control Devices** – To be inspected every three - six months, after a large storm event, or after an observed deterioration in system performance.
- **Attenuation Basins** – Main requirements include mowing along maintenance access routes, amenity areas and across any formed embankments. The remaining areas can be managed as 'meadow'. Grass clippings should be disposed of offsite to remove nutrients and pollutants. Sediment will occasionally require removal when reaching 25 mm depth.
- **Wetlands** – Monthly removal of litter and debris, cutting of grass in public areas; monthly inspection of inlets, outlets, banksides, structures, pipework etc. for evidence of blockage and/or physical damage; monthly inspection of waterbody for signs of poor water quality (May – October); six monthly cutting of meadow grass; six monthly inspection of silt accumulation



rates; six monthly inspection of any mechanical devices; annual hand cut of submerged and emergent aquatic plants; annual removal of bank vegetation and tidying of dead growth; remedial repair, replanting, aeration, and realignment as required.

The above represents a typical maintenance schedule; a site-specific schedule should be fully developed and agreed upon detailed design of the site drainage.

Proposed Marginal Planting

It is acknowledged that management operations within the basins and swales can disturb plant and animal communities and thus it is proposed that any necessary works would be carried out on a rotational basis, so that as broad a range of successional stages as possible is evident on the site. Rotational management options potentially include thinning of alternate areas on a rotational basis in order to leave other areas undisturbed and provide shelter for wildlife. It is envisaged that works are carried out on a two year cycle, but this would be assessed so that factors such as vegetation growth rates, function as a drainage feature and presence of any other management operations can be considered. Prior to undertaking all works, the ECoW or a suitably qualified ecologist would be consulted.

Thinning may be required to reduce the spread of the most aggressive species. A balanced ecosystem would rely on the interaction of a wide variety of plant and invertebrate species; complete removal of any one species may upset this balance and should only be implemented to remove non-native invasive species.

Autumn is the best time of the year for carrying out maintenance. During winter some animal species would be hibernating in and around the basins and swales and maintenance during the spring and early summer would disturb the breeding seasons of many amphibian species. Plants would be cut down in autumn and arisings removed. Discarded plants would be left adjacent to the basins and swales for 24 hours to allow wildlife to return.

When thinning marginal vegetation, planting should remain in a range of positions within the basins and swales to provide a variety of habitats for different species.

To ensure that natural surveillance continues between the housing and attenuation basins, taller plant species should be thinned and/or cut back annually. This work should also be carried out in autumn.

4.3.5 Proposed Hard Surfaces and Furniture

Proposed Hard Surfaces and Furniture

All hard surfaces, furniture and landscape features would be maintained in accordance with the supplier/manufacturer's specifications. However, the following general maintenance operations would be undertaken:

- Footpaths would be checked every 6 months for wear and tear. Any areas of settlement or damage would be made good in accordance with current UK safety standards;
- Footpaths would be kept free of litter, weeds, grass cuttings, and general debris. All weed growth would be sprayed every 6 months;
- Weeds and moss on hard surfaces and along kerbs would be prevented from becoming established by being removed manually or using suitable herbicides when they are less than 50mm in height. Jet cleaning would not be carried out to prevent undermining paving sub-base materials; and
- All hard surfaces are to be kept free of leaves and debris using a leaf blower.



Furniture

- Street furniture would be inspected regularly to ensure there is no vandalism or missing features, and no health and safety issues. Missing or broken items would be replaced. Any necessary repairs are to be carried out in accordance with UK safety standards;
- Any unauthorised use of the area such as vandalism / graffiti or other abuse shall be reported immediately to the management agent for further action. Any problems shall be identified, and an appropriate strategy put in place;
- Regular visits would be undertaken to empty dog and litter bins;

Play/ Outdoor Equipment

- Regular inspections of play features would be undertaken, by a competent (trained) person in strict accordance with the manufacturer's/supplier's instructions. The routine inspection would include:
 - visually checking the play features for any obvious faults or hazards that can be a danger to children, parents or carers; and
 - ensuring that the surface and surrounding areas are free from debris, which could cause injury or be a hazard to health or the environment; for example, litter or fouling.
- Routine inspections would be followed by the necessary remedial work, e.g., lubrication of fixings, touching up paint work and repairing safety surfacing and other components and removing any litter.

4.3.6 Proposed Artificial Wildlife Installations

- Where possible, proposed bat and bird boxes to be installed within the fabric of built form would be designed so no additional long-term management is required.
- Annual condition checks of bat and bird boxes in Public Open Spaces would be undertaken (free hanging boxes only) by the ECoW or Landscape Maintenance Contractor and damaged or fallen boxes would be replaced as necessary from Year 1.
- Replace or reposition bat and bird boxes if required under the supervision of the EcoW
- Trees with bat potential are selected for retention wherever possible. Should removal or other works be required for reasons such as health and safety, trees would be subject to appropriate surveys by the ECoW or a suitably experienced ecologist (and to be licenced where required).
- Created habitat piles would be monitored and replaced every five years, if required, as original woody material rots down. The size/shape of each wood/brush pile should not exceed 1m x 1m x 0.6m high, and piles should be tidy and secure.

Monitoring of Priority Habitats

To assess the effectiveness of habitat creation, establishment and the condition of habitats post-development (including in line with BNG requirements), specific ecological monitoring surveys are proposed. Reporting would be appropriate to document evidence of this monitoring and responsive management and would include details of any improvements to the management prescriptions as required.

Regular monitoring of habitats would be undertaken by the ECoW or a suitably qualified ecologist which would include a review of management prescriptions in order to ensure that the required BNG habitat conditions have been achieved, with remedial measures proposed in the event that target conditions have not been met. The specific monitoring years would be agreed as part of the BNG information submitted post-consent, likely in years 2, 5, 10, 20 and 30.



The aim of ongoing management of each habitat within the Site would be to achieve and maintain their targeted condition and the overall objectives and targets set out in section 1.7. From an ecological perspective, achieving the desired targets should be a priority for the following habitats due to the significance of their contribution to overall biodiversity value within the Site: woodlands, hedgerows, wildflower grassland, native scrub, trees and sustainable drainage system.

The following targets for the key habitat types have been set out following a biodiversity metric approach and based on realistic aspirations for habitats within the Site:

- The newly created **woodland** would be maintained in at least moderate condition based on BNG criteria.
- All retained **hedgerows** would be retained / enhanced to achieve good condition. Newly created hedgerows would be maintained to achieve at least moderate condition.
- Management of newly created **wildflower grassland** and **native scrub** habitats would seek to maintain these habitats in at least moderate condition based on BNG criteria.
- Existing native trees would be subject to minimal management to maintain existing good condition (where applicable), whilst new tree planting would be managed to achieve at least poor condition.
- **Sustainable drainage system** features would be designed to incorporate pollinator-friendly aquatic, marginal and emergent plants and would be managed to maintain habitats in at least moderate condition based on BNG criteria.



5.0 Summary of Maintenance Operations

Table 14 below presents a summary of main annual management operations and timings in accordance with those tasks mentioned for each vegetation type in Section 4.2 and 4.3. It is proposed that a checklist and detailed record of management operations are maintained yearly by the appointed landscape maintenance contractor.

Table 13 - Annual Management Operations

Action	J	F	M	A	M	J	J	A	S	O	N	D
Year 1 – 5 Annual Inspections (March and September/ October)			✓						✓	✓		
Year 6 + Annual Inspections (September/ October).									✓	✓		
Any additional visits required following unpredictable events, such as extreme weather.	As required.											
Proposed Amenity Grassland												
When required (often up to fortnightly during mid-summer), cut of amenity grass to a height of 50-60mm.			✓	✓	✓	✓	✓	✓	✓	✓		
Removal of fallen leaves.										✓	✓	✓
Hand weeding, with spot treatment in April if necessary to control unwanted plant growth.	As required.											
Review annually for wear and tear, and over sow where worn/ failed.			✓	✓					✓	✓		
Application of slow-release fertiliser (if required).			✓									
Regular inspection for watering during establishment.	Monthly											
Year 5, secondary scarification and re-seeding if deemed necessary.			✓	✓								
Proposed Wildflower Grassland												
Year 1, fortnightly cut of wildflower grassland to a height of 50-60mm.				✓	✓	✓	✓	✓	✓			
Once established, cut up to 2 times per year to 75-100mm in April (remove arisings) and late August/September after flowering				✓					✓	✓	✓	



Action	J	F	M	A	M	J	J	A	S	O	N	D
(leave seed to set, and then remove arisings). Autumn mowing could then be undertaken as deemed appropriate.												
Litter collection prior to cutting.				✓					✓	✓	✓	
Hand weeding, with spot treatment in April if necessary to control unwanted plant growth.	As required.											
Mown paths and edges adjacent to hardstanding (1m in width) shall be cut regularly to approximately 50-60mm.				✓	✓	✓	✓	✓	✓			
Review annually for wear and tear, and over sow where worn/ failed.			✓	✓					✓	✓		
Year 5, secondary scarification and re-seeding if deemed necessary.			✓	✓								
Proposed Damp Grassland												
Once established, cut once a year in late summer (August/September) after flowering and flowers have shed and set seed, to a height of approximately 75-100mm. Remove arisings.				✓					✓	✓	✓	
Litter collection prior to cutting.				✓					✓	✓	✓	
Hand weeding to control unwanted plant growth.	As required.											
Review annually for wear and tear, and over sow where worn/ failed.			✓	✓					✓	✓		
Existing and Proposed Trees, including Woodland and Orchard Trees												
Annual safety and condition inspection by arboriculturist.										✓		
Following inspection, removal of dead, dying or diseased plants where it cannot be retained in situ. Requires consultation with ECoW and/ or arboriculturist.	✓	✓	✓							✓	✓	✓
Replacement of dead, missing, dying or defective plants.	✓	✓	✓							✓	✓	✓
Check and re-adjust spiral guards, stakes and ties (if too loose, tight or chaffing). Replace if damaged or missing and remove if no longer required.										✓		



Action	J	F	M	A	M	J	J	A	S	O	N	D
Formative pruning and trimming back from roads or paths.	✓	✓								✓	✓	✓
Application of slow-release fertiliser (if required).			✓	✓	✓							
Within woodlands, base of trees to be kept free from weeds by hand weeding and where necessary use of the application of herbicide to a 1m diameter around the base of each plant.				✓	✓	✓	✓	✓	✓			
Around individual trees, including orchards, base of trees to be kept free from weeds using a combination of a 75mm layer of bark mulch and hand weeding, and where necessary the application of herbicide.				✓	✓	✓	✓	✓	✓			
Hand weeding within spiral guards and application of herbicide where necessary.				✓	✓	✓	✓	✓	✓			
For orchard trees, if possible, leave fallen fruit as a food source for wildlife.									✓	✓	✓	
Regular inspection for watering during establishment. During inspection, inspect the irrigation systems for trees within hard landscapes.	Monthly											
Once established, tree works such as crown reduction, pollarding, coppicing and pruning of trees. Requires consultation with ECoW and arboriculturist.	✓	✓								✓	✓	✓
Existing and Proposed Native Hedgerows												
All mixed native hedgerows, cut to c.2.5m in an 'A-Shape' no more than once annually, and ideally on a 2 – 3 year rotational basis, with 50% cut per annum.	✓	✓										
Regularly trim back plants adjacent to paths and roads to avoid obscuring sightlines and areas of hardstanding.	✓			✓			✓			✓		
Strim back ground flora on a 3-year rotation.									✓			
Weeding around new plants and within spiral guards, and top up mulch layer to 75mm.				✓	✓	✓	✓	✓	✓			
Check and re-adjust spiral guards, stakes and ties (if too loose,									✓			



Action	J	F	M	A	M	J	J	A	S	O	N	D
tight or chaffing). Replace if damaged or missing and remove if no longer required.												
Application of slow-release fertiliser (if required).			✓	✓	✓							
Regular inspection for watering during establishment.	Monthly											
Replacement of dead or defective new planting.	✓	✓	✓							✓	✓	✓
Removal of self-sown and unwanted plants.				✓	✓	✓	✓	✓	✓			
Proposed Native Shrubs												
Regularly trim back plants adjacent to paths to avoid obscuring sightlines.	✓			✓			✓			✓		
Pruning to remove any dead, dying or diseased wood and suckers and to keep plant within boundaries and of tidy appearance.			✓	✓					✓	✓		
Replacement of dead or defective new planting.	✓	✓	✓							✓	✓	✓
Weeding around new plants and within spiral guards, remove self-seeded plants, remove litter and top up mulch layer to 75mm.				✓	✓	✓	✓	✓	✓			
Check and re-adjust spiral guards, stakes and ties (if too loose, tight or chaffing). Replace if damaged or missing and remove if no longer required.									✓			
Application of slow-release fertiliser (if required).			✓	✓	✓							
Regular inspection for watering during establishment.	Monthly											
Proposed Ornamental Shrubs												
Remove self-seeded plants and prune back plants at the appropriate time of year for individual species to ensure they appear tidy and don't obscure paths or sightlines.	As required											
Weeding around new plants, remove self-seeded plants, remove litter and top up mulch layer to 75mm.				✓	✓	✓	✓	✓	✓			
Application of slow-release fertiliser (if required).			✓	✓	✓							
Regular inspection for watering during establishment.	Monthly											




Action	J	F	M	A	M	J	J	A	S	O	N	D
Adjustments to ensure plants remain upright.			✓									
Replacement of dead, damaged and diseased planting.	As stock is available and under suitable conditions											
Proposed Marginal Planting												
Cutting back and thinning marginal plants on a 2-year rotation.										✓		
Hand weeding around new plants to keep bases weed free and remove litter.			✓	✓	✓	✓	✓	✓	✓	✓		
Replacement of dead or defective new planting	✓	✓	✓									
Hard Landscape Areas												
Wear and tear inspection.			✓						✓			
Hard landscape areas maintained free of litter, weeds, grass cuttings, leaves, moss and general debris.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Street Furniture												
Check safety and condition of street furniture and follow up with any remedial work. Report any signs of vandalism to management agent for further action.	Regularly, but at least twice a month											
Arrange RoSPA inspections on a regular basis during the plan period.	As required											
Empty Litter and Dog waste bins	Regularly, but at least twice a month											
Clear site of rubbish and deleterious furniture / associated materials.	As required											
Check benches and bins and replace missing or damaged items.	As required, but at least 4 times per year											
Play/Outdoor Equipment												
Check safety and condition of play equipment.	Regularly, but at least twice a month											
Arrange RoSPA inspections on a regular basis during the plan period.	As required.											



Action	J	F	M	A	M	J	J	A	S	O	N	D
Artificial Wildlife Installations												
Inspection to check condition and replace as required.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓





Making Sustainability Happen