



Appendix C: Consultation Responses



Hi James,

Your enquiry has been brought to my attention by our Policy Team, and I would offer the following advice. Please check our safeguarding guidance for reference.

Regarding the oil and gas side of your query, oil and gas sites are not safeguarded unless an active permission for extraction, so the resource itself is not safeguarded by us.

As for the building stone, you will need to submit a Mineral Resource Assessment as set out in the safeguarding guidance (see link above). This should address the feasibility of the prior extraction of the resource where development may permanently sterilise it, or the possibility of incidental extraction where appropriate. Further, Policy M9 of the joint Minerals Local Plan (2018) provides more information.

If you require formal pre application advice, this can be done via our website. Please let me know if you have any questions regarding the process.

Kind regards,

Edward Anderson

Planner, County Planning, Planning Services

West Sussex County Council, Ground Floor, Northleigh, County Hall, Chichester, West Sussex,
PO19 1RQ

Internal: 28879 | External: 0330 222 8879 | E-mail: Edward.Anderson@westsussex.gov.uk | Web:
www.westsussex.gov.uk




Appendix D: Engineering Logs



Trial Pit Log

TP01
Page 1 of 1

Project Name: Ansty Farm Project No: P21367
 Location: Haywards Heath, Sussex Co-ords: - Level:
 Hole Type: TP Logged By: JRB Dates: 27/6/23 - 27/6/23
 Client: Fairfax Acquisitions Ltd Consultant: JRB
 Plant Used: Wheeled Excavator Length: 1.6 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.40		TOPSOIL: Grass over brown sandy CLAY. Sand is fine to medium. Abundant roots and rootlets		
		2.80		Brown mottled light grey and orange sandy gravelly CLAY. Gravel is medium to coarse sub-angular of iron rich calcareous sandstone concretions	@ 1.5m becoming cobbly of iron rich concretions up to 15cm long axis @ 2.4 becoming very gravelly	0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5

Position cleared with CAT and progressed to 3m bgl whereupon soakaway testing was performed. Position backfilled with arisings.

Trial Pit Log

TP02A
Page 1 of 1



Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 27/6/23 - 27/6/23

Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 2 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.50		TOPSOIL: Grass over brown slightly sandy slightly gravelly CLAY sand is fine to medium gravel is coarse sub-angular to angular of sandstone		0.5
		2.50		Brown mottled orange slightly gravelly CLAY gravel is medium to coarse sub-angular of sandstone	@1.0m low cobble content of sandstone @ 1.6m becoming blue grey mottled brown @ 2.0m occasional rootlets, dead decaying	1.0 1.5 2.0 2.5
						3.0 3.5 4.0 4.5

Position cleared with CAT and progressed to 3m bgl whereupon soakaway testing was performed. Position backfilled with arisings.

Trial Pit Log

TP02B
Page 1 of 1




Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 27/6/23 - 27/6/23

Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 2 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.35		TOPSOIL: Grass over brown sandy CLAY sand is fine		
				Yellowish brown mottled light blue grey CLAY		0.5
		1.10				1.0
				Blue grey mottle orange and ochre sandy, gravelly CLAY with medium cobble content. Gravel is fine to coarse sub-angular of sandstone, sand is fine to coarse		1.5
						2.0
						2.5
		2.90				3.0
						3.5
						4.0
						4.5

Position cleared with CAT and progressed to 3m bgl whereupon soakaway testing was performed. Position backfilled with arisings.

Trial Pit Log

TP03
Page 1 of 1



Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 27/6/23 - 27/6/23



Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 1.6 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.40		TOPSOIL: Grass over brown slightly sandy CLAY. Sand is fine to medium. Abundant rootlets		
		1.50		Orangeish brown slightly sandy CLAY sand is fine		0.5 1.0
		2.50		Yellowish brown occasionally brown slightly clayey slightly gravelly fine to medium SAND with a low cobble content up to 10cm long axis of lithic fragments. Gravel is fine to coarse sub-angular of lithic fragments of sandstone	@2.0m becoming very gravelly with a high cobble content	1.5 2.0 2.5 3.0 3.5 4.0 4.5

Position cleared with CAT and progressed to 3m bgl whereupon soakaway testing was performed. Position backfilled with arisings.

Project Name: Ansty Farm Project No: P21367
 Location: Haywards Heath, Sussex Co-ords: - Level:
 Hole Type: TP Logged By: JRB Dates: 28/06/23 - 28/06/23
 Client: Fairfax Acquisitions Ltd Consultant: JRB
 Plant Used: Wheeled Excavator Length: 1.9 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.45		TOPSOIL: Grass over orangeish brown very sandy CLAY sand is fine to medium		0.5
		1.50		Light brown mottled grey slightly sandy and slightly gravelly CLAY sand is fine to coarse gravel is fine to coarse sub-angular of iron rich concretions	@1.5m becoming gravelly	1.0
		1.60		Yellow medium grained SANDSTONE recovered as yellow orange gravelly sand		1.5
						2.0
						2.5
						3.0
						3.5
						4.0
						4.5

Position cleared with CAT and progressed to 1.6m bgl position terminated on bedrock whereupon soakaway testing was performed. Position backfilled with arisings.



Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 28/06/23 - 28/06/23


Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 1.7 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.15		TOPSOIL: Grass over orangeish brown very sandy CLAY sand is fine to medium		
		0.75		Reddish brown slightly sandy CLAY sand is fine to medium		0.5
		2.40		Yellow, grey and orange clayey fine to medium predominantly fine SAND. Occasional pockets of (<10cm) of very sandy clay		1.0 1.5 2.0
						2.5 3.0 3.5 4.0 4.5



Position cleared with CAT and progressed to 2.4m bgl position whereupon soakaway testing was performed. Position backfilled with arisings.

Project Name: Ansty Farm Project No: P21367
 Location: Haywards Heath, Sussex Co-ords: - Level:
 Hole Type: TP Logged By: JRB Dates: 28/06/23 - 28/06/23
 Client: Fairfax Acquisitions Ltd Consultant: JRB
 Plant Used: Wheeled Excavator Length: 1.8 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.15		TOPSOIL: Grass over orangeish brown very sandy CLAY sand is fine to medium		
				Orange mottled grey slightly sandy CLAY sand is fine to medium		0.5 1.0 1.5 2.0 2.5
		2.50				2.5 3.0 3.5 4.0 4.5



Position cleared with CAT and progressed to 2.5m bgl position whereupon soakaway testing was performed.
 Position backfilled with arisings.

Project Name: Ansty Farm Project No: P21367
 Location: Haywards Heath, Sussex Co-ords: - Level:
 Hole Type: TP Logged By: JRB Dates: 28/06/23 - 28/06/23
 Client: Fairfax Acquisitions Ltd Consultant: JRB
 Plant Used: Wheeled Excavator Length: 1.9 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.40		TOPSOIL: Grass over brown slightly sandy slightly gravelly CLAY sand is fine to medium gravel is coarse sub-angular to angular of sandstone		0.5
		2.70		Orangeish brown mottled light grey CLAY rare coarse gravel sized iron rich concretions		2.0
						2.5
						3.0
						3.5
						4.0
						4.5

Position cleared with CAT and progressed to 2.7m bgl position whereupon soakaway testing was performed.
 Position backfilled with arisings.

Project Name: Ansty Farm Project No: P21367
 Location: Haywards Heath, Sussex Co-ords: - Level:
 Hole Type: TP Logged By: JRB Dates: 29/06/23 - 29/06/23
 Client: Fairfax Acquisitions Ltd Consultant: JRB
 Plant Used: Wheeled Excavator Length: 1.9 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.40		TOPSOIL: Grass over brown sandy CLAY sand is fine		
				Light brownish orange mottled light blue grey CLAY friable		0.5
		2.50				1.0
						1.5
						2.0
						2.5
						3.0
						3.5
						4.0
						4.5

Position cleared with CAT and progressed to 2.5m bgl position whereupon soakaway testing was performed.
 Position backfilled with arisings.


Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 29/06/23 - 29/06/23

Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 1.2 Width: 0.5

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.10		TOPSOIL: Grass over orangeish brown very sandy CLAY sand is fine to medium abundant rootlets		
		1.20		Reddish brown slightly sandy CLAY with rare pockets <15cm of fine gravel of sub-angular sandstone		0.5 1.0
		1.90		Grey very clayey sandy fine to coarse angular GRAVEL of sandstone sand is fine to coarse		1.5
						2.0 2.5 3.0 3.5 4.0 4.5

Position cleared with CAT and progressed to 1.9m bgl position whereupon soakaway testing was performed. Position backfilled with arisings.


Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 26/6/23 - 26/6/23

Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 1.6 Width: 0.6

Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.10		TOPSOIL: Grass over yellowish brown sandy CLAY. Sand is fine to medium. Abundant rootlets		
		0.40		Light brown very clayey fine to medium SAND with occasional rootlets		0.5
		3.00		Brown mottled grey and orange CLAY occasional relic rootlet casts		1.0 1.5 2.0 2.5 3.0
						3.5 4.0 4.5

Position cleared with CAT and progressed to 3m bgl whereupon soakaway testing was performed. Position backfilled with arisings.

Trial Pit Log

TP10
Page 1 of 1












Project Name: Ansty Farm Project No: P21367

Location: Haywards Heath, Sussex Co-ords: - Level:

Hole Type: TP Logged By: JRB Dates: 26/6/23 - 26/6/23

Client: Fairfax Acquisitions Ltd Consultant: JRB

Plant Used: Wheeled Excavator Length: 1.5 Width: 0.5


Well	Water	Depth	Legend	Stratum Description	Detailed Description	Depth m
		0.15		TOPSOIL: Grass over brown sandy CLAY. Sand is fine to medium. Abundant rootlets		
		0.40		Light brown very clayey fine to medium SAND with occasional rootlets		0.5
		2.80		Brown mottled light grey and orange slightly gravelly CLAY. Gravel is medium to coarse sub-angular of iron rich calcareous concretions		1.0
						1.5
						2.0
						2.5
						3.0
						3.5
						4.0
						4.5
						
						

Position cleared with CAT and progressed to 3m bgl whereupon soakaway testing was performed. Position backfilled with arisings.



Appendix E: Envirocheck Report





© Crown Copyright. All Rights Reserved. License Number 100022432

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 302932135_1_1
 Customer Ref: P21367
 National Grid Reference: 529290, 123070
 Slice: A
 Site Area (Ha): 100.06
 Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 302932135_1_1
 Customer Ref: P21367
 National Grid Reference: 529290, 123070
 Slice: A
 Site Area (Ha): 100.06
 Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark[®]
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432

0 1 km

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 302932135_1_1
 Customer Ref: P21367
 National Grid Reference: 529290, 123070
 Slice: A
 Site Area (Ha): 100.06
 Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Source Protection Zones


General

- ◊ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- ▨ Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- ▨ Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- ▨ Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 302932135_1_1
 Customer Ref: P21367
 National Grid Reference: 529290, 123070
 Slice: A
 Site Area (Ha): 100.06
 Search Buffer (m): 1000


Site Details

Site at, Ansty, West Sussex

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

527000 527500 528000 528500 529000 529500 530000 530500



© Crown Copyright. All Rights Reserved. License Number 100022432

0 1 km

Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 302932135_1_1
 Customer Ref: P21367
 National Grid Reference: 529290, 123070
 Slice: A
 Site Area (Ha): 100.06
 Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

BGS Flood GFS Data


General

- ◇ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 302932135_1_1
 Customer Ref: P21367
 National Grid Reference: 529290, 123070
 Slice: A
 Site Area (Ha): 100.06
 Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark[®]
 LANDMARK INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

302932135_1_1

Customer Reference:

P21367

National Grid Reference:

529290, 123070

Slice:

A

Site Area (Ha):

100.06

Search Buffer (m):

1000

Site Details:

Site at

Ansty

West Sussex

Client Details:

Mr A Egan

Yellow Sub Geo Ltd

7 Neptune Courtt

Vangaurd Way

Cardiff

CF24 5PJ

Prepared For:

Fairfax Properties Ltd

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	29
Hazardous Substances	-
Geological	30
Industrial Land Use	39
Sensitive Land Use	43
Data Currency	47
Data Suppliers	53
Useful Contacts	54

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4	1	3	6	8
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 8		1		
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 8	Yes			
Pollution Incidents to Controlled Waters					
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 9	1			
River Quality Biology Sampling Points					
Substantiated Pollution Incident Register	pg 9				1
River Quality Chemistry Sampling Points					
Water Abstractions	pg 9				1
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 9	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 14	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 15	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 15	Yes		n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 15	16	30	15	58

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 29	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 29	1	1		
Potentially Infilled Land (Non-Water)	pg 29		3		3
Potentially Infilled Land (Water)					
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 30	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 30	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 32	5	9	2	6
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability	pg 36	Yes	n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 36		Yes	n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 36	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 36		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 37	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 37	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 37	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 39		9	2	2
Fuel Station Entries	pg 40		1		
Points of Interest - Commercial Services	pg 40		5	1	
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 40			1	2
Points of Interest - Public Infrastructure	pg 41		8	6	4
Points of Interest - Recreational and Environmental	pg 42		1		
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 43	6	11	7	29
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty	pg 46		1		
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 46	1			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (N)	0	1	529350 123600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (NE)	0	1	529600 123600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	530300 123600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SW (NE)	0	1	529550 123700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (NE)	0	1	529500 123550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (NE)	0	1	529700 123550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	530200 123550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	530500 123550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SW (E)	0	1	529650 123000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SE (E)	0	1	530000 123074
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SW (NE)	0	1	529700 123750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SE (NE)	0	1	530050 123850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (N)	0	1	529450 123750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SW (NE)	0	1	529600 123750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (N)	0	1	529350 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SW (NE)	0	1	529550 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SW (NE)	0	1	529700 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SE (NE)	0	1	529900 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SE (NE)	0	1	529950 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SE (NE)	0	1	530050 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (N)	0	1	529286 123500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NW (NE)	0	1	529750 123500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	530250 123500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11SE (S)	0	1	529286 123074
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SE (E)	0	1	530000 123100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SE (E)	0	1	530000 123000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	6	1	530500 123700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	6	1	530450 123750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NE (SE)	7	1	530000 122650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	9	1	530300 123100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	13	1	530500 123500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (N)	15	1	529450 123800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (N)	25	1	529300 123650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NE (N)	56	1	529250 123550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A16SW (N)	62	1	529600 123900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	64	1	530400 123000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	110	1	530500 123900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SE (N)	112	1	529500 123900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	113	1	530650 123600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NE (NE)	116	1	529950 124050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	117	1	530600 123750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A16SW (N)	119	1	529550 123950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	139	1	530600 123800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	165	1	530500 123050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15NE (N)	177	1	529500 124000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	198	1	529500 124050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	216	1	529450 124000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NE (NE)	223	1	530000 124150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	228	1	529450 124100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	229	1	530700 123800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	235	1	529500 124150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15NE (N)	242	1	529400 124050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NW (NW)	243	1	528950 123450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (NW)	273	1	528950 123500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	281	1	530800 123700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	295	1	530750 123850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	309	1	529286 124100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	322	1	530650 123074
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	323	1	530650 124050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NW (N)	326	1	529550 124250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A11NW (NW)	334	1	528950 123600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	365	1	530700 122950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	378	1	529286 124150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	383	1	530500 124200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	407	1	530850 123900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NE (N)	415	1	529286 124250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15NW (N)	444	1	529100 124000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	444	1	530550 124250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SW (NW)	469	1	528950 123850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A7SW (S)	471	1	529100 122450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	497	1	530800 122800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	499	1	530750 122700
1	Discharge Consents Operator: M Dykes Esq Property Type: Undefined Or Other Location: The Barn, Ansty, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: P00793 Permit Version: 1 Effective Date: 16th February 1987 Issued Date: 16th February 1987 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A12NW (NE)	0	2	529690 123320
2	Discharge Consents Operator: Mrs E Holdridge Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Highbridge Mill & 2 Cottages Highbridge Mill, Cuckfield Road, Ansty, West Sussex, Rh17 5ae Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P00095 Permit Version: 1 Effective Date: 1st September 1986 Issued Date: 1st September 1986 Revocation Date: Not Supplied Discharge Type: Non Water Company (Private) Sewage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A16SW (NE)	42	2	529730 123710
2	Discharge Consents Operator: Mr Jonathan E S Clarke Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Highbridge Mill & 2 Cottages Highbridge Mill, Cuckfield Road, Ansty, West Sussex, Rh17 5ae Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P00095 Permit Version: 1 Effective Date: 1st September 1986 Issued Date: 1st September 1986 Revocation Date: Not Supplied Discharge Type: Non Water Company (Private) Sewage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	42	2	529730 123710

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: Mr J Macfie Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Harvest Hill, Ansty, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P10371 Permit Version: 1 Effective Date: 26th July 2002 Issued Date: 26th July 2002 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A8SW (SE)	137	2	529820 122510
4	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ansty Wwtw A272, Ansty, ., West Sussex, Rh17 5aw Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: W00378 Permit Version: 5 Effective Date: 31st March 2010 Issued Date: 31st March 2010 Revocation Date: 21st March 2022 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of River Adur Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A11SW (W)	275	2	529000 122980
4	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ansty Wwtw A272, Ansty, ., West Sussex, Rh17 5aw Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: W00378 Permit Version: 4 Effective Date: 1st January 2010 Issued Date: 25th September 2009 Revocation Date: 30th March 2010 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A11SW (W)	275	2	529000 122980
4	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ansty Wwtw A272, Ansty, ., West Sussex, Rh17 5aw Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: W00378 Permit Version: 3 Effective Date: 1st April 2005 Issued Date: 18th March 2005 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A11SW (W)	275	2	529000 122980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ansty Wwtw A272, Ansty, ., West Sussex, Rh17 5aw Authority: Environment Agency, Southern Region Catchment Area: Old-River Adur 60 Reference: W00378 Permit Version: 1 Effective Date: 24th October 1979 Issued Date: 24th October 1979 Revocation Date: 30th March 2003 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A11SW (W)	275	2	529000 122980
4	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ansty Wwtw A272, Ansty, ., West Sussex, Rh17 5aw Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: W00378 Permit Version: 2 Effective Date: 31st March 2003 Issued Date: 24th October 1979 Revocation Date: 31st March 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A11SW (W)	275	2	529000 122980
5	Discharge Consents Operator: Ralph Hodge Property Type: Mixed Farming Location: Ansty Place Farm, Ansty, Haywards Heath, West Sussex, Rh17 5aj Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: App/So/20su Permit Version: 1 Effective Date: 1st April 1999 Issued Date: 1st April 1999 Revocation Date: 1st April 2004 Discharge Type: Trade Discharge - Process Water Discharge: Into Land Environment: Receiving Water: Into Land Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A7SW (SW)	432	2	529000 122600
6	Discharge Consents Operator: Mr Charlie Burgoyne Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Moonhill Farm Ansty Haywards Heath Moonhill Farm, Burgess Hill Road, Ansty, Haywards Heath, West Sussex, Rh17 5ah Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: P13175 Permit Version: 1 Effective Date: 31st August 2007 Issued Date: 31st August 2007 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unnamed Drainage Ditch Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A4NW (SE)	566	2	529770 122080

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ansty Wwtw A272, Ansty, ., West Sussex, Rh17 5aw Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: W00378 Permit Version: 6 Effective Date: 22nd March 2022 Issued Date: 23rd December 2021 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of River Adur Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A6NE (SW)	639	2	528650 122810
8	Discharge Consents Operator: Mrs S Hope Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Leigh Manor Annexe, Ansty Leigh Manor Annexe, Cuckfield Road, Ansty, West Sussex, Rh17 5aj Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: P12325 Permit Version: 1 Effective Date: 9th May 2005 Issued Date: 9th May 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Unname Trib. River Adur Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A3NW (SW)	757	2	528917 122230
8	Discharge Consents Operator: Mr Teale Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: The Barn Stp Serving The Barn, Legh Manor, Cuckfield Rd, Ansty, Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P09096 Permit Version: 1 Effective Date: 10th May 2000 Issued Date: 10th May 2000 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A3NW (SW)	769	2	528910 122220
9	Discharge Consents Operator: Mr & Mrs.R.Thomas Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Legh Manor Barn, Cuckfield Road, Ansty, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P03039 Permit Version: 1 Effective Date: 2nd November 1990 Issued Date: 2nd November 1990 Revocation Date: 31st March 1997 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Into Land Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A6SE (SW)	784	2	528800 122300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Mrs S Hope Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Leigh Manor, Ansty Leigh Manor, Cuckfield Road, Ansty, West Sussex, RH17 5aj Authority: Environment Agency, Southern Region Catchment Area: Adur Reference: P12324 Permit Version: 1 Effective Date: 5th April 2005 Issued Date: 5th April 2005 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Groundwater Via Soakaway Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	864	2	528824 122169
11	Discharge Consents Operator: Mr J.Daniels Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Field Rear Of Pondtail Cottage, Deaks Lane, Ansty, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P02468 Permit Version: 1 Effective Date: 11th August 1989 Issued Date: 11th August 1989 Revocation Date: Not Supplied Discharge Type: Non Water Company (Private) Sewage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A14NE (N)	869	2	528800 124300
12	Discharge Consents Operator: Mr & Mrs Large Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Legh Manor Farm Hse, Cuckfield Rd, Ansty, West Sussex Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P09749 Permit Version: 1 Effective Date: 13th June 2001 Issued Date: 13th June 2001 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A3NW (SW)	904	2	528870 122080
13	Prosecutions Relating to Controlled Waters Location: Trib Of River Adur, Moonhill Farm, Haywards Heath Prosecution Text: Allowing brewery waste to enter a watercourse Prosecution Act: Wra91 S85 Hearing Date: 16th December 2010 Verdict: Guilty Fine: 3000 Cost: 2365 Positional Accuracy: Manually positioned to the address or location	A4NW (SE)	581	2	529833 122057
14	Local Authority Pollution Prevention and Controls Name: Ansty Cross Service Station Location: Ansty Cross, ANSTY, West Sussex, RH17 5AG Authority: Mid Sussex District Council, Environmental Services Section Permit Reference: EPR/VR/21 Dated: 9th March 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A11SW (NW)	64	3	529149 123243
	Nearest Surface Water Feature	A8NE (SE)	0	-	529866 122792

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Copyhold Strm GQA Grade: River Quality D Reach: Conf. Of Tidal R. Adur - Cuckfield N-L Estimated Distance (km): 4.1 Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	A12NE (NE)	0	2	530156 123584
15	Substantiated Pollution Incident Register Authority: Environment Agency - Southern Region, Solent and South Downs Incident Date: 13th May 2009 Incident Reference: 678694 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: General Biodegradable Materials And Wastes: Food And Drink	A4SE (SE)	916	2	529923 121721
16	Water Abstractions Operator: Eric Arthur Norris Licence Number: 23/063 Permit Version: Not Supplied Location: Deaks Lane, CUCKFIELD Authority: Environment Agency, Southern Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 0 Yearly Rate (m3): 0 Details: Tributary Of River Adur Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A15NW (N)	763	2	528920 124270
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Unproductive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial: <90% Patchiness: <3m Superficial Thickness: <3m Superficial Recharge: No Data	A11NE (N)	0	4	529245 123489
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial: <90% Patchiness: <3m Superficial Thickness: <3m Superficial Recharge: No Data	A16SE (NE)	0	4	530064 123676

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12SE (E)	0	4	530000 123074
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12SE (E)	0	4	530000 123000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (S)	0	4	529286 123000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A8NE (SE)	0	4	530000 122762

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A16SE (NE)	0	4	529852 123703
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12NW (NE)	0	4	529512 123548
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12NW (NE)	0	4	529534 123625
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11SE (S)	0	4	529286 123074

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A16SE (NE)	0	4	530000 123644
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NE)	0	4	530306 123611
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11NE (N)	0	4	529416 123471
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A16SW (NE)	0	4	529836 123648

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12NE (NE)	0	4	530000 123449
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12NE (NE)	0	4	530000 123609
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A7NE (S)	0	4	529276 122776
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A8NW (SE)	0	4	529682 122848

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A8NE (SE)	0	4	530000 122741
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	4	530250 122954
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A8NE (E)	0	4	530000 122821
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A11NE (N)	0	4	529245 123489
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A12NE (NE)	0	4	530000 123449
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A16SW (NE)	0	4	529836 123648
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A12NE (NE)	0	4	530000 123609
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A8NW (SE)	0	4	529682 122848
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A8NE (E)	0	4	530000 122821
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A7NE (S)	0	4	529276 122776
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A8NE (SE)	0	4	530000 122741

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	(E)	0	4	530250 122954
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A16SE (NE)	0	4	529852 123703
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A16SE (NE)	0	4	530000 123644
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A12NW (NE)	0	4	529512 123548
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A12NW (NE)	0	4	529534 123625
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A12SE (E)	0	4	530000 123074
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A11SE (S)	0	4	529286 123074
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	A11NE (N)	0	4	529245 123489
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A16SW (NE)	0	2	529760 123640
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 132.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NW (NE)	0	5	529541 123620
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	0	5	529582 123745
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NW (NE)	0	5	529681 123552
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NW (NE)	0	5	529691 123555

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 125.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NW (NE)	0	5	529695 123557
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 186.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15SE (N)	0	5	529377 123646
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SE (NE)	0	5	529974 123856
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 250.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NW (NE)	0	5	529792 123628
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 39.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NE)	0	5	530029 123573
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 140.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NE)	0	5	530029 123573
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NE)	0	5	530033 123608
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 254.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NE)	0	5	530034 123610
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NW (NE)	0	5	529792 123628

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SE (NE)	0	5	529976 123853
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 802.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12SW (E)	0	5	529566 122962
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 72.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	0	5	529582 123745
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (N)	1	5	529524 123786
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SE (NE)	1	5	529974 123929
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	1	5	529774 123654
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	1	5	529778 123653
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	4	5	529761 123662
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	8	5	529633 123765

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	13	5	529747 123672
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (N)	15	5	529515 123797
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	16	5	529696 123791
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 112.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 2	A16SW (NE)	18	5	529683 123718
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 240.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15SE (N)	19	5	529357 123649
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A12NE (NE)	22	5	530165 123590
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 71.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	24	5	529731 123732
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	24	5	529734 123729
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	25	5	529674 123782

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	27	5	529725 123688
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	28	5	529717 123693
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 138.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	30	5	529663 123773
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	30	5	529663 123773
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SE (NE)	34	5	529974 123963
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (NE)	36	5	529668 123776
54	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 12.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NE (NE)	57	5	529972 123986
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 181.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16SW (N)	111	5	529600 123894
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (SE)	156	5	529978 122497

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
57	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 90.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (SE)	182	5	529973 122468
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NE (N)	230	5	529506 124046
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NW (N)	232	5	529531 124083
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 392.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NE (N)	235	5	529506 124046
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15SW (N)	244	5	529146 123741
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NW (N)	249	5	529537 124116
63	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 296.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NW (N)	251	5	529544 124128
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15SW (N)	251	5	529141 123745
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (SE)	264	5	529977 122387

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 193.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A8SE (SE)	267	5	529976 122383
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 420.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A11NW (NW)	286	5	528903 123454
68	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 19.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15SW (N)	293	5	529086 123735
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A11NW (NW)	294	5	529017 123626
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 571.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7NW (SW)	329	5	528966 122834
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 116.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NW (N)	330	5	529733 124301
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NW (NE)	346	5	529823 124306
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 64.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A16NW (NE)	348	5	529824 124308
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4NE (SE)	446	5	529976 122199

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 167.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4NE (SE)	472	5	529980 122173
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 302.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	500	5	529129 124130
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NE (N)	500	5	529179 124151
78	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 5.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SE (W)	588	5	528562 123294
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SE (W)	588	5	528562 123294
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 173.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NE (W)	607	5	528544 123315
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4NE (SE)	610	5	529899 122027
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4NE (SE)	615	5	529898 122021
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	648	5	529021 122286

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A7SW (S)	658	5	528986 122301
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 143.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	671	5	529010 122266
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4NE (SE)	674	5	529890 121963
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 203.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4NE (SE)	681	5	529890 121956
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NE (NW)	683	5	528498 123524
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NW (NW)	713	5	528453 123473
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NW (NW)	714	5	528462 123493
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 115.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NE (NW)	715	5	528501 123610
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 211.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NW (W)	722	5	528413 123338

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 49.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	724	5	528910 124206
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	724	5	528910 124206
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	728	5	528912 124213
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 37.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	728	5	528912 124213
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NW (NW)	729	5	528436 123452
98	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 18.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NW (NW)	742	5	528427 123472
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	762	5	528869 124218
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 226.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	762	5	528389 123244
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 229.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	764	5	528834 124189

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	772	5	528894 124257
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 217.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10NW (NW)	772	5	528413 123537
104	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 90.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A15NW (N)	783	5	528895 124274
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	797	5	528953 122151
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 116.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	803	5	528952 122144
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A6NW (W)	850	5	528441 122777
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 226.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A6NW (W)	856	5	528436 122772
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (SE)	864	5	529908 121773
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (SE)	868	5	529910 121769

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 499.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (NW)	883	5	528672 124177
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 207.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14NE (NW)	883	5	528672 124177
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	898	5	528278 123095
114	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 34.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	905	5	528271 123092
115	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 31.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	906	5	528927 122036
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (SE)	916	5	529930 121721
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (S)	920	5	529852 121712
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 184.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SW (S)	922	5	529791 121718
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (S)	925	5	529852 121712

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	926	5	528260 123054
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	929	5	528249 123083
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	937	5	528905 122014
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	938	5	528241 123075
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	944	5	528928 121990
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 261.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A10SW (W)	948	5	528234 123064
126	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 28.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A6SE (SW)	949	5	528581 122295
127	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 57.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (SE)	966	5	530130 121700
128	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 8.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A14SW (NW)	973	5	528245 123664

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	973	5	528895 121977
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A6SE (SW)	974	5	528555 122289
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	982	5	528878 121977
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A2NE (SW)	984	5	528545 122285
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 23.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A2NE (SW)	988	5	528545 122279
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A3NW (S)	991	5	528860 121979
135	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 15.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Adur and Teville Primacy: 1	A4SE (S)	993	5	529873 121643

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Mid Sussex District Council - Has supplied landfill data		0	3	529286 123074
	Local Authority Landfill Coverage Name: West Sussex County Council - Has supplied landfill data		0	6	529286 123074
136	Local Authority Recorded Landfill Sites Location: Cuckfield By-Pass, East And West Ends Reference: Not Supplied Authority: West Sussex County Council, Environment & Development Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A16SW (NE)	0	6	529800 123900
137	Local Authority Recorded Landfill Sites Location: West Riddens Farm, Burgess Hill, Ansty Reference: Not Supplied Authority: West Sussex County Council, Environment & Development Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A8NW (SE)	25	6	529600 122800
138	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1994	A8NW (SE)	10	-	529639 122806
139	Potentially Infilled Land (Non-Water) Bearing Ref: S Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1994	A7NE (S)	21	-	529350 122827
140	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1994	A16SW (N)	53	-	529542 123835
141	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1994	A15NE (N)	550	-	529232 124251
142	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1994	A15NW (N)	551	-	528985 124032
143	Potentially Infilled Land (Non-Water) Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1994	A2NE (SW)	987	-	528593 122224

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Wealden Group	A11SE (S)	0	1	529286 123074
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A16SE (NE)	0	1	529852 123703
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12NW (NE)	0	1	529512 123548
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SE (S)	0	1	529286 123074
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NE (SE)	0	1	530000 122741
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NE (E)	0	1	530000 122821
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A16SW (NE)	0	1	529836 123648

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A11NE (N)	0	1	529416 123471
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A16SW (NE)	6	1	529704 123715
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A16NW (N)	172	1	529563 124021
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15NW (N)	418	1	529131 123996
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A4NE (SE)	418	1	530000 122215
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15NW (N)	431	1	529101 124198

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A15SW (NW)	485	1	528924 123853
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A10NE (NW)	548	1	528626 123464
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14SE (NW)	597	1	528686 123689
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14NE (NW)	871	1	528554 124001
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A14NE (NW)	909	1	528615 124142
144	BGS Recorded Mineral Sites Site Name: Laines Farm Pits Location: Cuckfield, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127340 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A16SE (NE)	0	1	529912 123885

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
145	BGS Recorded Mineral Sites Site Name: Highbridge Mill Pit Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127341 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A16SW (NE)	0	1	529583 123679
146	BGS Recorded Mineral Sites Site Name: Ansty Farm Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127343 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A12NW (NE)	0	1	529629 123539
147	BGS Recorded Mineral Sites Site Name: Hamshalls Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127349 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8NE (SE)	0	1	529860 122774
148	BGS Recorded Mineral Sites Site Name: Hamsalls Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127356 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8NE (E)	0	1	530077 122770
148	BGS Recorded Mineral Sites Site Name: Hamsalls Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127355 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8NE (E)	18	1	530105 122774
149	BGS Recorded Mineral Sites Site Name: Hamsalls Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127354 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8NE (E)	16	1	530159 122785

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
150	BGS Recorded Mineral Sites Site Name: Ridden'S Farm Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127347 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (SE)	30	1	529494 122792
151	BGS Recorded Mineral Sites Site Name: Ridden'S Farm Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127348 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A8NW (SE)	39	1	529653 122789
152	BGS Recorded Mineral Sites Site Name: Laines Farm Pits Location: Cuckfield, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127339 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A16NE (NE)	52	1	529996 123978
153	BGS Recorded Mineral Sites Site Name: High Bridge Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127342 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A16SW (N)	64	1	529544 123846
154	BGS Recorded Mineral Sites Site Name: Ridden'S Farm Pits Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127346 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (S)	81	1	529344 122755
155	BGS Recorded Mineral Sites Site Name: Marlpit Ponds Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127345 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (S)	172	1	529220 122746

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
156	BGS Recorded Mineral Sites Site Name: Marlpit Ponds Location: Ansty, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127344 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A7NE (S)	202	1	529170 122755
157	BGS Recorded Mineral Sites Site Name: Ansty Location: Ansty, Cuckfield, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 22894 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed (Cuckfield Stone Member), Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A15SW (N)	298	1	529080 123735
158	BGS Recorded Mineral Sites Site Name: Ansty Location: Ansty, Cuckfield, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 22893 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed (Cuckfield Stone Member), Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A15SW (NW)	402	1	528945 123715
159	BGS Recorded Mineral Sites Site Name: Butts Sand Pits Location: Cuckfield, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127321 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A15NW (N)	511	1	528988 123976
159	BGS Recorded Mineral Sites Site Name: Butts Sand Pits Location: Cuckfield, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127320 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed, Grinstead Clay Member Commodity: Sand Positional Accuracy: Located by supplier to within 10m	A15NW (N)	542	1	528986 124020
160	BGS Recorded Mineral Sites Site Name: Cuckfield Park Pits Location: Cuckfield, Haywards Heath, Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 127319 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Ardingly Sandstone Member Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A15NE (N)	537	1	529231 124235

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
161	BGS Recorded Mineral Sites Site Name: Hoadsherf Farm Location: Ansty, Haywards Heath, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 152205 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Cuckfield Stone Bed Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A14SE (NW)	703	1	528528 123637
162	BGS Recorded Mineral Sites Site Name: Hoadsherf Farm Pit Location: Cuckfield, Haywards Heath, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 152192 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Grinstead Clay Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A14SW (NW)	865	1	528426 123786
163	BGS Recorded Mineral Sites Site Name: Bishopstone Farm Location: Ansty, Haywards Heath, West Sussex Source: British Geological Survey, National Geoscience Information Service Reference: 152203 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Upper Tunbridge Wells Sand Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	978	1	528592 122238
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Mining Instability Mining Evidence: Inconclusive Iron Ore Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A11SE (S)	0	-	529286 123074
	Non Coal Mining Areas of Great Britain Risk: Highly Unlikely Source: British Geological Survey, National Geoscience Information Service	A16SW (N)	125	1	529587 123973
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12NW (NE)	0	1	529764 123600
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12NE (NE)	0	1	530000 123505
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530000 123074
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	6	1	529704 123715
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530000 123074
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	6	1	529704 123715
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530000 123074
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A12NW (NE)	0	1	529764 123600
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A12NE (NE)	0	1	530000 123505
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530000 123074
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	529245 123489
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A8NE (E)	0	1	530093 122919
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530000 123074
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	6	1	529704 123715
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A16SW (N)	90	1	529628 123939
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A16NW (N)	172	1	529563 124021
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NW (NW)	244	1	528945 123445
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A8NW (SE)	0	1	529682 122848
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A8NE (E)	0	1	530000 122821
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	0	1	529836 123648
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12NE (NE)	0	1	530000 123609
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A7NE (S)	0	1	529276 122776

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A8NE (SE)	0	1	530000 122741
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	529245 123489
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A12NE (NE)	0	1	530000 123449
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12NW (NE)	0	1	529534 123625
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530000 123074
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16SE (NE)	0	1	529852 123703
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16SE (NE)	0	1	530000 123644
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A12NW (NE)	0	1	529512 123548
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A16SW (NE)	6	1	529704 123715
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16SW (N)	125	1	529587 123973
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16NE (NE)	144	1	530000 124070
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16NW (N)	172	1	529563 124021
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530002 123074
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11SE (S)	0	1	529286 123074
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A12SE (E)	0	1	530002 123074

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
164	Contemporary Trade Directory Entries Name: Ansty Cross Service Station Location: Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SW (NW)	18	-	529151 123289
164	Contemporary Trade Directory Entries Name: Ansty Cross Service Station Location: Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SW (NW)	18	-	529151 123289
164	Contemporary Trade Directory Entries Name: C M W Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address	A11SW (NW)	52	-	529146 123255
164	Contemporary Trade Directory Entries Name: Cmw Location: Ansty Cross, Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SE (NW)	54	-	529178 123254
164	Contemporary Trade Directory Entries Name: Shell Location: Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A11SE (NW)	54	-	529178 123254
164	Contemporary Trade Directory Entries Name: C M W Suzuki Location: Ansty Cross, Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SE (NW)	54	-	529178 123254
164	Contemporary Trade Directory Entries Name: C M W Location: Ansty Cross, Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SE (NW)	54	-	529178 123254
164	Contemporary Trade Directory Entries Name: Southdowns Carriage Co Location: Ansty Cross, Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address	A11SE (NW)	54	-	529178 123254
165	Contemporary Trade Directory Entries Name: V & A Automotive Ltd Location: Rear Of Ansty Cross Service Station, Cuckfield Road, Ansty, Haywards Heath, West Sussex, RH17 5AG Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A11SE (NW)	158	-	529171 123150
166	Contemporary Trade Directory Entries Name: Bevtech Location: Unit 1 Moonhill Farm, Burgess Hill Road, Ansty, Haywards Heath, West Sussex, RH17 5AH Classification: Brewery Supplies Status: Active Positional Accuracy: Manually positioned within the geographical locality	A8SE (SE)	330	-	530140 122351
166	Contemporary Trade Directory Entries Name: S R D Tuning Location: 3b Moonhill Place, Burgess Hill Road, Ansty, Haywards Heath, West Sussex, RH17 5AH Classification: Garage Services Status: Active Positional Accuracy: Manually positioned within the geographical locality	A8SE (SE)	332	-	530136 122348

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
167	Contemporary Trade Directory Entries Name: The Dark Star Brewing Co Ltd Location: Moonhill Hill Farm, Burgess Hill Rd, Ansty, Haywards Heath, West Sussex, RH17 5AH Classification: Brewers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A4NE (SE)	555	-	529853 122082
168	Contemporary Trade Directory Entries Name: Beacon Fencing Location: The Old Sawmill, Pickwell Lane, Ansty, Haywards Heath, West Sussex, RH17 5AP Classification: Fencing Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A6NW (W)	975	-	528241 122956
169	Fuel Station Entries Name: Ansty Cross Service Station Location: Ansty Cross, Ansty, Haywards Heath, West Sussex, RH17 5AG Brand: SHELL Premises Type: Petrol Station Status: Open Positional Accuracy: Manually positioned to the address or location	A11SW (NW)	64	-	529150 123243
170	Points of Interest - Commercial Services Name: Shell Car Wash Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A11SW (NW)	39	7	529148 123268
170	Points of Interest - Commercial Services Name: C M W Location: Ansty Cross, Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SE (NW)	54	7	529178 123254
170	Points of Interest - Commercial Services Name: V & A Automotive Ltd T/A C M W Suzuki Location: Ansty Cross, Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SE (NW)	54	7	529178 123254
170	Points of Interest - Commercial Services Name: Ansty Cross Service Station Location: Ansty Cross, Ansty, Haywards Heath, RH17 5AG Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
170	Points of Interest - Commercial Services Name: Car Wash Location: Ansty Cross, Ansty, Haywards Heath, West Sussex, RH17 5AG Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
171	Points of Interest - Commercial Services Name: S R D Tuning Location: 3b Moonhill Place, Burgess Hill Road, Ansty, RH17 5AH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A8SE (SE)	338	7	530180 122359
172	Points of Interest - Manufacturing and Production Name: Tank Location: RH17 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16NW (N)	261	7	529511 124105
173	Points of Interest - Manufacturing and Production Name: Stone Republic Location: Moonhill Farm, Burgess Hill Road, Ansty, Haywards Heath, RH17 5AH Category: Extractive Industries Class Code: Stone Quarrying and Preparation Positional Accuracy: Positioned to address or location	A4NE (SE)	566	7	529861 122071

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
173	Points of Interest - Manufacturing and Production Name: Stone Republic Location: Moonhill Farm, Burgess Hill Road, Ansty, RH17 5AH Category: Extractive Industries Class Code: Stone Quarrying and Preparation Positional Accuracy: Positioned to address or location	A4NE (SE)	579	7	529878 122058
174	Points of Interest - Public Infrastructure Name: Sluice Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	32	7	529720 123734
174	Points of Interest - Public Infrastructure Name: Sluice Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	41	7	529710 123732
175	Points of Interest - Public Infrastructure Name: Shell UK Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
175	Points of Interest - Public Infrastructure Name: Anst Cross Filling Station Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
175	Points of Interest - Public Infrastructure Name: Shell Ansty Cross Service Station Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
175	Points of Interest - Public Infrastructure Name: Shell Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
175	Points of Interest - Public Infrastructure Name: Ansty Cross Service Station Location: Cuckfield Road, Ansty, Haywards Heath, RH17 5AG Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
175	Points of Interest - Public Infrastructure Name: Ansty Cross Service Station Location: Ansty Cross, Ansty, Haywards Heath, West Sussex, RH17 5AG Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A11SW (NW)	64	7	529150 123243
176	Points of Interest - Public Infrastructure Name: Weir Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A16NW (N)	253	7	529531 124117
176	Points of Interest - Public Infrastructure Name: Weir Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A16NW (N)	258	7	529523 124115
177	Points of Interest - Public Infrastructure Name: Sluice Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SE (SE)	259	7	529967 122389

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
177	Points of Interest - Public Infrastructure Name: Sluice Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A8SE (SE)	262	7	529977 122390
178	Points of Interest - Public Infrastructure Name: Weir Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A15NE (N)	481	7	529250 124181
178	Points of Interest - Public Infrastructure Name: Weir Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A15NE (N)	483	7	529241 124177
179	Points of Interest - Public Infrastructure Name: Sewage Works Location: RH17 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A6NE (SW)	561	7	528727 122824
179	Points of Interest - Public Infrastructure Name: Sewage Works Location: RH17 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A6NE (SW)	567	7	528719 122832
180	Points of Interest - Public Infrastructure Name: Sluice Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A7SW (S)	652	7	528990 122306
180	Points of Interest - Public Infrastructure Name: Sluice Location: RH17 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A7SW (S)	659	7	528982 122304
181	Points of Interest - Recreational and Environmental Name: Play Area Location: RH17 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A11NW (NW)	72	7	529084 123335

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
182	Ancient Woodland Name: Biddens Wood Reference: 1479305 Area(m²): 39623.09 Type: Ancient and Semi-Natural Woodland	A12SE (E)	0	8	529918 123030
183	Ancient Woodland Name: Furnace Wood Reference: 1479388 Area(m²): 20742.4 Type: Ancient and Semi-Natural Woodland	(E)	0	8	530259 123171
184	Ancient Woodland Name: Highbridge Mill Reference: 1479425 Area(m²): 12964.34 Type: Ancient and Semi-Natural Woodland	A12NW (NE)	0	8	529794 123631
185	Ancient Woodland Name: Highbridge Mill Shaw Reference: 1479426 Area(m²): 4858.09 Type: Ancient and Semi-Natural Woodland	A12NW (NE)	0	8	529617 123481
186	Ancient Woodland Name: Mackrells Shaw Reference: 1479488 Area(m²): 17088.42 Type: Ancient and Semi-Natural Woodland	(NE)	0	8	530191 123636
187	Ancient Woodland Name: Pook Ryde Shaw Reference: 1479664 Area(m²): 3651.05 Type: Ancient and Semi-Natural Woodland	A8NE (E)	0	8	530054 122776
188	Ancient Woodland Name: Great Wood Reference: 1480629 Area(m²): 211515.06 Type: Ancient and Semi-Natural Woodland	(E)	13	8	530327 123023
189	Ancient Woodland Name: Mackrells Farm Wood Reference: 1479487 Area(m²): 5411.77 Type: Ancient and Semi-Natural Woodland	(E)	17	8	530267 123451
190	Ancient Woodland Name: Lodge Farm Wood Reference: 1479473 Area(m²): 25297.31 Type: Ancient and Semi-Natural Woodland	(E)	32	8	530509 123484
191	Ancient Woodland Name: Copyhold Shaw Reference: 1479356 Area(m²): 5385.94 Type: Ancient and Semi-Natural Woodland	(E)	49	8	530296 123385
192	Ancient Woodland Name: Highbridge Milln Reference: 1479427 Area(m²): 6023.3 Type: Ancient and Semi-Natural Woodland	A16SW (N)	104	8	529572 123878
193	Ancient Woodland Name: Harvesthill Shaw Reference: 1480587 Area(m²): 13493.74 Type: Ancient and Semi-Natural Woodland	A8SE (SE)	121	8	529962 122522
194	Ancient Woodland Name: Laines Farm Shaw Reference: 1479678 Area(m²): 4049.19 Type: Ancient and Semi-Natural Woodland	(NE)	123	8	530446 123946
195	Ancient Woodland Name: Dunstalls Wood Reference: 1479366 Area(m²): 15768.45 Type: Ancient and Semi-Natural Woodland	A7NE (S)	125	8	529389 122660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
196	Ancient Woodland Name: Dunstalls Wood Reference: 1479367 Area(m²): 12210.77 Type: Plantation on Ancient Woodland	A7NE (S)	220	8	529208 122690
197	Ancient Woodland Name: Birch Wood Reference: 1479307 Area(m²): 18821.16 Type: Ancient and Semi-Natural Woodland	A7NW (SW)	228	8	529056 122885
198	Ancient Woodland Name: Ansty Farm Wood Reference: 1479288 Area(m²): 9136.73 Type: Ancient and Semi-Natural Woodland	A15SW (N)	250	8	529102 123711
199	Ancient Woodland Name: Dunstalls Wood Reference: 1480628 Area(m²): 25443.55 Type: Ancient and Semi-Natural Woodland	A7SE (S)	303	8	529173 122609
200	Ancient Woodland Name: Inholms Wood Reference: 1479667 Area(m²): 53359.19 Type: Ancient and Semi-Natural Woodland	A11NW (NW)	303	8	528854 123373
201	Ancient Woodland Name: Upper Ridges Shaw Reference: 1479663 Area(m²): 7900.09 Type: Ancient and Semi-Natural Woodland	(E)	313	8	530473 122634
202	Ancient Woodland Name: Butlers Wood Reference: 1479531 Area(m²): 2041.4 Type: Ancient and Semi-Natural Woodland	A7NW (SW)	326	8	528966 122834
203	Ancient Woodland Name: Great Wood Reference: 1479407 Area(m²): 7275.07 Type: Plantation on Ancient Woodland	(E)	369	8	530706 123026
204	Ancient Woodland Name: Oldmill Shaw Reference: 1479516 Area(m²): 2171.61 Type: Ancient and Semi-Natural Woodland	A15NE (N)	383	8	529346 124125
205	Ancient Woodland Name: Bellowsnose Wood Reference: 1479304 Area(m²): 17821.48 Type: Ancient and Semi-Natural Woodland	A4NW (S)	500	8	529631 122199
206	Ancient Woodland Name: Kiln Wood Reference: 1479458 Area(m²): 32111 Type: Ancient and Semi-Natural Woodland	A3NE (S)	501	8	529304 122263
207	Ancient Woodland Name: Butlers Wood Reference: 1479530 Area(m²): 57316.3 Type: Plantation on Ancient Woodland	A6NE (SW)	518	8	528771 122825
208	Ancient Woodland Name: Moonhill Shaw Reference: 1479497 Area(m²): 7277.41 Type: Ancient and Semi-Natural Woodland	(SE)	534	8	530223 122164
209	Ancient Woodland Name: Harvesthill Wood Reference: 1479420 Area(m²): 7036.86 Type: Ancient and Semi-Natural Woodland	A4NW (SE)	535	8	529701 122106

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
210	Ancient Woodland Name: Great Wood Reference: 1479406 Area(m²): 56073.48 Type: Plantation on Ancient Woodland	(E)	570	8	530794 122639
211	Ancient Woodland Name: Great Wood Reference: 1479405 Area(m²): 110857.42 Type: Ancient and Semi-Natural Woodland	(E)	575	8	530772 122600
212	Ancient Woodland Name: Pickwell Shaw Reference: 1479529 Area(m²): 23358.97 Type: Plantation on Ancient Woodland	A10SE (W)	589	8	528596 123108
213	Ancient Woodland Name: Pains Flat Wood Reference: 1479521 Area(m²): 3775.33 Type: Ancient and Semi-Natural Woodland	A4NW (SE)	670	8	529821 121968
214	Ancient Woodland Name: Pickwell Wood Reference: 1479670 Area(m²): 45801.29 Type: Ancient and Semi-Natural Woodland	A10SW (W)	696	8	528398 123245
215	Ancient Woodland Name: New England Wood Reference: 1479501 Area(m²): 111532.7 Type: Ancient and Semi-Natural Woodland	(N)	700	8	529779 124662
216	Ancient Woodland Name: Westup Wood Reference: 1479649 Area(m²): 7814.54 Type: Ancient and Semi-Natural Woodland	A14SE (NW)	730	8	528688 123925
217	Ancient Woodland Name: Westup Wood Reference: 1479646 Area(m²): 19831.88 Type: Ancient and Semi-Natural Woodland	A14SE (NW)	742	8	528671 123923
218	Ancient Woodland Name: Hookhousew Reference: 1479444 Area(m²): 4303.22 Type: Ancient and Semi-Natural Woodland	(SE)	753	8	530573 122138
219	Ancient Woodland Name: Walks Wood Reference: 1480636 Area(m²): 181978.23 Type: Plantation on Ancient Woodland	(N)	786	8	528972 124350
220	Ancient Woodland Name: Westup Wood Reference: 1479648 Area(m²): 22646.49 Type: Plantation on Ancient Woodland	A14SE (NW)	809	8	528539 123941
221	Ancient Woodland Name: Westup Wood Reference: 1479650 Area(m²): 4475.32 Type: Ancient and Semi-Natural Woodland	A14NE (NW)	819	8	528788 124215
222	Ancient Woodland Name: Pickwell Wood Reference: 1479669 Area(m²): 24261.47 Type: Plantation on Ancient Woodland	A10NW (NW)	832	8	528352 123540
223	Ancient Woodland Name: Foxashes Wood Reference: 1480617 Area(m²): 207527.78 Type: Plantation on Ancient Woodland	A6NW (W)	851	8	528445 122755

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
224	Ancient Woodland Name: Westup Wood Reference: 1479647 Area(m²): 1966.05 Type: Ancient and Semi-Natural Woodland	A14NE (NW)	859	8	528646 124117
225	Ancient Woodland Name: Pickwell Wood Reference: 1479668 Area(m²): 8570.26 Type: Plantation on Ancient Woodland	A10SW (W)	866	8	528286 123186
226	Ancient Woodland Name: Walks Wood Reference: 1479632 Area(m²): 20382.87 Type: Plantation on Ancient Woodland	(N)	867	8	528888 124383
227	Ancient Woodland Name: Great Wood Reference: 1479402 Area(m²): 48039.03 Type: Plantation on Ancient Woodland	(SE)	878	8	530772 122111
228	Ancient Woodland Name: Foxashes Wood Reference: 1479381 Area(m²): 4521.44 Type: Ancient and Semi-Natural Woodland	A6NW (W)	881	8	528402 122827
229	Ancient Woodland Name: Rushypit Wood Reference: 1479566 Area(m²): 21661.76 Type: Ancient and Semi-Natural Woodland	A3SE (S)	913	8	529494 121763
230	Ancient Woodland Name: Kilnfield Pit Reference: 1479460 Area(m²): 10342.42 Type: Ancient and Semi-Natural Woodland	A4SE (S)	920	8	529852 121712
231	Ancient Woodland Name: Black Forest Shaw Reference: 1479677 Area(m²): 5052.12 Type: Plantation on Ancient Woodland	A14SW (NW)	941	8	528272 123645
232	Ancient Woodland Name: Raggets Wood Reference: 1479672 Area(m²): 1891.24 Type: Ancient and Semi-Natural Woodland	A10SW (W)	961	8	528191 123259
233	Ancient Woodland Name: Field Corner Wood Reference: 1479371 Area(m²): 2907.88 Type: Ancient and Semi-Natural Woodland	A2NE (SW)	984	8	528752 122072
234	Ancient Woodland Name: Raggets Wood Reference: 1479675 Area(m²): 78229.09 Type: Plantation on Ancient Woodland	A9SE (W)	996	8	528154 123272
235	Areas of Outstanding Natural Beauty Name: High Weald Multiple Areas: Y Total Area (m2): 1461737820.6571908 Designation Date: 30th October 1983 Source: Natural England	A11NE (N)	8	8	529299 123569
236	Nitrate Vulnerable Zones Name: Adur East (Sakeham) Nvz Description: Surface Water Source: Environment Agency, Head Office	A11SE (S)	0	4	529286 123074

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Environment Agency - Head Office Mid Sussex District Council - Environmental Services Section	June 2020 October 2017	Annually Annual Rolling Update
Discharge Consents Environment Agency - Southern Region	July 22	Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	March 2013	
Integrated Pollution Controls Environment Agency - Southern Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region	July 2022 July 2022	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Mid Sussex District Council - Environmental Services Section	September 2014	Variable
Local Authority Pollution Prevention and Controls Mid Sussex District Council - Environmental Services Section	September 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Mid Sussex District Council - Environmental Services Section	September 2014	Variable
Nearest Surface Water Feature Ordnance Survey	August 2022	
Pollution Incidents to Controlled Waters Environment Agency - Southern Region	December 1999	
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	July 2015	
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	March 2013	
Registered Radioactive Substances Environment Agency - Southern Region	June 2016	As notified
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	July 2022 July 2022 July 2022	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region	July 2022	Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually

Agency & Hydrological	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2022	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2022	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	August 2022	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	August 2022	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
OS Water Network Lines Ordnance Survey	July 2022	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	April 2022	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Southern Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	July 2022 July 2022 July 2022	Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - Solent & South Downs Area Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	July 2022 July 2022 July 2022	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Mid Sussex District Council - Environmental Services Section West Sussex County Council - Environment & Development	February 2003 February 2003	Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Mid Sussex District Council - Environmental Services Section West Sussex County Council - Environment & Development	October 2018 October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	March 2006 March 2006	Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	April 2018 April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - Southern Region - Solent and South Downs Environment Agency - Southern Region - Sussex Area	June 2015 June 2015	
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	January 2022	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Mid Sussex District Council West Sussex County Council - Environment & Development	January 2016 October 2006	Variable Annual Rolling Update
Planning Hazardous Substance Consents Mid Sussex District Council West Sussex County Council - Environment & Development	January 2016 October 2006	Variable Annual Rolling Update

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	July 2022	Quarterly
Fuel Station Entries Catalist Ltd - Experian	August 2022	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	September 2022	Quarterly
Points of Interest - Education and Health PointX	September 2022	Quarterly
Points of Interest - Manufacturing and Production PointX	September 2022	Quarterly
Points of Interest - Public Infrastructure PointX	September 2022	Quarterly
Points of Interest - Recreational and Environmental PointX	September 2022	Quarterly
Underground Electrical Cables National Grid	May 2021	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt Mid Sussex District Council	July 2022	Quarterly
Areas of Unadopted Green Belt Mid Sussex District Council	July 2022	Quarterly
Areas of Outstanding Natural Beauty Natural England	August 2022	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Natural England	February 2021	Bi-Annually
Marine Nature Reserves Natural England	July 2019	Bi-Annually
National Nature Reserves Natural England	January 2021	Bi-Annually
National Parks Natural England	February 2018	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 June 2017	Bi-Annually
Ramsar Sites Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest Natural England	February 2021	Bi-Annually
Special Areas of Conservation Natural England	July 2020	Bi-Annually
Special Protection Areas Natural England	February 2021	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Mid Sussex District Council - Environmental Services Section The Oaklands, Oaklands Road, Haywards Heath, West Sussex, RH16 1SS	Telephone: 01444 458166 extn 2288 Fax: 01444 450027 Website: www.midsussex.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	West Sussex County Council - Environment & Development County Hall, Tower hall, Chichester, West Sussex, PO19 1RH	Telephone: 01243 777100 Website: www.westsussex.gov.uk
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Sussex	1:10,560	1879	2
Sussex	1:10,560	1899	3
Sussex	1:10,560	1912	4
Sussex	1:10,560	1912	5
Sussex	1:10,560	1938 - 1952	6
Historical Aerial Photography	1:10,560	1947	7
Ordnance Survey Plan	1:10,000	1963	8
Ordnance Survey Plan	1:10,000	1969	9
Ordnance Survey Plan	1:10,000	1977 - 1978	10
Ordnance Survey Plan	1:10,000	1992 - 1994	11
10K Raster Mapping	1:10,000	2000	12
10K Raster Mapping	1:10,000	2006	13
VectorMap Local	1:10,000	2021	14

Historical Map - Slice A



Order Details


Order Number: 302932135_1_1
Customer Ref: P21367
National Grid Reference: 529290, 123070
Slice: A
Site Area (Ha): 100.06
Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Sussex

Published 1899


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 302932135_1_1
Customer Ref: P21367
National Grid Reference: 529290, 123070
Slice: A
Site Area (Ha): 100.06
Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



TIERPOINT
(Det.)
© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Sussex

Published 1912


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

025SE 1912 1:10,560	026SW 1912 1:10,560
039NW 1912 1:10,560	

Historical Map - Slice A




Order Details

Order Number:	302932135_1_1
Customer Ref:	P21367
National Grid Reference:	529290, 123070
Slice:	A
Site Area (Ha):	100.06
Search Buffer (m):	1000

Site Details

Site at, Ansty, West Sussex



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sussex

Published 1912


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 302932135_1_1
Customer Ref: P21367
National Grid Reference: 529290, 123070
Slice: A
Site Area (Ha): 100.06
Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Sussex

Published 1938 - 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

025SE 1952 1:10,560	026SW 1938 1:10,560
	039NW 1938 1:10,560

Historical Map - Slice A



Order Details

Order Number: 302932135_1_1
Customer Ref: P21367
National Grid Reference: 529290, 123070
Slice: A
Site Area (Ha): 100.06
Search Buffer (m): 1000

Site Details

Site at, Ansty, West Sussex