



Barratt David Wilson Southern Counties

Hurstwood Farm

Air Quality Mitigation Plan

Project No. 446174-01(00)

NOVEMBER 2025

RSK GENERAL NOTES


Report No.: 446174-01(00)

Title: Hurstwood Farm – Air Quality Mitigation Plan

Client: Barratt David Wilson Southern Counties

Date: 28th November 2025

Status: Final

Author	Phoebe Chan Senior Air Quality Consultant	Technical reviewer	Robert Clark Senior Air Quality Consultant
Signature		Signature	
Date:	28 th November 2025	Date:	28 th November 2025

RSK Environment Ltd (RSK) has prepared this report for the sole use of the client, showing reasonable skill and care, for the intended purposes as stated in the agreement under which this work was completed. The report may not be relied upon by any other party without the express agreement of the client and RSK. No other warranty, expressed or implied, is made as to the professional advice included in this report.

Where any data supplied by the client or from other sources have been used, it has been assumed that the information is correct. No responsibility can be accepted by RSK for inaccuracies in the data supplied by any other party. The conclusions and recommendations in this report are based on the assumption that all relevant information has been supplied by those bodies from whom it was requested.

No part of this report may be copied or duplicated without the express permission of RSK and the party for whom it was prepared.

Where field investigations have been carried out, these have been restricted to a level of detail required to achieve the stated objectives of the work.

This work has been undertaken in accordance with the quality management system of RSK Group Limited.

Contents

1	Introduction	4
2	Calculated Damage Costs	6
3	Mitigation Measures	7
3.1	Operational Phase Mitigation Measures	7
3.1.1	Travel Plan	7
3.1.2	Cycle Storage	7
3.1.3	Electric Vehicle (EV) Charging Points	7
4	Conclusion	8

1 INTRODUCTION

RSK Environment Limited (RSK) was commissioned to prepare an Air Quality Mitigation Plan (AQMP) for the proposed development of up to 375 new homes, a two-form entry primary school, burial ground, allotments, open space with associated infrastructure, landscaping, and parking areas at Hurst Farm, Hurstwood Lane, Haywards Heath (planning reference: LW/22/0517).

The site is located within the administrative area of Mid Sussex District Council (MSDC) (West Sussex) and Lewes District Council (LDC) (East Sussex). The approximate grid reference of the centre of the site is 534007, 122451. A site plan for the proposed development is shown in Figure 1.1 below.

It is understood that an Air Quality Environmental Statement (ES) and an Emission Mitigation Assessment had been undertaken by WSP in 2022. Planning permission has been granted subject to discharging pre-commencement conditions. This AQMP had been prepared to discharge Condition 28 in MSDC Committee Report (reference: DM/22/2272) and Condition 15 in LDC Committee Report (reference: LW/22/0517). Conditions 28 and 15 state the following:

“Prior to the commencement of any residential part of the development hereby permitted, the details of a scheme of mitigation measures to improve air quality relating to the development shall be submitted and approved in writing by the Local Planning Authority. The scheme be in accordance with, and to the value calculated in, sections 10.6.34 to 10.6.38 of the submitted WSP Air Quality chapter of the Environmental Statement (Ref 70081355, dated July 2022). All works which form part of the approved scheme shall be completed before any part of the development is occupied and shall thereafter be maintained in accordance with the approved details.”

This AQMP has been prepared in accordance with the Air Quality and Emissions Mitigation Guidance for Sussex (2021), which details the mitigation measures to be implemented to offset the air quality impact as a result of the operational phase of the development.

Figure 1.1: Proposed Development Site Plan



2 CALCULATED DAMAGE COSTS

According to the Air Quality ES prepared by WSP, the proposed development is classified as a major development in accordance with the Air Quality and Emissions Mitigation Guidance for Sussex (2021). Therefore, an emission mitigation assessment was undertaken to quantify the monetised health damage value associate with transport emissions from the proposed development. A damage cost calculation was undertaken for both nitrogen dioxide (NO_x) and particulate matter (PM).

The calculated central damage cost value for 5 years (including both NO_x and PM_{2.5}) is **£174,413**, which will be used to fund on- and off-site mitigation measures. The following section details the mitigation measures to be implemented on site and the costs associated with these measures.

3 MITIGATION MEASURES

3.1 Operational Phase Mitigation Measures

This section details the mitigation measures which will be implemented when the development enters the operational phase.

3.1.1 Travel Plan

It is understood that a Travel Plan will be prepared for the proposed development and will be submitted to the local authority prior to occupation of the development site.

The travel plan would aim to increase resident awareness of the advantages and availability of sustainable/active modes of transport and encourage residents and visitors to use more sustainable ways of travelling to and from the development site, in order to minimise the adverse impacts of their travel on the environment.

3.1.2 Cycle Storage

It is understood that communal cycle stores will be provided to all flats and individual cycle stores will be provided to all houses without a garage. A total of 140 cycle stores will be provided and the implementation cost is £700 per cycle storage. The total cost for the provision of cycle storage is £98,000.

3.1.3 Electric Vehicle (EV) Charging Points

It is understood that 375 no active EV charging points (7 kW) will be provided (one EV charging point for each dwelling) and further ducting will be facilitated for remaining allocated spaces. Each charger costs £725 and the total cost for the provision of EV charging is £271,875.

4 CONCLUSION

This AQMP details the mitigation measures that will be implemented during the operational phase of the development to minimise and offset emissions associated with the development. The final budget for the proposed mitigation measures detailed in Section 3 is **£369,875**. It must be noted that this excludes the costs associated with the Travel Plan.

It is considered that this AQMP meets the requirement of the pre-commencement condition specified in Section 1, which should be discharged.