



ROOT PROTECTION AREAS (RPAs):
BS.5837: 2012 recommends that an area around each retained tree should be protected from disturbance and damage to tree roots by ensuring the prevention of compaction and contamination of the rooting environment.

prevention of compaction and contamination of the rooting environment. RPAs are calculated for all category A, B and C grade trees in accordance with the recommendation of the Standard, and are shown as dotted coloured lines according to the tree category.

RPs are calculated and shown unadjusted as a concentric circle centred on the trunk of each tree, but if there appear to be significant obstructions to root growth both natural and manmade they can be adjusted and where applicable reshaped to illustrate more accurately the likely distribution of roots.

The RPAs are shown unadjusted on this plan.

This drawing and design are the copyright of Lloyd bore Ltd. This drawing may only be used for the stated purpose. The landscape design information is subject to validation and written approval by the project engineer.

rev. rev. date author rev. note

rev. rev. date author rev. note

Option Two Development Ltd

client. **Option Two Development**
project.

Land at Court House Farm
Copthorne Common Road
Copthorne, West Sussex

drawing no. **5096-LLB-XX-XX-D-Ab-0004**
drawing title. ***Tree Protection Plan***
Sheet 02 of 02
Residential
purpose. ***FOR PLANNING***

rev.	P01	rev date.	28/08/2025
suit.	S4	scale.	1:500
		sheet.	A1
		author.	TB
		checked.	DB



lloydBore | landscape ecology arboriculture