



P-07 Front View 1:50



P-08 Side View 1:50




P-07 - Hammock

Contractor to check and confirm fall heights within including ROSPA inspections prior to install on site. All details to landscape architects approval.

Product: Duncan & Grove Hammock No. 1
or equal approved
Product Code: HA.1.01

- 1 - Ekki uprights (square) with metal shoes into concrete foundation (to engineers detail)
- 2 - Galvanised steel out of ground fixings
- 3 - Net comprising galvanised steel cable and polyester yarn sheath >20mm Ø
- 4 - Foundations (to engineers detail)
- 5 - Extent of safety surface
- 6- Square ekki cross members

Area required: .4.4m x 5.02m
Critical Fall Height: 0.7m
Safety Surfacing: 50mm
Foundations: 2No 850mm x 800mm x 600mm. Excavation depth Min 1000mm.



NOTES

This drawing is Copyright and shall not be produced nor used for any other purpose without the written permission of the Landscape Architects.

Do not scale from this drawing.

The Contractor is responsible for checking all dimensions on site and report any discrepancies, errors or omissions to the Landscape Architects immediately.

The Contractor shall ensure that all goods, materials and workmanship conform with current British Agreement Certificates, British Standards and Building Regulations, and ensure that all works are executed in full compliance with all current Codes of Practice and Regulations in respect of Health & Safety.

Rev	Date	By	Description	Ckd
-----	------	----	-------------	-----



Drawing Status		N 4	
For Planning			
Project:		Hemsleys Meadows & Finches Field	
Drawing Title:		Technical Details - Hammock (P-07)	
Client:		Mid Sussex District Council	
Scale:	as shown @ A3	Job No.:	23-739
Date:	09.03.23	Drawing No.:	739-363