

From: planninginfo@midsussex.gov.uk <planninginfo@midsussex.gov.uk>
Sent: 01 May 2025 11:23:20 UTC+01:00
To: "Katherine Williams" <katherine.williams@midsussex.gov.uk>
Subject: Mid Sussex DC - Online Register - Comments for Planning Application
DM/25/1057

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 01/05/2025 11:23 AM.

Application Summary

Address:	Burgess Hill School For Girls Keymer Road Burgess Hill West Sussex RH15 0EG
Proposal:	Revision to floodlighting fittings and hours of operation.
Case Officer:	Katherine Williams

[Click for further information](#)

Customer Details

Address:	7 Ferndale Road Burgess Hill
----------	------------------------------

Comments Details

Commenter Type:	Neighbour or general public
Stance:	Customer objects to the Planning Application

Reasons for comment:

Comments:	Please could Mr Oliver Benson re-think his proposal that he doesn't have a view on the request to extend the light use further into the evenings simply because there have been no complaints about what is currently irregular use of an area further away!? We would be happy to meet Mr Benson at our house so he can see the proximity of the area where the lighting/usage of areas would be further extended and he could then take a professional view on the environmental implications. (Separately, this is a lesson for us in that unless one complains about EVERYTHING, the environmental officer is likely to take the absence of complaints as
-----------	---

tacit acceptance of any future/additional/extended requests and is somehow evidence that the environmental office doesn't have to form their own professional independent view.)

Kind regards