

**From:** James Puxty <James.Puxty@bloomfieldsltd.co.uk>  
**Sent:** 12 February 2026 10:40:49 UTC+00:00  
**To:** "Anna Tidey" <anna.tidey@midsussex.gov.uk>  
**Cc:** "Hamish Jackson - Senior Ecological Consultant"  
<hamish.jackson@essex.gov.uk>  
**Subject:** Re: Discharge of conditions application DM/25/3266 - Southbrooks, Danworth Lane, BN6 9LW,  
**Attachments:** SOUTHBROOKS.PORCH PLANNING EXO.ELES 11D a3.pdf, SOUTHBROOKS.PORCH PLANNING PRO.ELES 13D a3.pdf

Hi Anna,

I hope this email finds you well. I was just reaching out to ask if the below information was acceptable to you, so we can progress the Conditions Discharge.

Also, I note that you are the assigned Planning Officer for my application at Southbrooks for the combining porch, referenced DM/26/0226. Could the attached plans please replace the elevations submitted, as the roof of the Old Barn had to be reconfigured.

Many thanks,

James



James Puxty BA (Hons) MSc MRTPI  
Chartered Town Planner  
Tel. 01892 831600  
james.puxty@bloomfieldsltd.co.uk  
Helix House, High Street, Wadhurst, East Sussex TN5 6AA  
www.bloomfieldsltd.co.uk



[READ OUR LATEST ASSET PUBLICATION →](#)

In association with Lambert & Foster [www.lambertandfoster.co.uk](http://www.lambertandfoster.co.uk). This email may contain confidential and/or privileged information. If you are not the intended recipient (or have received this email in error), please notify the sender immediately and delete this email. Any unauthorised copying, disclosure or distribution of the material in this email is strictly forbidden. Bloomfields is the trading name of Lambert & Foster (Bloomfields) Ltd (company no. 08278915) an owned subsidiary of Lambert & Foster Ltd a Limited Company registered in England and Wales, No 10574225. Registered office 77 Commercial Road, Paddock Wood, Tonbridge, Kent TN12 6DS.



**From:** James Puxty <James.Puxty@bloomfieldsltd.co.uk>

**Sent:** 02 February 2026 11:59

**To:** Anna Tidey <anna.tidey@midsussex.gov.uk>

**Cc:** Hamish Jackson - Senior Ecological Consultant <hamish.jackson@essex.gov.uk>

**Subject:** Re: Discharge of conditions application DM/25/3266 - Southbrooks, Danworth Lane, BN6 9LW,

Good morning Anna,

Thank you for your email, I hope you had a good weekend. While we are happy to work with Mid Sussex Council to find a solution acceptable to you, we opted with the laying of Type 1 as we thought this would be most appropriate for this location.

Type 1 has been present here for a number of years, originally to facilitate the agricultural storage use of the buildings. While the land is now residential in use, the Type 1 remains so we are proposing a modest additional layer of Type 1 on top of the established substructure. We therefore consider that this is the most appropriate surfacing material, so hopefully you agree. Please let me know if this is acceptable, or if the cell web is still preferred.

Kind regards,

James



James Puxty BA (Hons) MSc

Planning Consultant

Tel. 01892 831600

james.puxty@bloomfieldsltd.co.uk

Helix House, High Street, Wadhurst, East Sussex TN5 6AA

www.bloomfieldsltd.co.uk



[READ OUR LATEST ASSET PUBLICATION →](#)

In association with Lambert & Foster [www.lambertandfoster.co.uk](http://www.lambertandfoster.co.uk). This email may contain confidential and/or privileged information. If you are not the intended recipient (or have received this email in error), please notify the sender immediately and delete this email. Any unauthorised copying, disclosure or distribution of the material in this email is strictly forbidden. Bloomfields is the trading name of Lambert & Foster (Bloomfields) Ltd (company no.

08278915) an owned subsidiary of Lambert & Foster Ltd a Limited Company registered in England and Wales, No 10574225. Registered office 77 Commercial Road, Paddock Wood, Tonbridge, Kent TN12 6DS.



**From:** Anna Tidey <anna.tidey@midsussex.gov.uk>  
**Sent:** 28 January 2026 16:24  
**To:** James Puxty <james.puxty@bloomfieldsltd.co.uk>  
**Cc:** Hamish Jackson - Senior Ecological Consultant <hamish.jackson@essex.gov.uk>  
**Subject:** Discharge of conditions application DM/25/3266 - Southbrooks, Danworth Lane, BN6 9LW,

Dear James

I have received the attached comments today from the Tree Officer with regards to the submitted information for the Discharge of Condition 4 of DM/25/0818.

Unfortunately, I am unable to discharge the condition as the details are not acceptable. Please can you consider the advice provided and amend the submissions accordingly.

For your information I am still awaiting comments from the Ecological Adviser with regards to the submitted Biodiversity Enhancement Strategy for Condition 3 of DM/25/0818.

Regards  
Anna Tidey  
Planning Officer

-----  
Submit your planning application online.  
<http://www.planningportal.gov.uk>

-----  
Anna Tidey BA(Hons) MPhil MRTPI  
Planning Officer  
Development Management

Tel: +44 (0)1444 477342  
[anna.tidey@midsussex.gov.uk](mailto:anna.tidey@midsussex.gov.uk)    <http://www.midsussex.gov.uk>



Working together for a Better Mid Sussex.

 - **SAVE A TREE** Only print this email if absolutely necessary.

---

**From:** Emma Rivett <Emma.Rivett@midsussex.gov.uk>  
**Sent:** 28 January 2026 15:53  
**To:** Anna Tidey <anna.tidey@midsussex.gov.uk>  
**Subject:** DM/25/3266 Southbrooks, Danworth Lane, BN6 9LW,

Hi Anna,

I have looked at the information provided to discharge the conditions relating to this proposal. I find the information insufficient and have concerns that the selected surfacing would have an impact on the trees. In my experience type 1 must be compacted using a whacker plate. This would most likely be of detriment to the health of the trees.

What the condition suggests to me, is an above ground, no dig solution to prevent compaction, such as a cellular confinement system, such as cell web, filled with fines and topped with gravel or some other porous material. Type 1, even if left and not compacted, would eventually cause compaction over time, whereas cell web or similar, prevents compaction. This is important for the roots of these trees, particularly the smaller fibrous roots.

Would you ask the applicant/ agent to consider this type of solution, please?

Kind regards

Emma

Emma Rivett  
Assistant Tree Officer-Development Management  
[www.midsussex.gov.uk](http://www.midsussex.gov.uk)

Working together for a better Mid Sussex

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.