

Lighting Assessment

Advertisement Consent Application

The illuminated signs included in this application will only operate during store opening hours and will be disabled between 23:00 and 07:00, in line with the curfew hours set out in the approved External Lighting Report for planning application DM/24/3077.

All illuminated signs will be static, the illumination details for each sign are as follows:

Sign 1 – Other type, Aldi Logo SignCase – **Static**

The luminous flux in lumens equates to 135Lm and 33 Candelas/m2.

Sign 2 – Other type, Opening Hours – **Static**

The luminous flux in lumens equates to 95m and 23 Candelas/m2.

Sign 3 – Other type, EV Chargers – **Static**

The luminous flux in lumens equates to 128Lm and 31 Candelas/m2.

Sign 4 – Other type, Aldi Welcome Vinyl – **Not Illuminated**

Sign 5 - Fascia type, Aldi Logo SignCase – **Static**

The luminous flux in lumens equates to 135Lm and 33 Candelas/m2.

Sign 6 - Fascia type, Aldi Logo SignCase - **Static**

The luminous flux in lumens equates to 135Lm and 33 Candelas/m2.

Sign 7 – Other type, Warning Cricket Sign – **Not Illuminated**

Sign 8 – Other type, Aldi Logo Vinyl – **Not Illuminated**

Sign 9 – Other type, Aldi Logo Vinyl – **Not Illuminated**

Sign 10 – Fascia type, Aldi Logo SignCase – **Static**

The luminous flux in lumens equates to 135Lm and 33 Candelas/m2.