

Form Submission PDF

Application for works to trees subject to a tree preservation order (TPO) and/or notification of proposed works to trees in a conservation site.

Your Data

REFERENCENUMBER	5927-5412-2248-4401
-----------------	---------------------

Applicant Details

Your Details	
Applicant Details	
First name	Paul
Last name	Goswamy
Phone number	
Email address	
Confirm email address	
Address	GREENSANDS, ALBOURNE ROAD HURSTPIERPOINT WEST SUSSEX BN6 9ES

Agent Details

Agent Details	
Agent Details	
Name	n/a
Last Name	n/a
Company	N/A
Address	N/A
Phone number	
Email address	

Tree Location

Tree Location	
Do all trees stand at the applicant address?	Yes
Full address/location of the site where the tree(s) stand	
Location Description	

Ownership of Trees

Label	
Is the applicant the owner of the trees?	Yes
Owner Details	
First name	
Last name	
Phone number	
Email address	
Address	

TPO Details

Further Details	
Are you seeking consent for works to tree(s) subject to TPO	No
Are you wishing to carry out works to tree(s) in a conservation area?	Yes
If you know which TPO protects the tree(s), enter its title or number	
Please identify the tree(s) and provide a full and clear specification of the works you want to carry out	• T1 Holm Oak - remove one lateral branch 4m off the ground to balance • T2 Robinia 100% dead, fell, dangerous • T3 Robinia - fell, overgrown sapling , no lower branches, top heavy • T4 Robinia -fell, overgrown sapling, no lower branches, top heavy • T5 Yew - small tree, fell as competing with larger yew next to it • T6 Yew - larger tree, remove one lateral branch 3m off ground to balance • T7 + T8 - overgrown robinia saplings, fell • T9 mature Sycamore - even out canopy, remove dead wood from storm & squirrel damage • T10 beech - fell, showing signs of stress, not healthy, storm & squirrel damage • T11, T12, T13 - group of limes, historical storm/wind damage, remove dead wood to T13, T12 fell as has grown at strong angle due to adjoining tree that fell in storms, T11 fell, subject to constant strong wind/storm damage. • T14 Yew - reduce crown 15%, reshape crown, grown unevenly

Additional Information

ADDITIONALINFORMATION	
For all trees	
Sketch plan clearly showing the position of trees listed in the previous question	Aug26 Greensands TreeWorks.pdf (download)
For works to trees covered by TPO	
Please provide a reason why you wish to perform	Management of rear garden with many trees, garden south facing with very strong prevailing south westerly winds, storm and squirrel damage regular issue. Trees are of concern as near to adjoining properties and showing signs of ill health/damage, especially due to heavy winter storms

these works	followed by drought. 5 yearly works carried out to manage trees with new planting where appropriate. None of trees specified are visible from the front street scape on the northern Albourne Road side of the site.
Condition of the trees(s)	No
Advice /Diagnostics	
Alleged damage to property	No
Report/Evidence	files.zip (download)
Are you providing separate information?	Yes
Please provide the reference numbers of plans, documents, professional reports, photographs etc in support of your application.	Photo refers to T2, urgent removal required as tree has died, unsure of species possibly robinia

Authority/Employee

Label	
With respect to the Authority, I am	none of the above
Please provide details of the name, relationship and role	

Declaration

Label	
Signed - Applicant	Paul Goswamy
Signed - Agent	n/a
Date	2026-08-18

Summary of Form