

From: Rory Moss <rory.moss@dentongroup.com>
Sent: 03 November 2025 14:51:16 UTC+00:00
To: "Joanne Fisher" <Joanne.Fisher@midsussex.gov.uk>
Cc: "Steven Doel" <steven.doel@dentongroup.com>
Subject: RE: DM/25/2743 - Gatehouse Farm

Hi Joanne,

Apologies that is my fault this submission should be for Condition 14 & 19 only.

As you mention below it should read Discharge of condition 14 and 19 relating to planning application DM/25/1758.

Hopefully that clarifies the submission.

Thanks

Rory Moss
Technical Coordinator

DD: 0208 398 7575 | Mobile: 07867 996 727
Website: www.Dentongroup.com.

From: Joanne Fisher <Joanne.Fisher@midsussex.gov.uk>
Sent: 03 November 2025 14:43
To: Rory Moss <rory.moss@dentongroup.com>
Cc: Steven Doel <steven.doel@dentongroup.com>
Subject: DM/25/2743 - Gatehouse Farm

Dear Rory,

I refer to the above application currently under consideration.

I note the description refers to the original permission (reference DM/23/2794), however, as you may be aware a S73 has recently been approved under DM/25/1758 for the site which in effect is a new permission. If you are implementing the S73 application which sought revisions to the noise report and acoustic fencing, the description for the discharge of conditions needs to reflect the most recent permission being DM/25/1758.

In addition, the submitted application form relates to condition 20 whereas your covering letter only refers to the discharge of condition 14. Condition 20 of the permission states:

'Prior to the occupation of any dwelling the acoustic fencing hereby approved to the northern and eastern boundary as shown on drawing 015 Rev P6 shall be installed and thereafter be retained.

Reason: To protect the amenity of neighbouring residents and to accord with Policy DP29 of Mid Sussex District Plan.'

This condition does not need further information to be submitted to be discharged and your supporting information with the discharge of condition application does not provide any information on what is sought to be discharged on this condition. Please can you clarify?

As such, please can you confirm whether the application should be for the following description so that this can be updated:

'Discharge of condition 14 relating to planning application DM/25/1758.'

I look forward to hearing from you in respect of the above.

Kind regards

Joanne

Joanne Fisher BSc (Hons), MATP, MRTPI
Team Leader Applications
Planning Services

Tel: 01444 477330

joanne.fisher@midsussex.gov.uk

www.midsussex.gov.uk



Working together for a better Mid Sussex

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.