

1. GENERAL
- (i) This drawing is not to be scaled, work to figured dimensions only, confirmed on site.
 - (ii) This drawing is to be read in conjunction with all relevant architectural drawings, detailed specifications where applicable and all associated drawings in this series.
 - (iii) Any discrepancy on this drawing is to be reported immediately to the partnership for clarification.
 - (iv) The contractor is responsible for all temporary works and for the stability of the works in progress.








TABLE 1	
NOMINAL DIAMETER (mm)	EFFECTIVE LENGTH OF ROCKER PIPE (m)
150 TO 600	0.6
>600 TO 750	1.0
>750	1.2


TYPE 2 MANHOLE
(DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE LESS THAN 3.0m)
(1:20)




CATCHPIT TO INVERT 0.9m TO 2.7m
(1:20)




TYPE 3 ACCESS CHAMBER - FLEXIBLE MATERIAL
(SUBJECT TO VEHICLE LOADING, MAX. DEPTH 3m, NON-ENTRY)
(1:20)



TYPE 3 ACCESS CHAMBER - FLEXIBLE MATERIAL
(SUBJECT TO LIGHT TRAFFIC LOADS, MAX. DEPTH 3m, NON-ENTRY)
(1:20)




ROAD GULLY WITH SMART SPONGE
(INSTALL SMART SPONGE TO MANUFACTURER'S GUIDANCE)
(1:20)




GRANULAR BEDDING DETAIL (WHERE COVER >600mm) (1:20)
CONCRETE BEDDING DETAIL (WHERE COVER <600mm) (1:20)

NOTE
ALL BACKFILLING AND REINSTATEMENT WITHIN ROADS AND STREETS TO BE IN ACCORDANCE WITH THE HIGHWAY AUTHORITY AND HAUC SPECIFICATION



CRATE ATTENUATION TANK DETAIL
(1:20)



FIRST ISSUE	TRB/AK	01.05.25	P01
Description	By	Appr. Date	Rev.
PRELIMINARY DRAWING NOT FOR CONSTRUCTION			

Title
DRAINAGE DETAILS

Project
60 KEYMER ROAD HASSOCKS

Client
STAR GARAGES (BRIGHTON) LIMITED

HOP CONSULTING CIVIL AND STRUCTURAL ENGINEERS
HOP House, 41 Church Road Hove, East Sussex BN3 2BE
www.hop.uk.com
ask@hop.uk.com
+44 (0)1273 223900

© Copyright 1:20 0 0.2m 0.4m 0.6m 0.8m 1m 1.50 0 0.5m 1m 1.5m 2m 2.5m 1:100 0 1m 2m 3m 4m 5m