

Anna Tidey

From: [REDACTED]
Sent: 27 May 2026 13:47
To: Anna Tidey
Subject: Re: DM/26/0790 & DM/26/0806 - Tyes Place Brantridge Lane Staplefield Haywards Heath

Hi Anna,

That's all fine thank you and happy to confirm agreement to withdrawn the listed building application.

We're actually working on the Precautionary Working Methods Statement (PWMS) right now and it might be I can have it over to you by the end of this week.

All the best, Jamie

Sent: Wednesday, May 27, 2026 13:42

Subject: RE: DM/26/0790 & DM/26/0806 - Tyes Place Brantridge Lane Staplefield Haywards Heath

Dear Jamie and Annabel

Thank you for your reply, and to the agreement to an Extension of time for the planning application DM/26/0790 to 12.06.2026. I will note this agreement on the planning file, although a longer timescale will need to be agreed upon receipt of the Precautionary Working Methods Statement (PWMS), as the consultation period is 21 days. I will advise you of a workable date, once the PWMS is received.

In the meantime my manager has reviewed my draft report for the Listed Building Consent (LBC) application DM/26/0806 this morning. He has advised me that the summerhouse is not a Listed Building, as it is not included within the official Historic England Listed Building entry for Tyes Place. Therefore, the proposal to demolish and replace the summerhouse building does not require Listed Building Consent, **it only requires planning permission**. I apologise for this error, which I should have made you aware of earlier.

Please can I therefore request that the LBC application is Withdrawn in writing, by return email?

I look forward to hearing from you in due course, once you have the PWMS.

Thank you.

Regards

Anna

Submit your planning application online.

<http://www.planningportal.gov.uk>


Anna Tidey BA(Hons) MPhil MRTPI

Planning Officer

Development Management

Tel: +44 (0)1444 477342

anna.tidey@midsussex.gov.uk <http://www.midsussex.gov.uk>



Working together for a Better Mid Sussex.



- SAVE A TREE Only print this email if absolutely necessary.

Sent: 27 May 2026 10:17

To: Anna Tidey <anna.tidey@midsussex.gov.uk>

Subject: Re: DM/26/0790 | Tyes Place Brantridge Lane Staplefield Haywards Heath

Hi Anna,

We'd prefer to take the route of an extension to give us a little breathing space if that's ok? We're already in touch with a local company and hoping they can assist in good time. Happy to take your advice on date but a couple of weeks or so (sometime around 12th June) to give us a target?

All the best, Jamie

From: Anna Tidey <anna.tidey@midsussex.gov.uk>

Sent: 26 May 2026 13:00

Subject: DM/26/0790 | Tyes Place Brantridge Lane Staplefield Haywards Heath

Dear Jamie and Annabel

I am currently preparing my recommendation report for the above application, which has a current Decision Target date of today. I note from the documents saved on the planning file that on 14.05.2026, whilst I was on leave, a consultation response email was received from the Newt Officer, Laura Downs, at Naturespace, see her email in full below.

Laura has recommended the use of a Precautionary Working Methods Statement (PWMS) for this development, due to the position of the site within a Red Impact Zone for Great Crested Newts. She has advised that this must be written by a suitably qualified ecologist and submitted to the Local Planning Authority for approval either: prior to the determination of the application, or it can be achieved by placing a pre commencement condition on the approval, which would read:

'No development shall take place until a Precautionary Working Methods Statement (PWMS) detailing reasonable avoidance measures for great crested newts has been submitted to and approved by the Local Planning Authority. Works shall only be undertaken in accordance with the approved Method Statement'

If a pre commencement condition is to be imposed it must firstly be agreed by the applicants, and secondly it will require the submission of a further application for its discharge, which incurs a further planning fee of £89.

Please can you advise me by return email which option your clients would prefer. If the PWMS is to be submitted ahead of the determination of DM/26/0790 I will need to request agreement to an Extension of time for the Decision Target Date on planning application DM/26/0851 to allow for its receipt and further consultation with Naturespace.

However, there is no need to hold up the decision on Listed Building application DM/26/0851, as this is subject to separate considerations, so I intend to take that forward to a decision.

I look forward to hearing from you.

Regards

Anna

Submit your planning application online.

<http://www.planningportal.gov.uk>


Anna Tidey BA(Hons) MPhil MRTPI

Planning Officer

Development Management

Tel: +44 (0)1444 477342

anna.tidey@midsussex.gov.uk <http://www.midsussex.gov.uk>



Working together for a Better Mid Sussex.

 - **SAVE A TREE** Only print this email if absolutely necessary.

Sent: 14 May 2026 15:10

To: Anna Tidey <anna.tidey@midsussex.gov.uk>

Subject: DM/26/0790 | Tyes Place Brantridge Lane Staplefield Haywards Heath

Good afternoon Anna,

Thank you for consulting us on the above application. I have reviewed the submitted documentation and note that the applicant has not submitted any ecological information. Site photos however show that the condition of the current summerhouse which is set to be removed consists of many gaps in the brickwork and other cracks which could act as newt hibernacula/shelter. Additionally, there are a number of waterbodies surrounding the site and within close proximity.

It would be unreasonable to require the applicant to submit a survey because this could be considered disproportionate to the very small scale and the likely impacts of the development. However, the application site lies within a red impact zone as per the modelled district licence impact map, which indicates that there is highly suitable habitat for GCN within the area surrounding the application site, and there are potential impacts for GCN habitat here. Therefore, I recommend the use of a Precautionary Working Methods Statement (PWMS). This must be written by a suitably qualified ecologist and submitted to the Local Planning Authority for approval prior to determination or secured in a condition such as below:

Condition “No development shall take place until a Precautionary Working Methods Statement (PWMS) detailing reasonable avoidance measures for great crested newts has been submitted to and approved by the Local Planning Authority. Works shall only be undertaken in accordance with the approved Method Statement.”

Best wishes,

Laura Downs (she/her)

District Licensing Officer (Great Crested Newts) – West Sussex




NatureSpace Partnership

e: Laura.Downs@naturespaceuk.com

m: 07356 159774

w: www.naturespaceuk.com

Company operating hours: Monday to Thursday 09:00 - 17:00



The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with

this email and any attachments, or which may result from reliance on the contents of this email and any attachments.

The information contained in this email may be subject to public disclosure under the Freedom of Information Act 2000. Unless the information contained in this email is legally exempt from disclosure, we cannot guarantee that we will not provide the whole or part of this email to a third party making a request for information about the subject matter of this email. This email and any attachments may contain confidential information and is intended only to be seen and used by the named addressees. If you are not the named addressee, any use, disclosure, copying, alteration or forwarding of this email and its attachments is unauthorised. If you have received this email in error please notify the sender immediately by email or by calling +44 (0) 1444 458 166 and remove this email and its attachments from your system. The views expressed within this email and any attachments are not necessarily the views or policies of Mid Sussex District Council. We have taken precautions to minimise the risk of transmitting software viruses, but we advise you to carry out your own virus checks before accessing this email and any attachments. Except where required by law, we shall not be responsible for any damage, loss or liability of any kind suffered in connection with this email and any attachments, or which may result from reliance on the contents of this email and any attachments.