


rev.	date	changes/description	issued by
P08	05/11/2024	Legends added & updated, Additional services added and layout updated	HE
P07	08/07/2024	Additional Water Main duct added (Whitecore drawing 0001 issued 13/06/2024), External door to bike st., Second lift removed, star and lift access removed to Bth floor, Wall positions revised to line through with riser above, Information added	HE
P06	12/06/2024	Brick column enlarged to suit steel tension, Utility cupboard update to all flat types, RWPs added to rear balconies	HE
P05	10/10/2023	Lobby door removed, Wall between MSS and Reception moved	MK
P04	19/09/2023	Valves positioning in communal lounge updated, Reception lighting layout shown	MK
P03	07/09/2023	Ventilation information updated to match received Vent Axia layouts	MK



Drawings for S4 issue are based on available information and finalised as best possible to original programme.

Items still in abeyance/ require further input, review and co-ordination:

- Sigmat LGSF design co-ordination to be agreed
- Full Vent Axis design to be reviewed for any potential clashes of MVHR during following Sigmat final model
- Specialist acoustic input to areas of concern raised

AT RE- FORM

project title
Boltro Road, Haywards Heath

Ground Floor General Arrangement Plan

Figure 1.1 shows a horizontal bar divided into four segments of lengths 0.5m, 1.5m, 2.0m, and 2.0m, totaling 6.0m. A circular cross-section is shown to the right with a diameter of 100mm. The scale is 1:100.

status suitability description revision

Communal legend

	CEILING LIGHT (PRODUCT CODE L06)
	DROP PENDANT (PRODUCT CODE L01)
	PICTURE LIGHT (PRODUCT CODE L05)
	WALL LIGHT (PRODUCT CODE L04)
	FUSED SPUR (UN)SWITCHED FUSED SPUR
	SWITCHED SOCKET OUTLETS - SINGLE / DOUBLE LOW LEVEL
	SWITCHED SOCKET OUTLETS - SINGLE / DOUBLE HIGH LEVEL
	CABLE GALET WITH REMOTE NEON SWITCH
	WINDOW OPENER - 2 GANG LIGHT SWITCH
	TELEVISION / SATELLITE SIGNAL
	IT TELEPHONE OUTLET / RASB OUTLET
	PUSH BUTTON WITH DOCUMENT CABINET
	DOOR OPEN ALARM
	PIR
	PUSH BUTTON WITH AUTOMATIC OPENER
	ELECTRONIC SOLDER
	FIRE ALARM - 25mm PVC CENTRED OVER
	ELECTRICITY - 25mm PVC
	TELECOM - 25mm PVC
	WARDEN CALL - 25mm PVC
	WATER DRAIN - 25mm PVC

Service room	
IVO	INTERFACE INPUT TO MONITOR ASD FIRE SIGNAL. INTERFACE INPUT TO MONITOR ASD FIRE & FAULT.
IVO	2 INTERFACE OUTPUT TO TRIGGER SE CONTROLS ADJUSTMENT.
IVO	INTERFACE OUTPUT TO TRIGGER THE DOOR CLOSERS.
IVO	INTERFACE INPUT TO MONITOR PSU FOR FAULT. PSU TO POWER DOOR HOLDERS/RETAINERS.

Main entrance lobby	
IVO	INTERFACE OUTPUT TO RELEASE AUTOMATIC DOOR ON FIRE ALARM
IVO	FAULT MONITORING FOR DUALCOM
IVO	TRIGGER FROM WARDEN CALL TO ACTIVATE FIRE ALARM. TRIGGER TO WARDEN CALL TO ALERT CALL CENTRE.
IVO	EN54 PSU FOR DUALCOM SAFELINK

Legend			
		DEC715 KING DECO BOLLARD	2501182085
E		DEC715EMA KINGFISHER DECO 2.0	2501182084
		15W LED BOLLARD EMERGENCY	
		NEWLEC IP65 BULKHEAD	1057086376
		MAINTAINED	
		SANBY FORCA CCT IP65-15W	3600333411
		WITH EYELID BLACK BEZEL	3600333403
E		SANBY FORCA CCT EMERGENCY	3600333394
		IP65 15W	3600333394
		WITH EYELID BLACK BEZEL	3600333403

[illegible]