


Frame No: 1 Qty: 1 Heritage O/O Resi Door Location:Window 1



Door Handle: Bright Chrome Lever/Lever
Door Lock: Door Lock (Master)
Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Sash Square Bead Anthraci

Sash: Door Sash (Open Out) - Anthracite Grey - [KL005]
Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer


1050mm: 150mm Cill-Anthracite Grey - [KL005] 1
45/30 Standard Thumbturn Cylinder Nickel (Open IN) 1
O/O Door Butt Hinge Black 4

Sash too wide! - LIMITED GUARANTEE

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 950 x 2040
Actual Frame Size: 950 x 2015

Frame No: 2 Qty: 1 Heritage O/O Resi Door Location:Window 2



Door Handle: Bright Chrome Lever/Lever
Right Door O/O Door Butt Hinge Black
Door Lock: Door Lock (Master)
Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Sash Square Bead Anthraci

Sash: Door Sash (Open Out) - Anthracite Grey - [KL005]
Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer


1050mm: 150mm Cill-Anthracite Grey - [KL005] 1
45/30 Standard Thumbturn Cylinder Nickel (Open IN) 1
O/O Door Butt Hinge Black 4

Sash too wide! - LIMITED GUARANTEE

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 950 x 2040
Actual Frame Size: 950 x 2015

Frame No: 3 Qty: 1 Heritage Window Location:Window 3




Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead:

2278mm: 150mm Cill-Anthracite Grey - [KL005] 1
2115mm: 14.5mm Vertical Box Coupler - Anthracite Grey - 1

Glazing:

Overall Size: 2178 x 2040
Actual Frame Size: 2178 x 2015

Frame No: 4 Qty: 1 Heritage O/O Resi Door Location:Window 4



Door Handle: Bright Chrome Lever/Lever
Door Lock: Door Lock (Master)
Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Sash Square Bead Anthraci

Sash: Door Sash (Open Out) - Anthracite Grey - [KL005]
Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer


1043mm: 150mm Cill-Anthracite Grey - [KL005] 1
45/30 Standard Thumbturn Cylinder Nickel (Open IN) 1
O/O Door Butt Hinge Black 4

Sash too wide! - LIMITED GUARANTEE

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 943 x 2015
Actual Frame Size: 943 x1990

Frame No: 5 Qty: 1 Heritage Window Location:Window 5



Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Fixed Square Bead Anthrac


Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer

1321mm: 150mm Cill-Anthracite Grey - [KL005] 1
41mm Flat Astragal Bars inside 2
41mm Flat Astragal Bars outside 2

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg 36mm Duplex Bar

Overall Size: 1221 x 2015
Actual Frame Size: 1221 x1990

Frame No: 6 Qty: 1 Heritage Window Location:Window 6



Win Handle: Connoisseur Handle Brt Chrome
Window Lock: Espag
Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Sash Square Bead Anthraci

Sash: Heritage Sash - Anthracite Grey - [KL005]
Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer


1800mm: 150mm Cill-Anthracite Grey - [KL005] 1

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 1700 x 835
Actual Frame Size: 1700 x810

Frame No: 7 Qty: 1 Heritage Window

Location:Window 7



- Win Handle: Connoisseur Handle Brt Chrome
- Left Hung 16" Defender Hinge S/H
- Window Lock: Espag
- Drainage: BASE
- Reinforcing: TD
- Cill: 150mm Cill
- Bead: 24mm Sash Square Bead Anthraci

- Sash: Heritage Sash - Anthracite Grey - [KL005]
- Top Outer : 33x 52mm Outer
- Bottom Outer : 33x 52mm Outer
- Left Outer : 33x 52mm Outer
- Right Outer : 33x 52mm Outer

1290mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:


4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 1190 x 876

Actual Frame Size: 1190 x851

Frame No: 8 Qty: 1 Heritage Window

Location:Window 8



- Win Handle: Connoisseur Handle Brt Chrome
- Left Hung 16" Defender Hinge S/H
- Window Lock: Espag
- Drainage: BASE
- Reinforcing: TD
- Cill: 150mm Cill
- Bead: 24mm Sash Square Bead Anthraci

- Sash: Heritage Sash - Anthracite Grey - [KL005]
- Top Outer : 33x 52mm Outer
- Bottom Outer : 33x 52mm Outer
- Left Outer : 33x 52mm Outer
- Right Outer : 33x 52mm Outer

1255mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:


4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 1155 x 762

Actual Frame Size: 1155 x737

Frame No: 9 Qty: 1 Heritage Window

Location:Window 9



- Drainage: BASE
- Reinforcing: TD
- Cill: 150mm Cill
- Bead: 24mm Fixed Square Bead Anthrac

- Top Outer : 33x 52mm Outer
- Bottom Outer : 33x 52mm Outer
- Left Outer : 33x 52mm Outer
- Right Outer : 33x 52mm Outer

2550mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:


4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 2450 x 402

Actual Frame Size: 2450 x377

Frame No: 10 Qty: 1 Heritage Window

Location:Window 10



- Win Handle: Connoisseur Handle Brt Chrome
- Left Hung 16" Defender Hinge S/H
- Window Lock: Espag
- Drainage: BASE
- Reinforcing: TD
- Cill: 150mm Cill
- Bead: 24mm Sash Square Bead Anthraci

- Sash: Heritage Sash - Anthracite Grey - [KL005]
- Top Outer : 33x 52mm Outer
- Bottom Outer : 33x 52mm Outer
- Left Outer : 33x 52mm Outer
- Right Outer : 33x 52mm Outer

1301mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:


4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 1201 x 881

Actual Frame Size: 1201 x 856

Frame No: 11 Qty: 1 Heritage Window

Location:Window 11



- Win Handle: Connoisseur Handle Brt Chrome
- Window Lock: Espag
- Drainage: BASE
- Reinforcing: TD
- Cill: 150mm Cill
- Bead: 24mm Sash Square Bead Anthraci

- Sash: Heritage Sash - Anthracite Grey - [KL005]
- Top Outer : 33x 52mm Outer
- Bottom Outer : 33x 52mm Outer
- Left Outer : 33x 52mm Outer
- Right Outer : 33x 52mm Outer

1266mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:


4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 1166 x 996

Actual Frame Size: 1166 x 971

Frame No: 12 Qty: 1 Heritage O/O Resi Door

Location:Window 12



- Door Handle: Bright Chrome Lever/Lever
- Left Door O/O Door Butt Hinge Black
- Door Lock: Door Lock (Master)
- Drainage: BASE
- Reinforcing: TD
- Cill: 150mm Cill
- Bead: 24mm Sash Square Bead Anthraci

- Sash: Door Sash (Open Out) - Anthracite Grey - [KL005]
- Top Outer : 33x 52mm Outer
- Bottom Outer : 33x 52mm Outer
- Left Outer : 33x 52mm Outer
- Right Outer : 33x 52mm Outer

1000mm: 150mm Cill-Anthracite Grey - [KL005]

45/30 Standard Thumbturn Cylinder Nickel (Open IN)

O/O Door Butt Hinge Black

1

1

4

Glazing:


4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 900 x 2020

Actual Frame Size: 900 x 1995

Frame No: 13 Qty: 1 Heritage Window

Location:Window 13



Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Fixed Square Bead Anthrac

Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer

980mm: 150mm Cill-Anthracite Grey - [KL005]


1

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 880 x 975
Actual Frame Size: 880 x 950

Frame No: 14 Qty: 1 Heritage Window

Location:Window 14



Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Fixed Square Bead Anthrac

Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer

1368mm: 150mm Cill-Anthracite Grey - [KL005]
41mm Flat Astragal Bars inside
41mm Flat Astragal Bars outside


1
2
2

Glazing:
6/12/6 Tuf(SC)/Tuf BWES+Arg 36mm Duplex Bar

Overall Size: 1268 x 2175
Actual Frame Size: 1268 x 2150

Frame No: 15 Qty: 1 Heritage Window

Location:Window 15



Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Fixed Square Bead Anthrac

Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer


980mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 880 x 965
Actual Frame Size: 880 x 940

Frame No: 16 Qty: 1 Heritage Window	Location:Window 16
---	--------------------



Drainage: BASE
Reinforcing: TD
Cill: 150mm Cill
Bead: 24mm Fixed Square Bead Anthrac

Top Outer : 33x 52mm Outer
Bottom Outer : 33x 52mm Outer
Left Outer : 33x 52mm Outer
Right Outer : 33x 52mm Outer

1005mm: 150mm Cill-Anthracite Grey - [KL005]

1

Glazing:
4/16/4 Tuf(SC)/Tuf BWES+Arg

Overall Size: 905 x 1007
Actual Frame Size: 905 x 982

Quote No Q056650

Reference Linton/Hurstwood

3/31/25 4:43:16 PM

Glass List

Location	Winno	Desc	Width	Height	Qty
Window 1	1	4/16/4 Tuf(SC)/Tuf BWES+Arg	855 X	626	1
Window 1	1	4/16/4 Tuf(SC)/Tuf BWES+Arg	13 X	626	1
Window 1	1	4/16/4 Tuf(SC)/Tuf BWES+Arg	789 X	626	1
Window 1	1	4/16/4 Tuf(SC)/Tuf BWES+Arg	855 X	626	1
Window 2	2	4/16/4 Tuf(SC)/Tuf BWES+Arg	855 X	626	1
Window 2	2	4/16/4 Tuf(SC)/Tuf BWES+Arg	13 X	626	1
Window 2	2	4/16/4 Tuf(SC)/Tuf BWES+Arg	789 X	626	1
Window 2	2	4/16/4 Tuf(SC)/Tuf BWES+Arg	855 X	626	1
Window 4	4	4/16/4 Tuf(SC)/Tuf BWES+Arg	848 X	609	1
Window 4	4	4/16/4 Tuf(SC)/Tuf BWES+Arg	782 X	635	1
Window 4	4	4/16/4 Tuf(SC)/Tuf BWES+Arg	13 X	635	1
Window 4	4	4/16/4 Tuf(SC)/Tuf BWES+Arg	848 X	609	1
Window 5	5	4/16/4 Tuf(SC)/Tuf BWES+Arg 36mm Duplex Bar	1177 X	1946	1
Window 6	6	4/16/4 Tuf(SC)/Tuf BWES+Arg	510 X	716	1
Window 6	6	4/16/4 Tuf(SC)/Tuf BWES+Arg	1060 X	766	1
Window 7	7	4/16/4 Tuf(SC)/Tuf BWES+Arg	505 X	757	1
Window 7	7	4/16/4 Tuf(SC)/Tuf BWES+Arg	555 X	807	1
Window 8	8	4/16/4 Tuf(SC)/Tuf BWES+Arg	487 X	643	1
Window 8	8	4/16/4 Tuf(SC)/Tuf BWES+Arg	538 X	693	1
Window 9	9	4/16/4 Tuf(SC)/Tuf BWES+Arg	1185 X	333	1
Window 9	9	4/16/4 Tuf(SC)/Tuf BWES+Arg	1185 X	333	1
Window 10	10	4/16/4 Tuf(SC)/Tuf BWES+Arg	510 X	762	1
Window 10	10	4/16/4 Tuf(SC)/Tuf BWES+Arg	561 X	812	1
Window 11	11	4/16/4 Tuf(SC)/Tuf BWES+Arg	493 X	877	1
Window 11	11	4/16/4 Tuf(SC)/Tuf BWES+Arg	543 X	927	1
Window 12	12	4/16/4 Tuf(SC)/Tuf BWES+Arg	805 X	611	1
Window 12	12	4/16/4 Tuf(SC)/Tuf BWES+Arg	739 X	636	1
Window 12	12	4/16/4 Tuf(SC)/Tuf BWES+Arg	13 X	636	1
Window 12	12	4/16/4 Tuf(SC)/Tuf BWES+Arg	805 X	611	1
Window 13	13	4/16/4 Tuf(SC)/Tuf BWES+Arg	836 X	906	1
Window 14	14	6/12/6 Tuf(SC)/Tuf BWES+Arg 36mm Duplex Bar	1224 X	2106	1
Window 15	15	4/16/4 Tuf(SC)/Tuf BWES+Arg	836 X	896	1
Window 16	16	4/16/4 Tuf(SC)/Tuf BWES+Arg	861 X	938	1